

STEALTH™

SERIES AUTOSCRUBBERS

QUIET & FAST
TECHNOLOGIES



BETCO®

Revolutionary Technology

Betco® STEALTH™ Series of automatic scrubbers are “The World’s Quietest Automatic Scrubbers”. They utilize Betco’s exclusive Noise Reduction Technology and are 4x quieter than other automatic scrubbers. The increased speed with lower water consumption and extended run time equals unmatched productivity. These simple to operate scrubbers are easy to maintain, clean and sanitize. The Betco STEALTH™ Series delivers all the increased productivity without all the cost.

58 dBA
ECO-Mode
QUIET
OPERATION



ASD20B



ASD20BT



ASD26BT

QUIET & FAST

STEALTH WALK BEHIND SCRUBBERS



- Adjustable traction drive control offers infinite speed settings (All BT Models).
- Easy to read gauge and meter indicating real time machine status.
- Finger-tip forward and reverse delivers ultimate handling.
- Recovery tank design ensures complete drainage for maintenance and cleaning.
- Touch button pad driver engagement on all single disk models.
- Squeegee lift lever simplifies operation.
- Tool free squeegee maintenance.



ECO-Mode reduces power consumption and reduces sound to only 54 decibels (ASD20BT & ASD26BT)



Pad driver installation and removal with the push of a button (ASD20B & ASD20BT)

Get Connected. **888-GO BETCO** Stay Connected.

Exclusive Noise Reduction

STEALTH™ Noise Reduction Technology (NRT) dramatically reduces machine noise. NRT eliminates noise pollution with a double sound insulated, acoustically engineered, 3-stage vacuum motor delivering quiet reliable performance. This quiet system delivers sound pressure levels of 58 dBA or less, well below the limit of 80 dBA... that's four times quieter than the competition. Day cleaning becomes a reality when using the Betco STEALTH™ Series Automatic Scrubbers.



ASC20BT



ASC24BT



THE ONLY THING YOU'LL NOTICE IS CLEAN FLOORS

STEALTH CYLINDRICAL SCRUBBERS



Debris Collection Bin



Cylindrical Scrub Deck

- Sweep and scrub in just one pass.
- Twin brushes operate at up to 800 RPM, ideal for textured and grouted surfaces.
- Simple operator controls and easy maintenance.
- Tool free squeegee maintenance with 4-sided squeegee blades.
- Finger-tip forward and reverse delivers ultimate handling.



Get Connected.



Stay Connected.

Newest Scrubber Technology

The leader in quiet STEALTH™ technology just made cleaning even quieter and more productive. The STEALTH™ DRS21BT cleans 35% faster than walk behind scrubbers while maintaining the smallest footprint ever for a riding scrubber. Even better, the exclusive ECO MODE feature will reduce energy consumption and lower the operating sound to only 54 dBA! The STEALTH™ DRS21BT raises the bar for productivity and quiet operating technology.

**54 dBA
QUIET
OPERATION**



NEW STEALTH™ DRS21BT MicroRider™

QUIET & FAST

STEALTH DRS21BT RIDING SCRUBBER



- 35% more productive than walk-behind models.
- ECO MODE operation reduces energy consumption, operates at only 54 dBA.
- Smallest profile ever for a riding scrubber, easily maneuvers between obstacles.
- Larger capacity tanks than walk behind scrubbers.
- Built-in filling hose allows filling from any standard sink fixture.
- One-touch electric brush engage and disengage system.
- Tool free squeegee maintenance with 4 sided squeegee blades.



Exclusive Eco Mode



Pad driver installation and removal in one easy step

Maximum Productivity

The STEALTH™ DRS26 and DRS32 finally make large area day cleaning a reality. With productivity up to 55,000 square feet per hour and up to four hours of run time, these machines are designed to tackle the largest facilities. A one-touch Intelligent Drive control system delivers simple and reliable operation. Maximum productivity with minimum sound, STEALTH™ DRS26 and STEALTH™ DRS32.



DRS26BT



DRS32BT



THE ONLY THING YOU'LL NOTICE IS CLEAN FLOORS

STEALTH DRS 26/32 RIDING SCRUBBERS



*Intelligent Drive Control
(DRS26BT & DRS32BT)*



DRS26BT & DRS32BT deck

- Maximized productivity, clean up to 55,000 square feet per hour.
- Simple operator controls and easy maintenance.
- One-touch Intelligent Drive control system on Stealth DRS26 and DRS32.
- Convert 26" scrubber to 32" scrubber in 4 easy steps.
- Tool free squeegee maintenance with 4-sided squeegee blades.
- Electric squeegee lift and brush deck lift actuators.
- Variable solution flow control.



Get Connected.



Stay Connected.

The Complete STEALTH™ Walk Behind Line



STEALTH™ ASD20B
20" Automatic Scrubber
with brush assist



STEALTH™ ASD20BT
20" Automatic Scrubber
with Traction Drive



STEALTH™ ASD26BT
26" Automatic Scrubber
with Traction Drive



STEALTH™ ASC20BT
20" Cylindrical Scrubber
with Traction Drive



STEALTH™ ASC24BT
24" Cylindrical Scrubber
with Traction Drive

SKU with WET Battery External Charger	E87030-00 w/ 2 - 12V 130 AH & 12A Charger	E87028-00 w/ 2 - 12V 130 AH & 12A Charger	E87026-00 w/ 2 - 12V 155 AH & 12A Charger	E29941-00 w/ 2 - 12V 155 AH & 12A Charger	E29951-00 w/ 4 - 6V 235 AH & 25A Charger
SKU with WET Battery External Charger	E29935-00 w/ 2 - 12V 115 AH & 12A Charger				
SKU with AGM Battery External Charger	E88062-00 w/ 2 - 12V 110 AH & 12A Charger	E88063-00 w/ 2 - 12V 110 AH & 12A Charger	E88064-00 w/ 2 - 12V 110 AH & 12A Charger	E29943-00 w/ 2 - 12V 110 AH & 12A Charger	E29952-00 w/ 4 - 6V 200 AH & 25A Charger
SKU with AGM Battery External Charger			E88061-00 w/ 2 - 12V 135 AH & 12A Charger	E29942-00 w/ 2 - 12V 135 AH & 12A Charger	
SKU with WET Battery On-Board Charger	E29980-00 w/ 2 - 12V 130 AH & 12A Charger	E29983-00 w/ 2 - 12V 130 AH & 12A Charger	E29985-00 w/ 2 - 12V 155 AH & 12A Charger		
SKU with WET Battery On-Board Charger	E29981-00 w/ 2 - 12V 110 AH & 12A Charger				
SKU with AGM Battery On-Board Charger	E29982-00 w/ 2 - 12V 130 AH & 12A Charger	E29984-00 w/ 2 - 12V 130 AH & 12A Charger	E29986-00 w/ 2 - 12V 135 AH & 12A Charger		
SKU with AGM Battery On-Board Charger			E29987-00 w/ 2 - 12V 135 AH & 12A Charger		
Cleaning Path Squeegee Width	20" (32")	20" (32")	26" (36")	20" (29")	24" (36")
Productivity Sq.Ft./Hr.	20,000 sq.ft./hr	20,000 sq.ft./hr	32,000 sq.ft./hr	24,000 sq.ft./hr	32,000 sq.ft./hr
Scrub Head RPM	DISC - (1) 20" 170 RPM	DISC - (1) 20" 170 RPM	DISC - (2) 13" 225 RPM	CYLINDRICAL - (2) 20" 800 RPM	CYLINDRICAL - (2) 24" 575 RPM
Scrub Head Pressure	66 lbs. (30 kg) floating	66 lbs. (30 kg) floating	99 lbs. (45 kg) floating	100 lbs. (45 kg) floating	110 lbs. (50 kg) floating
Brush Motor hp	(1) 0.55 hp	(1) 0.55 hp	(1) 0.75 hp	(1) 0.75 hp	(1) 0.75 hp
Solution Tank in gallons (L)	11 gallons - (40 L)	11 gallons - (40 L)	16 gallons - (60 L)	16 gallons - (60 L)	21 gallons - (79 L)
Recovery Tank in gallons (L)	13 gallons - (50 L)	13 gallons - (50 L)	19 gallons - (70 L)	19 gallons - (70 L)	24 gallons - (91 L)
Vacuum Motor Water Lift (inches)	0.5 hp 45"	0.5 hp 45"	0.5 hp 45"	0.5 hp 45"	0.75 hp 76"
Drive System	Pad Assist	Traction - 0.20 hp variable	Traction - 0.20 hp variable	Traction - 0.20 hp variable	Traction - 0.20 hp variable
Voltage Power Source	24 v Wet: 2 - 12v 115 Ah Wet: 2 - 12v 130 Ah AGM: 2 - 12v 110 Ah	24 v Wet: 2 - 12v 130 Ah AGM: 2 - 12v 110 Ah	24 v Wet: 2 - 12v 155 Ah AGM: 2 - 12v 110 Ah AGM: 2 - 12v 135 Ah	24 v Wet: 2 - 12v 155 Ah AGM: 2 - 12v 110 Ah AGM: 2 - 12v 135 Ah	24 v Wet: 4 - 6v 235 Ah AGM: 4 - 6v 200 Ah
Battery Charge Location	External or On-board	External or On-board	External or On-board	External or On-board	External
Sound Level dBA	54 dBA	54 dBA	58 dBA	58 dBA	58 dBA
Machine Size L x W x H	46 x 21 x 39	46 x 21 x 39	54 x 27 x 41	53 x 24 x 41	57 x 26 x 43
Machine Weight w/o batteries	376 lbs. (171 kg) 154 lbs. (70 kg)	395 lbs. (179 kg) 173 lbs. (78 kg)	496 lbs. (225 kg) 253 lbs. (115 kg)	516 lbs. (235 kg) 253 lbs. (115 kg)	740 lbs. (335 kg) 385 lbs. (175 kg)

3 YEAR
PARTS
WARRANTY

3 YEAR
LABOR
WARRANTY

10 YEAR
TANKS
WARRANTY

*For complete 10/3/3 coverage details view our entire warranty policy at betco.com.

Get Connected.



Stay Connected.

**The Complete
STEALTH™
RIDER Line**

















STEALTH™ DRS21BT
21" MicroRider™
Automatic Scrubber



STEALTH™ DRS26BT
26" Automatic
Rider Scrubber



STEALTH™ DRS32BT
32" Automatic
Rider Scrubber

SKU with WET Battery	E29961-00 w/ 2 - 12V 130 AH & 12A Charger	E29926-00 w/ 4 - 6V 235 AH & 25A Charger	E29931-00 w/ 4 - 6V 235 AH & 25A Charger
SKU with AGM Battery	E29962-00 w/ 2 - 12V 110 AH & 12A Charger	E29927-00 w/ 4 - 6V 200 AH & 25A Charger	E29932-00 w/ 4 - 6V 200 AH & 25A Charger
SKU with WET Battery	E29963-00 w/ 2-12V 155 AH & 12A Charger		
 Cleaning Path Squeegee Width	21" (28")	26" (37")	32" (43")
 Productivity Sq. Ft./Hr.	31,000 sq.ft./hr	42,000 sq.ft./hr	55,000 sq.ft./hr
 Scrub Head RPM	DISC - (1) 21" 140 RPM	DISC - (2) 13" 170 RPM	DISC - (2) 16" 170 RPM
 Scrub Head Pressure	35 lbs. (16 kg) variable	140 lbs. (64 kg) variable	140 lbs. (64 kg) variable
 Brush Motor hp	(1) 0.6 hp	(2) 0.55 hp	(2) 0.55 hp
 Solution Tank in gallons (L)	17 gallons - (64 L)	29 gallons - (110 L)	29 gallons - (110 L)
 Recovery Tank in gallons (L)	20 gallons - (75 L)	33 gallons - (125 L)	33 gallons - (125 L)
 Vacuum Motor Water Lift (inches)	0.42 hp 45"	0.5 hp 76"	0.5 hp 76"
 Drive System	Traction - 0.4 hp variable	Traction - 0.55 hp variable	Traction - 0.55 hp variable
 Voltage Power Source	24 v Wet: 2 - 12v 130 Ah AGM: 2 - 12v 110 Ah Wet: 2 - 12V 155 Ah	24 v Wet: 4 - 6v 235 Ah AGM: 4 - 6v 200 Ah	24 v Wet: 4 - 6v 235 Ah AGM: 4 - 6v 200 Ah
 Battery Charge Location	External	External	External
 Sound Level dBA	54 dBA	58 dBA	58 dBA
 Machine Size L x W x H	52 x 26 x 47	59 x 28 x 52	59 x 34 x 52
 Machine Weight w/o batteries	365 lbs. (165 kg) 240 lbs. (109 kg)	860 lbs. (390 kg) 490 lbs. (222 kg)	860 lbs. (390 kg) 490 lbs. (222 kg)

3 YEAR
PARTS
WARRANTY

3 YEAR
LABOR
WARRANTY

10 YEAR
TANKS
WARRANTY

*For complete 10/3/3 coverage details view our entire warranty policy at betco.com.

Get Connected.



Stay Connected.



Cleaning Innovations That Matter.

888-GO BETCO | betco.com

©2015 Betco Corporation
All Rights Reserved.

Worldwide Headquarters
1001 Brown Avenue
Toledo, Ohio 43607-0127

Item #92056-92

