




**PARTS LIST / ILLUSTRATIONS
BLUE WIDE TRACK
CARPET EXTRACTOR
AND
ACCESSORIES / HOSE KIT**

**120V WT-C2A
MACHINE # 95347 (FENTON)**

**P/N 12233, REV.B
JULY 12, 2017**




SWITCH DETAIL:



PARTS LIST, HANDLE ASSY, 120V, P/N 92735 MARCH 21, 2013

- 1 92827 2-PC HANDLE ASSY W/OUT CORD& SW
- 2 51060 SWITCH, PUSH BUTTON, RED
- 3 55148 WIRE, WHITE, CUT 3"L, (2) PLACES
- 4 60636 ACCESS PANEL, INJECTION MOLDED
- 5 20934 SCREW, #5 HI-LOW X 3/8"L (2)
- 6 45107 LEVER, ADJUSTMENT, W/HOLE
- 7 60181 SPACER, 1/2" BINDING POST
- 9 71588 LABEL, CARPET CLNG INSTR. BLUE (FRONT)
- 10 55393 POWER CORD, 18/3, BLACK, 36" STPD
- 11 20386 BOLT, 1/4-20 X 7.5" L (1) REQD
- 12 20369 ROD, THREADED 10-32, PLUNGER
- 13 20368 PLUNGER, THREADED, 1-END FLAT (1) REQD
- 14 20398 BINDING POST + SCREW, 1-1/2" SST
- 20 50992 BUSHING, SR, .187 WALL, HEYCO #1250
- 21 20373 SPRING, THRD PLUNGER
- 27 20859 ACORN NUT, 1/4-20 (1) REQD
- 38 20371 NUT, HEX, 10-32 SMALL PATTERN (1)
- 39 60180 SLEEVE, BLACK VINYL BOOT
- 40 71589 DECAL, UPH CLNG INSTRUCT. (REAR SURFACE)
- 41 75264 DECAL, PRESS FOR SPRAY
- 42 51061 CONNECTOR, INSUL, CLOSED END (1)
- 43 51111 TERMINAL, FEMAL, INSUL, QK SL (Reel #51039) (4)
- 44 51055 CORD CLAMP, 5/16" W/RUBBER LINER
- 45 20911 RIVET, 3/16" BULB-TITE (1) or (20928 in Prod.)
- 46 20231 NUT, ESN 10-32 (1)

NOTE: KIT WITH COMPLETE HANDLE ASSY, NUT & BOLT = P/N 12672



	QTY	PART#	DESCRIPTION
1	1	60680	HANDLE, BLACK, FRONT REV.A & ON
2	1	60681	HANDLE, BLACK, BACK REV.A & ON
4	2	20975	SCREW, #8 X 1 1/8" HI-LO
5	1	60636	ACCESS PANEL, INJECTION MOLDED
6	2	20934	SCREW, #5 HI-LOW X 3/8"L
7	1	45107	LEVER, ADJUSTMENT, W/HOLE
8	1	60181	SPACER, 1/2" BINDING POST
9	4	20393	SCREW, SST 6-32 X 33mm ▲
10	8	20392	SCREW, SST 6-32 X 20.5mm ▲
11	10	20232	NUT, NYLOCK, 6-32 SST
12	1	20369	ROD, THREADED 10-32, PLUNGER
13	1	20368	PLUNGER, THREADED
14	1	20398	BINDING POST + SCREW, 1-1/2" SST
15	AR	30740	LOCTITE BLUE (OR ENG. EQUIV.)
16	2	20952	SCREW, 10-32 X 1-3/4, PHM SST ▲
17	4	20853	WASHER, .214 ID, .622 OD, .032 SST
21	1	20373	SPRING, THRD PLUNGER
38	1	20371	NUT, HEX, 10-32 SMALL PATTERN
39	1	60180	SLEEVE, BLACK VINYL BOOT
40	1	60508	NYLON INSERT BUSHING
41	2	41186	BUSHING, FLANGED, HANDLE
42	3	20231	NUT, NYLOCK 10-32
43	2	20974	WASHER, .156 ID, .312 OD
44	2	20941	SCREW, 8-18 X 1 1/8, HI-LO (ALTERNATE)
45	2	20038	SCREW, 10-24 X 1 1/2" PHH FH SST
46	2	20247	NUT, LOCK, ELASTIC, 10-24, SST

▲ 20392, 20393 AND 20952 MUST BE TIGHTENED TO 10 ± 2 INCH-LBS

TOLERANCES: .X = ± .03
 .XX = ± .01, .XXX = ± .005
 ANGLE: ± 1°, FRACTION: ± 1/32"

1ST ARTICLE APPROVAL REQ'D
 FOR EACH NEW REVISION OR NEW
 VENDOR CHANGE.

APPRVD:

B.GYGAX 4-9-09

RugDoctor® 2201 W.Plano Pkwy, Suite 100
 Plano TX 75075

HANDLE ASSY, NO SW_SR_CORD


SIZE **A** DWG NO. **92827** REV **F**

SCALE **NONE** SHEET **1 OF 1**

REV	REVISIONS DESCRIPTION	DATE	APPRV
F	WAS 2 EA 20392 & 20232. REPLACED WITH 2 ITEMS, #20038 & 20247 (2 EA).	7/5/17	ECN 712C
E	ADDED #15 LOCTITE FOR BINDING POST/SCREW. REVISED ALTN.T.SCREW REQ'MTS	8-13-12	ECN 831B
D	WAS: ITEM 4, 20941 (2), IS: ITEM 4, 20975 (2). ADDED ITEM 43, 20974 WASHER (2)	2-17-12	ECN 744B
C	WAS: 20370 BINDING POST /SCREW (ALUM), IS: 20398 BINDING POST/SCREW (SST)	12-23-10	ECN 512B
B	ADDED (2) SCREWS, 20941	3-12-10	ECN 340B
A	WAS: (TBD), IS: RD # 20393, 20392, 20232. ADDED RD TITLE BLOCK & TORQUE SPEC	4-9-09	ECN 176B

PARTS LIST, VACUUM COVER ASSEMBLY, WT-C2A
VACUUM COVER SUBASSY, 120V, WT-C2 WIRED = P/N 92799


- 1 65366 VAC COVER, WT-C2A BLUE 120V (INJ-MLD)
- 2 51107 ROCKER SWITCH, DPDT, 2HP ON-OFF-ON (1)
- 3 51063 CIRCUIT BREAKER, 13 AMP, HORZ. MT, OFF/ON
- 5 41161 SERIAL NO. PLATE, WT-C2, (41175, Viper supplied)
- 6 60676 POCKET PULL, FRONT
- 7 60716 GROMMET, SPLIT, BLACK, (2) REQ'D
- 8 50276 VAC MOTOR, 120V LINIX
ORDER VAC MOTOR KIT: P/N 92728
- 9 60677 POCKET PULL, BACK
- 10 20853 WASHER, FLAT, #10 (3) REQ'D
- 11 20389 SCREW, #8 X 3/4" PPH, HI-LOW (2) REQ'D
- 12 65355 GASKET, VAC MTR, FORMED
- 13 20351 RIVET, AL, 1/8" DIA X 3/8" L (2) REQ'D
- 14 60726 COUPLING, THREADED WITH FLANGE (1)
- 15 76817 LABEL, WT-C2A ETL, US (FENTON)
- 16 19466 WASHER, LOCK, #10 EXT. STAR (3)
- 17 11849 BAFFLE, WT, UNIVERSAL VAC MOTOR
- 18 60661 ELBOW, VAC MOTOR, 90°
- 19 20534 SCREW, 10-32 X 1-1/4" PHM (3)
- 21 20451 SCREW, STA X 10mm (4) PLACES
- 22 60263 GASKET, VAC MTR ELBOW
- 23 20375 SCREW, 10-32 X 1/2" L TRUSS-HD, (5) REQ'D
- 24 76842 LABEL, WT-C2, ELECT, BLUE
- 25 71586 LABEL, WARNING, UL 1017
- 35 11996 CLAMP, HOSE, 35-55mm SST, ZINC SCREW (1)
- 37 76872 LABEL, MACHINE CLEANUP, ENG/SPAN
- 45 60646 INSULATOR, FOR ON-OFF-ON SWITCH



VACUUM COVER ASSY, WT-C2A 120V
 JULY 23, 2012

RECOVERY TANK ASSY WITH DOME ASSY

NOVEMBER 5, 2012



PARTS LIST, RECOVERY TK ASSY, WT-C2 = 92532D

- 1 45104 BAIL, 12.56"
- 2 20454 SCREW, 1/4-20 X 1.1" QTY 2
- 20237 NUT, LOCK, 1/4-20 QTY 2
- 60280 WASHER, SOCKET QTY 2
- 60279 GASKET, .25 ID QTY 2
- 3 65704 RETAINER, NYLON, NO STEP (2)
- 4 92822 RECOVERY TANK ASSY WITH BAIL
- 5 76835 DECAL, LOGO, NEW WIDE TRACK
- 6 76857 LABEL, MP/NWT, "DO NOT FILL", BLUE


PARTS LIST, DOME ASSY 92030: SUBASSY DOES NOT INCLUDE HOSES OR FILTER

- 10 60717 DOME, MP, CLEAR, SKIRTLESS
- 11 60701 GASKET, DOME SEATING
- 14 60760 ELBOW, 90° BLACK, WITH FLANGE (2) REQ'D
- 16 60196 WASHER, PLASTIC, BLACK, 1.56" ID, (2) REQ'D
- 17 85226 VACUUM HOSE X 20-1/2"L, Black
- 18 71590 DECAL, "IMPORTANT" NO FOAM...UNIVERSAL
- 19 85225 VACUUM HOSE X 14"L, Black
- 20 10460 FILTER, SCREEN, with SPRING
- 22 60591 GASKET, ELBOW, 2" OD 1 1/2" ID, .06 (2) REQ'D
- 23 41183 CLIP, RETAINING, (2) REQ'D

* REPLCAEMENT SPRING (ONLY) IS P/N 11840

PARTS LIST, MAIN SUPPORT ASSEMBLY, WT-C2A

- | | | |
|----|-------|--|
| 1 | 92820 | MAIN SUPPORT ASSEMBLY, WT-C2A, BLUE |
| 2 | 20375 | SCREW,10-32 X 1/2"TRUSS-HD (7)REQ'D |
| 3 | 51090 | BUSHING,STRAIN RELIEF, (2) REQ'D |
| 4 | 80773 | HOSE END ENLARGER |
| 5 | 51091 | NUT,STRAIN RELF BUSHING (2) REQ |
| 6 | 20907 | WASHER,.562 ID,1.00 OD,.06 Thk (3) |
| 7 | 80780 | HOSE END,TAPERED |
| 8 | 80208 | QUICK COUPLER, BRASS, 4-BALL |
| 9 | 80280 | ELBOW,BRASS,STREET,90°,1/4 FNPT |
| 11 | 80784 | NIPPLE,PLUG,QK CPLR,1/4" BARB, BRASS |
| 12 | 40215 | STRIKER PLATE, MP/WT/X3, 3-SLOT |
| 13 | 20983 | RIVET,AL, 3/16" DIA,188-.250GR (4) |
| 14 | 20954 | SCREW, M5 - .80 X 20mm HEX HD CAP (2) |
| 16 | 92585 | POWER CORD WITH ALCI PLUG, 28FT |
| 21 | 76714 | LABEL, HOSE CONN (SPAN) GREY |
| 23 | 73472 | LABEL, MP/WT/X3, PLUG CAUTION |
| 27 | 11845 | CLAMP, HOSE, 12.8mm (3) REQ'D |
| 28 | 80459 | TEE,BRASS,1/4 MNPT X 3/16"ID BARB |
| 30 | 60725 | WASHER, RUBBER, 1-1/4" O.D., 1/4" I.D., 1/4" THK |



MAIN SUPPORT HOUSING ASSY, WT-C2A


JULY 12, 2017

PARTS LIST, LOWER TANK ASSEMBLY, 120V WT-C2A

SEPT 4, 2012

- 1 92574 BOTTOM PAN W/VENT PNL, WT, 120V SUB, WIRED
- 2 60694 VENT PANEL, BLACK PLASTIC
- 3 20375 SCREW, 10-32 X 1/2" PAN-HD (5)REQ'D
- 5 85242 VAC HOSE, EXHAUST, 24" L (1)
- 6 60716 GROMMET, SPLIT, BLACK
- 7 85227 VAC HOSE, NOZZLE TUBE, 17" L
- 8 45161 NOZZLE, FLOOR, 12", WITH EARS
- 12 10231 WHEEL, 8" DIA, BLACK (2)
- 13 45122 AXLE, 3/8" DIA X 13-1/32" L, ZINC PLT
- 14 11183 HUBCAP, 3/8" DIA Stud ID (2) REQ'D
- 15 60400 FILTER, SCREEN, 9.11" L
- 16 20091 SCREW, #8 X 1/2" (2) REQD
- 20 77001 LABEL, "MIX / FILL" UNIVERSAL
- 21 65365 LOWER TANK, WT-C2A, 2-PC, BLUE
- 22 10461 LINE STRAINER, SUMP, (2) REQ'D

- 23 11995 CLAMP, HOSE, 25-40mm SST,ZINC SCREW
- 25 20504 SCREW, 8-32 X 1/2" PAN-HD (1) REQ'D
- 26 20911 RIVET, ALUM, 3/16 DIA BULB-TITE (1) REQD
- 27 20241 ESN, 8-32 (1) REQ'D
- 28 51055 CLAMP, HOSE, 5/16" METAL WRBR LINER
- 29 60634 GASKET, NEO RUBBER, .406" ID, 1" OD, (2)
- 31 20266 WASHER, ALUM, .200 ID, .44 OD (1) REQD
- 35 20853 WASHER,.214 ID,.622 OD, SST (8)
- 36 60955 GASKET, LWR TANK SEAL (61 INCHES)




CENTER SECTION
VIEW - VENT PANEL

1	12139	PUMP KIT W/DIODES, GOTEC (2)REQ'D -
		Check availability with Customer Service
3	90069	CAM ASSEMBLY (REF)
4	11845	CLAMP,HOSE,12.8-706R OETICKER (9) REQ'D
5	60449	BOTTOM PAN, BLACK, WIDE TRACK
6	40352	DRIVE ARM
7	40353	PILLOW BLOCK, (2)REQ'D
8	60723	BRUSH STRIP, 11.3"L
9	20375	SCREW,10-32 X 1/2"TRUSS-HD, (9)REQ'D
10	60720	PUMP MOUNT,3/16" RUBBER, (4)REQ'D
12	60166	CABLE TIE,BLACK PLASTIC, MOTOR STRAP
13	80790	JET TIP, SPRAY, 110° NYLON, (2)


- 15 20604 C-CLIP, (2)REQ'D
17 45108 BRUSH HOLDER ASSY, 9.46"L
18 20521 SCREW,8-32 X 1" (2) REQ'D
19 20241 ESN, 8-32, (2) REQ'D
20 80597 SLEEVE HOLDER, (2) REQ'D
21 10341 BEARING,SELF-ALIGNING (2) REQ'D
22 20840 WASHER,FELT, (2) REQ'D
23 80596 BUSHING, DRIVE-ARM, (2) REQ'D
24 60138 CONNECTOR, "Y" (1)
25 85231 HOSE,REINF,1/4"ID, 3"L (1)
27 55267 MOTOR, BRUSH, WITH CAM ASSY
ORDER DRIVE MOTOR KIT: P/N 92979
28 60611 ELBOW / BARB, 1/4" (4)
29 60139 FITTING, BARBED, 90°. (2) REQ'D

- 30 20906 SCREW, 10-32 X 5/8" WHRHD, (2) REQ'D
31 20390 SCREW, 10-32 X 1 1/4" HEX-HD (4) REQ'D
32 20853 WASHER, FL #10 X 5/8" OD (6)
33 20231 NUT, NYLOCK, 10-32, (4) REQ'D
34 80765 HOSE, REINF, 1/4" ID, BULK, CUT 5" L (1)
35 85198 HOSE, REINF 1/4" ID, 12"L (2) REQ'D
36 51110 TERM, QK SL, MALE, INSUL, 18AWG (2) REF
37 51111 TERM, QK SL, FEM, INSUL, 18AWG (4) REF
38 60637 SEALING GASKET, 7.69"L, Brsh-Bkt C/O
39 60598 GASKET, MOTOR 3/16" THICK RUBBER, 4" X 3"
40 85237 HOSE, REINF 1/4"ID, 29" L (3)
42 20652 CABLE TIE
46 20388 RIVET, AL, LARGE-HEAD (8) REQ'D
48 65508 GASKET, 3/4"W, 1/4" THK, PSA, 9-3/4"L
49 20266 WASHER, AL, .20 ID, .44 OD, 1/16, (8)
51 10316 WASHER, NYLON, .341 ID, .68 OD, .06 THK (4)



BOTTOM PAN ASSY
Wide Tracks 120V
AUGUST 6, 2013

SEE ALTERNATE PAGE FOR NEW JLT PUMP CONFIGURATION




**SIDE VIEW / PLASTIC VENT PANEL
WITH WT BOTTOM PAN ASSEMBLY - 120V WIRING DETAIL
GOTEC PUMPS - MAY 25, 2012**


1 12158 PUMP KIT, JLT, WITH INSTRUCTIONS, (2)REQ'D
2 90069 CAM ASSEMBLY (REF)
3 11845 CLAMP,HOSE,12.8-706R OETICKER (9) REQ'D
4 60449 BOTTOM PAN, BLACK, WIDE TRACK
5 40352 DRIVE ARM
6 40353 PILLOW BLOCK, (2)REQ'D
7 60723 BRUSH STRIP, 11.3"L
8 20375 SCREW,10-32 X 1/2"TRUSS-HD, (9)REQ'D
9 60720 PUMP MOUNT,3/16" RUBBER, (4)REQ'D
10 60166 CABLE TIE,BLACK PLASTIC, MOTOR STRAP
11 80790 JET TIP, SPRAY, 110° NYLON, (2)

- 15 20604 C-CLIP, (2)REQ'D
17 45108 BRUSH HOLDER ASSY, 9.46"L
18 20521 SCREW,8-32 X 1" (2) REQ'D
19 20241 ESN, 8-32, (2) REQ'D
20 80597 SLEEVE HOLDER, (2) REQ'D
21 10341 BEARING,SELF-ALIGNING (2) REQ'D
22 20840 WASHER,FELT, (2) REQ'D
23 80596 BUSHING, DRIVE-ARM, (2) REQ'D
24 60138 CONNECTOR, "Y" (1)
25 85231 HOSE,REINF,1/4"ID, 3"L (1)
27 55267 MOTOR, BRUSH, WITH CAM ASSY
ORDER DRIVE MOTOR KIT: P/N 92979
29 60139 FITTING, BARBED, 90°, (2) REQ'D

- 30 20906 SCREW, 10-32 X 5/8" WHRHD, (2) REQ'D
31 20390 SCREW, 10-32 X 1 1/4" HEX-HD (4) REQ'D
32 20853 WASHER, FL #10 X 5/8" OD (6)
33 20231 NUT, NYLOCK, 10-32, (4) REQ'D
34 80765 HOSE, REINF, 1/4" ID, BULK, CUT 5" L (1)
35 85198 HOSE, REINF 1/4" ID, 12"L (2) REQ'D
38 60637 SEALING GASKET, 7.69"L, Brsh-Bkt C/O
39 60598 GASKET, MOTOR 3/16" THICK RUBBER, 4" X 3"
40 85237 HOSE, REINF 1/4"ID, 29" L (3)
42 20388 RIVET, AL, LARGE-HEAD (8) REQ'D
48 65508 GASKET, 3/4"W, 1/4" THK, PSA, 9-3/4"L
49 20266 WASHER, AL, .20 ID, .44 OD, 1/16, (8)
51 10316 WASHER, NYLON, .341 ID, .68 OD, .06 THK (4)




Use cable ties to bundle
wires, 2 places:




**SIDE VIEW / WIDE TRACKS
BOTTOM PAN ASSY - 120V JLT PUMPS
INSTALLED 2 FUSES**

JANUARY 4, 2013



PARTS LIST: 120V WIRING, WT-C2 USING GOTEC PUMPS & DIODES

- 1 51111 FEMALE INSUL QK SL TERM,(Reel #51039) (18) REQ'D
2 51110 MALE INSUL QK SL TERM,(Reel #51040) (6) REQ'D
3 51061 INSUL CONNNECTOR, END CAP (9)
4 50258 DIODE ASSY,120V (2)
5 55147 WIRE, BLACK, 18AWG, (CUT 17"L), (2) PLACES
6 55148 WIRE, WHITE, 18AWG, (CUT 17"L), (1) PLACE
9 20652 TIE WRAP, (2) REQ'D



PARTS LIST: 120V WIRING, WT-C2 USING JLT PUMPS

- 10 55393 CORD, RED/BLACK/WHITE CONDUCTORS (HANDLE ASSY)
16 55389 CORD,4-CONDUCTOR,Gray, 29" LONG, STRIPPED
23 55148 WIRE,WHITE, 18AWG, (CUT 3"L), (3) PLACES
24 55147 WIRE, BLACK, 18AWG, (CUT 5"L), (6) PLACES
25 55148 WIRE,WHITE, 18AWG, (CUT 5"L), (4) PLACES
26 55147 WIRE, BLACK, 18AWG, (CUT 3"L), (3) PLACES