

## Table of contents

---


|                                         |    |
|-----------------------------------------|----|
| NT 68/1 BASIC, 18 GAL VAC (1.103-495.0) | 2  |
| 1 Handle                                | 3  |
| 2 Squeegee                              | 5  |
| 3 Squeegee mounting                     | 7  |
| 4 Tank                                  | 9  |
| 5 Vacuum cover                          | 11 |
| 6 Vacuum motor                          | 13 |
| 16 Cartridge filter WD/SE (6.414-552.0) | 15 |
| 7 Wheels                                | 17 |

NT 68/1 BASIC, 18 GAL VAC (1.103-495.0)

---

| POS | Description       | Quantity | Unit |
|-----|-------------------|----------|------|
| 1   | Handle            | 1        | PC   |
| 2   | Squeegee          | 1        | PC   |
| 3   | Squeegee mounting | 1        | PC   |
| 4   | Tank              | 1        | PC   |
| 5   | Vacuum cover      | 1        | PC   |
| 6   | Vacuum motor      | 1        | PC   |
| 7   | Wheels            | 1        | PC   |


1 Handle



Models / Modelos:  
1.103-494.0  
1.103-495.0  
1.013-022.0

## 1 Handle

| POS | Article no. | Description                         | Quantity | Unit | Remark                   |
|-----|-------------|-------------------------------------|----------|------|--------------------------|
| 1   | 8.635-045.0 | Screw 1/4-20 X .5 CARR BLKOX        | 2        | PC   |                          |
| 2   | 8.635-044.0 | Plate sign holder                   | 1        | PC   |                          |
| 3   | 8.634-903.0 | Handle lift squeegee                | 1        | PC   | Except Model 1.013-021.0 |
| 4   | 8.634-901.0 | Plate back panel                    | 1        | PC   |                          |
| 5   | 8.634-900.0 | Standoff 1/4-20 X 1.50              | 1        | PC   | Except Model 1.013-021.0 |
| 6   | 8.634-899.0 | BEARING FLANGED .252IC X .377OD     | 1        | PC   | Except Model 1.013-021.0 |
| 7   | 8.634-614.0 | Handle WET/DRY VAC                  | 1        | PC   |                          |
| 8   | 8.634-586.0 | Cable .09 X 29, 0707, SS            | 1        | PC   | Except Model 1.013-021.0 |
| 9   | 8.751-142.0 | SCR, 1/4-20 X 1.75 CARRIAGE PLT BLK | 4        | PC   |                          |
| 10  | 8.718-582.0 | BOLT, 1/4-20 X 1/2", NC HH(612945)  | 4        | PC   |                          |
| 11  | 8.750-306.0 | NUT, 1/4" CAP SS                    | 2        | PC   |                          |
| 12  | 8.601-063.0 | WASHER, 1/4 SS                      | 12       | PC   | Except Model 1.013-021.0 |
| 12  | 8.601-063.0 | WASHER, 1/4 SS                      | 10       | PC   | For Model 1.013-021.0    |
| 13  | 8.600-956.0 | Bolt                                | 1        | PC   | Except Model 1.013-021.0 |
| 14  | 8.600-865.0 | PIN, COTTER RING 1/4 X .041 X .844  | 1        | PC   | Except Model 1.013-021.0 |
| 15  | 8.627-187.0 | NUT, 1/4-20 HEXTHIN NYLOCK SS       | 6        | PC   | Except Model 1.013-021.0 |
| 15  | 8.627-187.0 | NUT, 1/4-20 HEXTHIN NYLOCK SS       | 4        | PC   | For Model 1.013-021.0    |
| 16  | 9.802-700.0 | BOLT, 1/4-20 X 3/4", NC HH (612937) | 1        | PC   | Except Model 1.013-021.0 |




## 2 Squeegee

| POS | Article no. | Description                        | Quantity | Unit | Remark   |
|-----|-------------|------------------------------------|----------|------|----------|
| 1   | 8.634-582.0 | Bracket retainer squeegee          | 1        | PC   |          |
| 2   | 8.634-534.0 | Squeegee blade WET/DRY VAC         | 2        | PC   |          |
| 3   | 8.634-379.0 | Squeegee 24"                       | 1        | PC   |          |
| 4   | 8.627-740.0 | SCREW, 5/16-18 X 1.75 SCHBTNHCS SS | 2        | PC   |          |
| 5   | 8.627-472.0 | SCREW, 5/16-18 X 1.5 HHCS SS       | 2        | PC   |          |
| 6   | 8.627-429.0 | SCREW, 10-32 X .375 PHPNHMS SS     | 4        | PC   |          |
| 7   | 8.627-267.0 | PIN, CLEVIS 5/16 X 1.75 STL ZNPLT  | 2        | PC   |          |
| 8   | 8.600-135.0 | BUSHING, SPANNER .435 X 1.10       | 2        | PC   |          |
| 9   | 8.601-102.0 | Wheel 3" DIA CUSHION RUBBER        | 2        | PC   |          |
| 10  | 8.601-088.0 | Wheel 1.5OD X .31ID X.75W GRY      | 2        | PC   |          |
| 11  | 8.601-077.0 | WASHER, 7/16 X1 X .08 FLT SS       | 2        | PC   |          |
| 12  | 8.600-866.0 | Cotter 5/16" RING                  | 2        | PC   |          |
| 13  | 9.802-786.0 | *NUT, 5/16, HEX, NC                | 2        | PC   |          |
| 14  | 8.635-292.0 | Squeegee assembly 24" WET VAC      | 1        | PC   | Complete |

### 3 Squeegee mounting


---



### 3 Squeegee mounting


---

| POS | Article no. | Description                            | Quantity | Unit |
|-----|-------------|----------------------------------------|----------|------|
| 1   | 8.634-585.0 | Spring squeegee arm                    | 1        | PC   |
| 2   | 8.634-584.0 | Shaft squeegee arm                     | 1        | PC   |
| 3   | 8.634-583.0 | Bracket retainer arm                   | 1        | PC   |
| 4   | 8.634-380.0 | Arm squeegee pivot                     | 1        | PC   |
| 5   | 8.627-932.0 | WASHER, .515 X .875 X .063 FLT SS      | 2        | PC   |
| 6   | 8.627-381.0 | SCREW, 1/4-20 X 1 HHCS SS              | 2        | PC   |
| 7   | 8.627-375.0 | SCREW, 1/4-20 X .625 HHCS SS NP        | 5        | PC   |
| 8   | 8.627-160.0 | NUT, 1/4-28 HEX STL GRA ZNPLT          | 2        | PC   |
| 9   | 8.601-063.0 | WASHER, 1/4 SS                         | 7        | PC   |
| 10  | 9.802-773.0 | Nut 1/4-20 ESNA NC                     | 2        | PC   |
| 11  | 8.621-969.0 | Turning knob                           | 2        | PC   |
| 12  | 8.919-834.0 | Plate stiffener wet                    | 1        | PC   |
| 13  | 8.600-687.0 | SCREW, 10 X .5 PHPNHSMS TYPEB BLK      | 2        | PC   |
| 14  | 8.752-817.0 | 5/16" EXTERNAL TOOTH LOCK WASHER, ZINC | 2        | PC   |
| 15  | 8.601-077.0 | WASHER, 7/16 X1 X .08 FLT SS           | 4        | PC   |




#### 4 Tank

| POS | Article no. | Description                              | Quantity | Unit | Remark                   |
|-----|-------------|------------------------------------------|----------|------|--------------------------|
| 1   | 8.634-620.0 | Hose drain 1.5 ID X 16 LG                | 1        | PC   |                          |
| 2   | 8.759-596.0 | Tank wet dry Mongoose Gray               | 1        | PC   |                          |
| 3   | 8.627-429.0 | SCREW, 10-32 X .375 PHPNHMS SS           | 1        | PC   | Except Model 1.013-019.0 |
| 4   | 8.623-317.0 | Clamp 3/8 NYLON UL/CSA                   | 1        | PC   | Except Model 1.013-019.0 |
| 5   | 8.617-300.0 | SCREW, KA40 X 20 OVHCS WN1413 SS         | 4        | PC   |                          |
| 6   | 8.632-791.0 | SCREW, KA50 X 25 PTOVHS STL WN1412 ZNPLT | 4        | PC   |                          |
| 7   | 8.600-451.0 | Hose INSERT                              | 1        | PC   |                          |
| 8   | 8.640-140.0 | HOSE, CAP, YLW                           | 1        | PC   |                          |
| 9   | 8.600-240.0 | Clamp 2.0" WORM GEAR X .312W             | 2        | PC   |                          |
| 10  | 4.075-015.0 | Locking clip completely                  | 2        | PC   |                          |
| 11  | 8.634-591.0 | Screw 8-32 X .75 PHFLHTC TYPEF ZNPLT     | 2        | PC   |                          |
| 12  | 8.600-299.0 | CLIP, C 1 1/2" PLASTIC                   | 1        | PC   |                          |
| 13  | 8.634-359.0 | Hose adapter WETDRY                      | 1        | PC   |                          |
| 14  | 2.100-001.0 | Suction head completely                  | 1        | PC   |                          |
| 14  | 2.100-005.0 | Suction head complete *EU                | 1        | PC   |                          |
| 15  | 8.601-297.0 | WASHER, M5 FNDR SS ISO7039               | 8        | PC   |                          |
| 16  | 8.627-085.0 | Lock nut                                 | 2        | PC   |                          |
| 17  | 8.634-588.0 | Hose WET/DRY VAC, 26.25" L               | 1        | PC   | Except Model 1.013-021.0 |




## 5 Vacuum cover

| POS | Article no. | Description                              | Quantity | Unit |
|-----|-------------|------------------------------------------|----------|------|
| 1   | 4.066-324.0 | Cover complete only for replacement NT 2 | 1        | PC   |
| 2   | 5.324-040.0 | Pushbutton                               | 1        | PC   |
| 2   | 5.324-140.0 | Pushbutton yellow                        | 1        | PC   |
| 3   | 5.032-363.0 | Strain relief                            | 1        | PC   |
| 3   | 5.032-478.0 | Strain relief                            | 1        | PC   |
| 4   | 6.647-263.0 | Power cable 7,5m PVC *EU                 | 1        | PC   |
| 4   | 6.650-061.0 | Power cable                              | 1        | PC   |
| 5   | 4.839-316.0 | Electrical small parts NT 27/1           | 1        | PC   |
| 5   | 4.839-370.0 | Electrical small parts                   | 1        | PC   |
| 6   | 6.630-214.0 | Switch                                   | 1        | PC   |
| 7   | 5.332-457.0 | Spring switch                            | 1        | PC   |
| 8   | 5.032-433.0 | Moulded part                             | 1        | PC   |
| 9   | 5.321-711.0 | Handhold                                 | 1        | PC   |
| 10  | 7.303-084.0 | Screw 4x25 -10.9-R2R (K-In6Rd)           | 4        | PC   |
| 11  | 5.069-006.0 | Cover                                    | 1        | PC   |
| 12  | 6.286-433.0 | Sound insulation set                     | 1        | PC   |
| 13  | 8.634-572.0 | Label WINDSOR, WET/DRY, BLU              | 1        | PC   |
| 14  | 6.614-005.0 | Ferrite ring                             | 1        | PC   |



## 6 Vacuum motor


| POS | Article no. | Description                       | Quantity | Unit |
|-----|-------------|-----------------------------------|----------|------|
| 1   | 9.411-631.0 | Filtering basket                  | 1        | PC   |
| 2   | 4.122-122.0 | Motor flange complete             | 1        | PC   |
| 3   | 9.411-954.0 | Holder filtering basket           | 1        | PC   |
| 4   | 5.363-586.0 | Seal flange motor                 | 1        | PC   |
| 5   | 6.903-300.0 | Seal motor                        | 1        | PC   |
| 6   | 6.490-148.0 | Vacuum motor 230V                 | 1        | PC   |
| 6   | 6.490-311.0 | Vacuum motor with earthing 120V   | 1        | PC   |
| 7   | 6.610-247.0 | Carbon brush only for replacement | 1        | PC   |
| 7   | 6.610-252.0 | Carbon brush only for replacement | 2        | PC   |
| 8   | 6.903-246.0 | Seal motor                        | 1        | PC   |
| 9   | 5.122-425.0 | Flange water                      | 1        | PC   |
| 10  | 5.122-415.0 | Flange motor                      | 1        | PC   |
| 11  | 5.585-038.0 | Float                             | 1        | PC   |
| 12  | 7.303-085.0 | Screw 4x 35 -10.9-R2R (K-In6Rd)   | 8        | PC   |
| 13  | 7.303-205.0 | Screw 4x16-St-10.9-R2R (K-In6Rd)  | 2        | PC   |
| 14  | 6.286-433.0 | Sound insulation set              | 1        | PC   |
| 15  | 5.731-595.0 | Filter                            | 1        | PC   |
| 16  | 6.414-552.0 | Cartridge filter WD/SE            | 1        | PC   |



16 Cartridge filter WD/SE (6.414-552.0)

---

| POS | Article no. | Description      | Quantity | Unit |
|-----|-------------|------------------|----------|------|
| 10  | 4.075-012.0 | Closure complete | 1        | PC   |



## 7 Wheels

| POS | Article no. | Description                     | Quantity | Unit |
|-----|-------------|---------------------------------|----------|------|
| 1   | 8.634-581.0 | Plate retainer axle             | 2        | PC   |
| 2   | 8.634-580.0 | Axle rear 5/8" DIA              | 1        | PC   |
| 3   | 8.630-007.0 | HUBCAP, 9.75" WHEEL, BLACK      | 2        | PC   |
| 4   | 8.627-375.0 | SCREW, 1/4-20 X .625 HHCS SS NP | 10       | PC   |
| 5   | 8.622-605.0 | WHEEL, 9.75" X 1.5"             | 2        | PC   |
| 6   | 8.619-943.0 | CASTER SWIVEL 4" 250# CPCTY     | 2        | PC   |
| 7   | 8.601-073.0 | WASHER, 5/8 X .64 X 1.188 SS    | 2        | PC   |
| 8   | 8.601-063.0 | WASHER, 1/4 SS                  | 10       | PC   |
| 9   | 8.600-166.0 | HUBCAP, 5/8" SHAFT              | 2        | PC   |