

56315312 SQUEEGEE WAND KIT

Convertamatic™ Models: All
BA625 series Models: ALL

Warrior™ Models: All
BA 755 series Models: All


Adhancer™ Models: All
BA 855 Trio EDS™ Models: All

AquaPLUS™ Models: All

CONTENTS OF KIT

ITEM	PART NO.	QTY	DESCRIPTION
	56040825	1	Instruction Sheet
1	56407361	4	Clamp, Plastic
2	56009030	8	Scr, Pan Phil Thd Form 10-24 x .38
3	56315232	1	Bracket, Wand
4	56315309	1	Wand, Squeegee
5	56315311	2	Bushing
6	56002292	2	Scr, Pan Phil 1/4-20 x 1.00
7	56315344	2	Gasket, 1/4 x 1/2 x 6

NOTE: Items (1, 2, 3 & 7) come preassembled.




INSTALLATION INSTRUCTIONS

- 1 **See Figure 1.** Locate the (2) Nutserts (**A**) behind the model decal on the left side of the machine.
- 2 Cut through the decal to expose both nutserts (**A**).
- 3 Install the (2) Bushings (**5**) using the (2) Screws (**6**) as shown.
- 4 Install the Wand Bracket Assembly (**1, 2, 3 & 7**) onto the Bushings (**5**) as shown.
- 5 Assemble the Wand Assembly (**4**) onto the Wand Bracket as shown.


FIGURE 1

Convertamatic™ model shown. Installation and use is the same on all models.



- 6 **See Figure 2.** To use the wand, disconnect the Vacuum Hose (B) from the squeegee and slip the Squeegee Wand (4) hose into the end of it.
- 7 Turn the Key Switch (C) ON and push the Wand Button (D) on the control panel.
- NOTE:** The steel tube of the wand is telescopic. To Lengthen or shorten; pull down on the Large Black Plastic Collar (E) to unlock and then pull UP or push DOWN on the top portion of the steel tube (F).

FIGURE 2



Convertamatic™ model shown. Installation and use is the same on all models.