

Spare parts list


(1.006-125.0) CHARIOT iSCRUB 20

Table of contents

CHARIOT iSCRUB 20 (1.006-125.0)	3
1 BUMPER	4
2 CONSOLE	6
3 CONTROL PANEL 1	8
5 PCB, RELAY OMRON II (8.634-725.0)	11
4 CONTROL PANEL 2	12
5 DECALS - DISK	14
6 DRIVE LOWER - FROM SN 4	16
1 Traction motor C2 (8.641-117.0)	19
7 DRIVE LOWER - PRIOR SN 4	21
8 SLEW/STEERING - FROM SN 4	24
9 DRIVE CHAIN - PRIOR SN 4	26
10 DRIVE MOUNTING	29
11 FRAME & REAR WHEELS	31
12 PEDAL PLATFORM	33
13 PEDAL PLATFORM MOUNTING	35
14 RECOVERY TANK	37
15 SCRUB BRUSH/PAD DRIVER	39
10 ROLLER BRUSH COMPLETE FOR REPLACEMENT BR (4.035-184.0)	41
16 SCRUB BRUSH DECK - DISK	43
17 SCRUB BRUSH DECK MOUNTING - DISK	46
18 SCRUB DECK LIFT	48
19 SQUEEGEE - DISK	50
20 STEERING	53
21 VACUUM	55
22 WIRING - BATTERY	57
23 SOLUTION TANK	59
100 iScrub20 Serial Numbers	61


CHARIOT iSCRUB 20 (1.006-125.0)

POS	Description	Quantity	Unit
1	BUMPER	1	PC
2	CONSOLE	1	PC
3	CONTROL PANEL 1	1	PC
4	CONTROL PANEL 2	1	PC
5	DECALS - DISK	1	PC
6	DRIVE LOWER - FROM SN 4	1	PC
7	DRIVE LOWER - PRIOR SN 4	1	PC
8	SLEW/STEERING - FROM SN 4	1	PC
9	DRIVE CHAIN - PRIOR SN 4	1	PC
10	DRIVE MOUNTING	1	PC
11	FRAME & REAR WHEELS	1	PC
12	PEDAL PLATFORM	1	PC
13	PEDAL PLATFORM MOUNTING	1	PC
14	RECOVERY TANK	1	PC
15	SCRUB BRUSH/PAD DRIVER	1	PC
16	SCRUB BRUSH DECK - DISK	1	PC
17	SCRUB BRUSH DECK MOUNTING - DISK	1	PC
18	SCRUB DECK LIFT	1	PC
19	SQUEEGEE - DISK	1	PC
20	STEERING	1	PC
21	VACUUM	1	PC
22	WIRING - BATTERY	1	PC
23	SOLUTION TANK	1	PC
100	iScrub20 Serial Numbers	1	PC




1 BUMPER

POS	Article no.	Description	Quantity	Unit
1	8.636-682.0	BUMPER, TRIM, BLACK	1	PC
2	8.627-698.0	SCREW, 5/16-18 X 2 HHCS SS	2	PC
3	8.601-067.0	WASHER, 5/16 FLT SS	6	PC
4	8.627-607.0	SCREW, 5/16-18 X .75 CARR SS	4	PC
5	8.627-083.0	NUT, 5/16-18 HEX NYLOCK SS	4	PC
6	8.632-395.0	PAD TIP	2	PC
7	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	4	PC



2 CONSOLE

POS	Article no.	Description	Quantity	Unit	Remark
1	8.627-633.0	SCREW, 1/4-20 X 1.25 CARR	1	PC	
2	8.627-952.0	WASHER, 1/4 FLT STL BLK ZNPLT	2	PC	
3	8.633-258.0	CONSOLE, B40RS	1	PC	DELUXE & CYLINDRICAL
3	8.639-887.0	CONSOLE, CS20	1	PC	DISK
4	8.627-678.0	SCREW, 5/16-18 X .75 HHCS SS	6	PC	
5	8.601-067.0	WASHER, 5/16 FLT SS	6	PC	
6	8.600-653.0	SCREW, 1/4-20 X 1 PHPNHMS SS	2	PC	
7	8.601-063.0	WASHER, 1/4 SS	2	PC	
8	8.631-798.0	DOME	1	PC	
9	8.632-760.0	GASKET, DOME	1	PC	
10	8.632-634.0	PIN, CLEVIS 5/16 X 4 STL ZNPLT	1	PC	
11	8.622-899.0	BUSHING, .314 X .502 X .375 FLG BRZ	2	PC	
12	8.626-494.0	Cable tie 11.38" UL/CSA	6	PC	
13	8.632-632.0	Holder hinge above	1	PC	
14	8.632-768.0	SWITCH, INTERLOCK	1	PC	
15	8.627-086.0	NUT, 10-24 TYPEU BLK	1	PC	
16	8.627-711.0	SCREW, 10-24 X .75 PHPNHMS SS	1	PC	
17	8.632-886.0	NUT, 5/16 PUSH LK STL ZNPLT	1	PC	
18	8.632-633.0	Holder hinge bottom	1	PC	
19	8.623-972.0	HORN, 108DB MINATURE W/RING	1	PC	
20	8.600-680.0	SCREW, 10-32 X .5 PHPNHMF STL ZNPLT	2	PC	
21	8.633-239.0	Plate cover	1	PC	
22	8.633-277.0	GASKET, HINGE BRACKET	2	PC	
23	8.633-276.0	GASKET , STEERING SHAFT	1	PC	
24	8.630-262.0	Foamed material 1 X 1 X 20	1	PC	DELUXE ONLY
25	8.640-218.0	GASKET, .125 X .375 X .65	1	PC	



See Serial Number Page in Operators Manual

3 CONTROL PANEL 1


POS	Article no.	Description	Quantity	Unit	valid from	valid until	Remark
1	8.635-779.0	PANEL, CONTROL, CS20 RE	1	PC			
2	8.633-721.0	SPACER, .14ID X .28OD X .38, NYL	5	PC			
3	8.633-611.0	Relay two-pole	1	PC		8	TO REPLACE OMRON RELAY ONLY
3	8.642-594.0	RELAY, SPST-NO, APAN3124	1	PC	8		TO REPLACE PANSONIC RELAY ONLY
4	8.633-610.0	Clip relay	3	PC			
5	8.634-725.0	PCB, RELAY OMRON II	1	PC			
6	8.636-219.0	Controller CS20 RE	1	PC			
6	8.638-769.0	Controller C2S ORB	1	PC	6		For Models: 1.006-182.0, 1.006-184.0
6	8.640-552.0	Controller C2S	1	PC	4		
7	8.632-639.0	CONN, 8MM PITCH, 10 POS	2	PC			
8	8.600-571.0	NUT, 1/4-20 HEXSTRW LK STL ZNPLT	2	PC			
9	8.631-390.0	RELAY, 5A, 24V, 4PDT	3	PC			
10	8.627-526.0	SCREW, 4-40 X .5 PHPNHMS STL ZNPLT	4	PC			
11	8.627-555.0	SCREW, 6-32 X 1.25 PHPNHMS STL ZNPLT	2	PC			
12	8.625-591.0	STANDOFF, 1/4-20 X 1.0 HEX INS	1	PC			
13	8.625-590.0	Distance pin	2	PC			
14	8.635-486.0	Standoff	4	PC			
15	8.625-136.0	Relay 36VDC 100A	2	PC			
16	8.601-063.0	WASHER, 1/4 SS	4	PC			
17	8.600-685.0	SCREW, 1/4-20 X 1.25 SCHSET CP SS	1	PC			
18	8.627-187.0	NUT, 1/4-20 HEXTHIN NYLOCK SS	4	PC			
19	8.627-902.0	WASHER, 6 EXTLK SS	1	PC			
20	8.627-945.0	WASHER, 6 FLT STL ZNPLT	3	PC			
21	8.627-457.0	SCREW, 4-40 X .25 PHPNHMS STL ZNPLT	4	PC			
22	8.635-444.0	PCB, iSCRUB, PIC	1	PC			

3 CONTROL PANEL 1

POS	Article no.	Description	Quantity	Unit	valid from	valid until	Remark
22	8.639-096.0	PCB, PIC CS20 CM	1	PC			CHEMICAL METERING
22	8.642-348.0	PCB ASSEMBLY, CSXB20	1	PC	6		FOR MODELS: 1.006-184.0


5 PCB, RELAY OMRON II (8.634-725.0)

POS	Article no.	Description	Quantity	Unit
10	6.664-005.0	Diode	2	PC




4 CONTROL PANEL 2

POS	Article no.	Description	Quantity	Unit	Remark
1	8.600-126.0	BOOT, CB 3/8-32 UNS	1	PC	
2	8.633-251.0	BOOT, SEAL PUSH BUTTON 11MM	2	PC	
3	8.632-818.0	BREAKER, 12A, 250VAC, 32VDC	1	PC	DISK
3	8.634-929.0	BREAKER, 25A, 250VAC, 32VDC	1	PC	CYLINDRICAL
4	8.635-487.0	SWITCH, ROTARY	1	PC	
5	8.631-616.0	BREAKER, 18A, 250VAC, 32VDC	1	PC	
6	8.631-547.0	METER, HOUR ICD	1	PC	
7	5.321-738.0	Handhold operational concept	1	PC	
8	8.631-395.0	SWITCH, SPDT 3 POSN MOM, ARROW	1	PC	
9	8.629-520.0	ASM, BUTTON, BLACK, W/BEZEL	1	PC	
10	8.629-278.0	SWITCH, MICRO	1	PC	
11	8.629-259.0	SWITCH, E-STOP AKW CHARIOT	1	PC	
12	8.625-590.0	Distance pin	4	PC	
13	8.634-896.0	LED , BATTERY INDICATOR	1	PC	
14	8.635-368.0	BREAKER, 1.5A CARLING MAGNETIC	1	PC	
15	8.600-717.0	Switch KEY TWO POSITION	1	PC	
16	8.637-141.0	SCREW, 10-32 X .75 TMS SS BLK	4	PC	
17	8.632-783.0	GASKET,.188X.31X41.0	1	PC	
18	8.635-456.0	BEZEL, ROTARY SWITCH	1	PC	
19	8.635-844.0	O-RING, 4MM ID, 1.5MM THK, BUNA-N	2	PC	
20	8.635-843.0	SCREW, M4 X 12 FLHMS SS ISO7046 NP	2	PC	
21	8.635-481.0	GASKET, ROTARY SWITCH	1	PC	
22	6.313-014.0	Spring element	1	PC	



5 DECALS - DISK

POS	Article no.	Description	Quantity	Unit	valid from
1	8.639-552.0	Label right iSCRUB 20	1	PC	
2	8.639-553.0	Label left iSCRUB 20	1	PC	
3	8.633-516.0	LABEL, KARCHER FRONT	1	PC	
4	8.639-945.0	LABEL, SOLUTION LEVEL	1	PC	
5	8.639-554.0	Label control panel CS20	1	PC	
6	8.633-571.0	Label battery	1	PC	
7	8.638-508.0	LABEL, MANUAL	1	PC	4




6 DRIVE LOWER - FROM SN 4

POS	Article no.	Description	Quantity	Unit	valid from
1	8.641-117.0	Traction motor C2	1	PC	6
2	8.640-996.0	Chain wheel transmission ANSI 40 13T	1	PC	
3	8.640-995.0	Chain wheel transmission ANSI 40 13T IDLER	1	PC	
4	8.640-994.0	Chain wheel transmission ANSI 40 20T	1	PC	
5	8.640-591.0	Bolt 1/2 x 1.625	1	PC	
6	8.638-411.0	Nut M6-1, HEX, SERFLG, DIN6923	2	PC	
7	8.640-539.0	Retaining plate C2	1	PC	
8	8.640-538.0	Axle drive wheel	1	PC	
9	8.640-537.0	Distance holder C2	1	PC	
10	8.640-536.0	Chain ANSI#40 X 21" W/MASTER	1	PC	
11	8.640-535.0	Distance holder C2 MTR MNT HOUSING	2	PC	
12	8.640-533.0	Distance holder C2	1	PC	
13	8.640-532.0	Retaining plate C2	1	PC	
14	8.640-531.0	Housing transmission C2	1	PC	
15	7.312-289.0	Washer 8-A2 ISO 7093-1	2	PC	
16	8.636-917.0	Wheel 8.00 x 2.00, GRAY X-GRV	1	PC	
17	8.632-671.0	KEY, 5 X 5 X 16MM CS GR1045	2	PC	
18	8.632-167.0	WASHER, .748 SS	2	PC	
19	8.627-607.0	SCREW, 5/16-18 X .75 CARR SS	4	PC	
20	8.627-470.0	Screw M6x1,0x16	1	PC	
21	8.627-462.0	SCREW, 1/4-20 X 1.25 HHMS STL GR5 ZNPLT	1	PC	
22	8.627-375.0	SCREW, 1/4-20 X .625 HHCS SS NP	4	PC	
23	8.627-083.0	NUT, 5/16-18 HEX NYLOCK SS	4	PC	
24	8.621-964.0	KEY, 1/4 X 1/4 X 1.5 LCSTL GR1018	1	PC	
25	8.638-412.0	Screw M5-0.8 X 16, TPNHMSSS	8	PC	
26	8.613-733.0	WASHER, M5 SHPRF STL ZNPLT	8	PC	
27	8.613-664.0	SCREW, M8-1.25 X 20 HHMS ZNPLT	2	PC	
28	8.601-081.0	WASHER, 1/4 FNDR SS	1	PC	
29	8.601-067.0	WASHER, 5/16 FLT SS	4	PC	
30	8.601-063.0	WASHER, 1/4 SS	6	PC	
31	8.600-861.0	Flanged bearing PRESS STEEL	4	PC	
32	8.627-187.0	NUT, 1/4-20 HEXTHIN NYLOCK SS	1	PC	
33	8.600-103.0	BEARING, 3/4 SPH BALL	2	PC	


6 DRIVE LOWER - FROM SN 4

POS	Article no.	Description	Quantity	Unit	valid from
34	8.640-554.0	Spacer sleeve C2	1	PC	
35	8.638-691.0	Brake traction motor C2	1	PC	
36	8.642-686.0	Environmental brake cover	1	PC	7
37	8.626-493.0	CABLE TIE, 3.5" UL/CSA	1	PC	9
38	8.626-494.0	Cable tie 11.38" UL/CSA	1	PC	9
39	8.638-441.0	Cable spacer cross	1	PC	9



1 Traction motor C2 (8.641-117.0)

POS	Article no.	Description	Quantity	Unit
1	8.638-691.0	Brake traction motor C2	1	PC
2	8.638-411.0	Nut M6-1, HEX, SERFLG, DIN6923	2	PC
3	8.638-409.0	Carbon brush set AOMPI40	1	PC
4	8.642-686.0	Environmental brake cover	1	PC
5	8.626-493.0	CABLE TIE, 3.5" UL/CSA	1	PC
6	8.631-441.0	RELEASE BUTTON	1	PC
7	8.626-494.0	Cable tie 11.38" UL/CSA	1	PC



See Serial Number Page in Operators Manual

7 DRIVE LOWER - PRIOR SN 4


POS	Article no.	Description	Quantity	Unit	valid from	Remark
1	8.632-671.0	KEY, 5 X 5 X 16MM CS GR1045	1	PC		
2	8.632-167.0	WASHER, .748 SS	2	PC		
3	8.631-981.3	Axle drive wheel packaged	1	PC		
4	8.631-967.0	SLEEVE, BEARING	6	PC		
5	8.636-401.3	MOTOR, TRACTION	1	PC		FOR INSTALLATION OF 8.636-401.0, ORDER KIT 8.636-900.0
5	8.637-844.0	Carbon brush set traction motor	1	PC		FOR CCL MOTOR, USE 86331990. FOR LINUX MOTOR, USE 86378410
5	9.840-896.0	X-REF TO 8.636-984.0 10/12	1	PC		
6	8.631-965.0	SPROCKET, DRIVE, 14T	2	PC		
7	8.631-964.0	CHAIN, ISO 08B, 12.7MM PITCH	1	PC		
8	8.631-962.0	Frame transmission	1	PC		
9	8.636-917.0	Wheel 8.00 x 2.00, GRAY X-GRV	1	PC		
10	8.627-963.0	WASHER, 5/16 X 1.13 X .09 FLT	3	PC		
11	8.636-215.0	SCREW, M6-1 X 30 HEXFLGHSERFLG STL ZNPLT	2	PC		
12	8.601-067.0	WASHER, 5/16 FLT SS	4	PC		
13	8.600-861.0	Flanged bearing PRESS STEEL	4	PC		
14	8.627-255.0	PIN, CLEVIS 5/16 X 1 STL ZNPLT	3	PC		
15	8.627-607.0	SCREW, 5/16-18 X .75 CARR SS	4	PC		
16	8.636-213.0	SCREW, 5/16-18 X 1.5 SCHCS SS	2	PC	2	
17	8.613-664.0	SCREW, M8-1.25 X 20 HHMS ZNPLT	3	PC		
18	8.634-849.0	NUT, 5/16-18 X .38 WLD TAB STL	2	PC	2	
19	8.627-083.0	NUT, 5/16-18 HEX NYLOCK SS	4	PC		
20	8.621-964.0	KEY, 1/4 X 1/4 X 1.5 LCSTL GR1018	1	PC		
21	8.633-238.0	ROLLER, 1.1 OD	3	PC		
22	8.600-103.0	BEARING, 3/4 SPH BALL	2	PC		
23	8.600-866.0	Cotter 5/16" RING	3	PC		
24	8.633-387.0	LEVER, DRIVE ENGAGEMENT	1	PC		
25	8.627-124.0	NUT, 1/4 PAL STL ZNPLT	1	PC		
26	8.623-278.0	Chain MASTERLINK 12.7MM	1	PC		
27	8.600-283.0	Cable tie .375 X 24.7	1	PC		
28	8.626-492.0	CABLE TIE, 7" UL/CSA	2	PC		
29	8.636-204.0	TAPE CLOSED CELL 1/8 X 3/4 X 2 1/2 PSA	2	PC		

7 DRIVE LOWER - PRIOR SN 4

POS	Article no.	Description	Quantity	Unit	valid from	Remark
30	8.636-214.0	SCREW, M6-1 X 12 HEXFLGHSERFLG STL ZNPLT	3	PC		

8 SLEW/STEERING - FROM SN 4

POS	Article no.	Description	Quantity	Unit
1	8.641-014.0	Gear wheel ANSI 40 14T	1	PC
2	8.640-964.0	Clip .50 SHAFT SIDE RETAIN	1	PC
3	8.640-957.0	Angle joint chain	1	PC
4	8.640-956.0	Angle joint chain	1	PC
5	8.640-955.0	Support plate chain	1	PC
6	8.640-952.0	Nut 1/4-20 X 1.5 CPL SS	4	PC
7	8.640-882.0	Plate chain guide C2	1	PC
8	8.640-864.0	Flanged bushing .503X1.25X.470 FLG 'D'	2	PC
9	8.640-858.0	Screw 10-32 X 1 TPNHMS SS BLK ZNPLT	1	PC
10	8.640-559.0	Support plate control system	1	PC
11	8.640-557.0	Bracket, Connectors	1	PC
12	8.640-556.0	SHAFT, STEERING SPROCKET	1	PC
13	8.640-551.0	Distance holder .25ID X .430OD X.83LG	4	PC
14	8.640-549.0	Bearing control system C2	1	PC
15	8.640-548.0	Plate C2	1	PC
16	8.640-547.0	Bearing screw connector bottom	1	PC
17	8.640-546.0	Plate c2	1	PC
18	8.640-534.0	Chain ANSI#40 X 21.5" W/2 MASTER	1	PC
19	8.636-387.0	CLAMP, 5/8" OD CUSHIONED	1	PC
20	8.600-703.0	SCREW, 1/4-20 X .625 PHTRHMS STL NP	2	PC
21	8.601-063.0	WASHER, 1/4 SS	13	PC
22	8.632-671.0	KEY, 5 X 5 X 16MM CS GR1045	1	PC
23	8.627-919.0	WASHER, 10 FLT STL ZNPLT	2	PC
24	8.627-899.0	WASHER, 8 FLT	3	PC
25	8.627-894.0	WASHER, 1/4 STL ZNPLT	2	PC
26	8.627-885.0	WASHER, .506 X .94 X .06 NYL	1	PC
27	8.627-539.0	Screw 1/4-20 X 1.625 SCHCS STL ZNPLT	4	PC
28	8.627-385.0	SCREW, 1/4-20 X 2 HHCS SS	5	PC
29	8.627-099.0	NUT, 10-32 HEX NYLOCK SS	1	PC
30	8.627-085.0	Lock nut	3	PC
31	8.600-661.0	SCREW, 1/4-20 X .25 SCHSET KCP BLKOX	1	PC
32	8.627-383.0	SCREW, 1/4-20 X .5 HHCS SS NP	4	PC




9 DRIVE CHAIN - PRIOR SN 4

POS	Article no.	Description	Quantity	Unit
1	8.633-072.0	CHAIN TENSIONNER	1	PC
2	8.632-935.0	NUT, 1/4-20 CPL SS	1	PC
3	8.632-934.0	Plate protection	1	PC
4	8.632-805.0	BUSHING, .480 X 1.25 X .485 FLG	2	PC
5	8.627-187.0	NUT, 1/4-20 HEXTHIN NYLOCK SS	3	PC
6	8.632-711.0	BRACKET, CONNECTORS	1	PC
7	8.627-310.0	SCREW, 1/4-20 X 2.25 HHCS STL GR5 ZNPLT	3	PC
8	8.632-206.0	COLLAR, 12MM ID	1	PC
9	8.632-205.0	SPROCKET, STEERING, 14T	1	PC
10	8.632-204.0	Retaining plate	1	PC
11	8.632-203.0	Spacer	3	PC
12	8.627-083.0	NUT, 5/16-18 HEX NYLOCK SS	7	PC
13	8.631-974.0	Plate bottom	1	PC
14	8.631-968.0	Plate above	1	PC
15	8.631-961.0	BRACKET, BEARING CLAMP	1	PC
16	8.631-960.0	BRACKET, DRIVE MOUNT	1	PC
17	8.631-959.0	SHAFT, STEERING SPROCKET	1	PC
18	8.631-956.0	CHAIN, ISO 08B, 12.7MM PITCH	1	PC
19	8.601-444.0	BEARING DRIVE	1	PC
20	8.622-427.0	SLEEVE, CHAIN TENSIONER	1	PC
21	8.625-943.0	WASHER, M12 FLT	1	PC
22	8.627-951.0	WASHER, 3/8 FLT STL ZNPLT	1	PC
23	8.601-078.0	WASHER, 1/4 SPL STL ZNPLT	1	PC
24	8.601-067.0	WASHER, 5/16 FLT SS	4	PC
25	8.601-063.0	WASHER, 1/4 SS	7	PC
26	8.636-387.0	CLAMP, 5/8" OD CUSHIONED	1	PC
27	8.600-571.0	NUT, 1/4-20 HEXSTRW LK STL ZNPLT	3	PC
28	8.627-193.0	NUT HEX NYL LOC 3/8-16	1	PC
29	8.627-607.0	SCREW, 5/16-18 X .75 CARR SS	4	PC
30	8.627-519.0	SCREW, 3/8-16 X 1.25 HHCS SS	1	PC
31	8.600-680.0	SCREW, 10-32 X .5 PHPNHTF STL ZNPLT	2	PC
32	8.627-476.0	SCREW, 1/4-20 X .5 HHCS STL GR5 ZNPLT	1	PC
33	8.627-415.0	SCREW, 1/4-20 X 1.75 HHCS STL GR5 ZNPLT	4	PC

9 DRIVE CHAIN - PRIOR SN 4


POS	Article no.	Description	Quantity	Unit
34	8.623-278.0	Chain MASTERLINK 12.7MM	1	PC
35	8.636-860.0	X-REF TO 8.632-656.0 8/16	1	PC
36	8.627-942.0	WASHER, .765 X 1.25 X .08 FLT NYL	2	PC
37	8.627-894.0	WASHER, 1/4 STL ZNPLT	1	PC
38	8.627-137.0	NUT, 1/4-20 SERFLG STL ZNPLT	2	PC



See Serial Number Page in Operators Manual


10 DRIVE MOUNTING

POS	Article no.	Description	Quantity	Unit	valid from
1	8.634-462.0	BRACKET, LINKAGE MOUNT	1	PC	
2	8.631-973.0	Sheet metal component left	1	PC	
3	8.640-541.0	BRACKET, C2 LOWER SUPPORT	1	PC	
4	8.601-067.0	WASHER, 5/16 FLT SS	10	PC	
5	8.627-669.0	SCREW, 5/16-18 X 1.75 CARR SS	8	PC	
6	8.627-607.0	SCREW, 5/16-18 X .75 CARR SS	2	PC	
7	8.627-083.0	NUT, 5/16-18 HEX NYLOCK SS	10	PC	
8	8.601-063.0	WASHER, 1/4 SS	3	PC	4
9	8.627-187.0	NUT, 1/4-20 HEXTHIN NYLOCK SS	3	PC	4




11 FRAME & REAR WHEELS

POS	Article no.	Description	Quantity	Unit	Remark
1	8.632-626.0	Holder frame left	1	PC	
2	8.632-625.0	Holder frame right	1	PC	
3	8.639-958.0	Frame assembly black CS20	1	PC	INCLUDES 8.627-891.0 & 8.634-095.0
3	8.639-959.0	Frame assembly black CSX20 CM	1	PC	CHEMICAL METERING
4	8.632-622.0	SPACER, FLG, .887ID X 1.055OD X .345LG	2	PC	
5	8.631-803.0	AXLE, 20MM X 562MM	1	PC	
6	4.062-091.0	Rear wheel set B40RS	2	PC	
7	8.622-347.0	RING, 20MM EXTERNAL SNAP	2	PC	
8	8.627-891.0	WASHER, 3/8 SS	2	PC	
9	8.634-095.0	SCREW, 3/8 X 1.5 HHLS STL ZNPLT	2	PC	




12 PEDAL PLATFORM

POS	Article no.	Description	Quantity	Unit
1	8.645-272.0	Switch replacement kit	1	PC
2	8.617-298.0	SCREW, KA50 X 10 OVHCS STL WN1412 ZNPLT	7	PC
3	8.626-493.0	CABLE TIE, 3.5" UL/CSA	1	PC
4	8.632-615.0	BRKT, LINEAR POT	1	PC
5	8.632-614.0	PIN, DOWEL 1/4 X 2.75 STL	1	PC
6	8.633-424.0	PEDAL, HEEL, BLK	1	PC
7	8.633-469.0	PEDAL, ACCELERATOR, YEL	1	PC
8	8.633-423.0	Moulded part black	1	PC
9	8.631-156.0	POTENTIOMETER ASM, LINEAR	1	PC
10	8.625-497.0	SPRING, COMP 18MMOD X 83 X 2	3	PC
11	8.617-333.0	WASHER, M5 SS ISO7093	6	PC
12	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	2	PC




13 PEDAL PLATFORM MOUNTING

POS	Article no.	Description	Quantity	Unit
1	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	9	PC
2	8.619-844.0	CLAMP, 1/4 PLASTIC CABLE	9	PC
3	8.632-791.0	SCREW, KA50 X 25 PTOVHS STL WN1412 ZNPLT	4	PC
4	8.617-333.0	WASHER, M5 SS ISO7093	4	PC




14 RECOVERY TANK

POS	Article no.	Description	Quantity	Unit
1	8.632-951.0	PLATE, INTAKE RETAINER	2	PC
2	8.632-802.0	HOSE ASM, 1.25 ID X 14.0, 4:1	1	PC
3	8.632-791.0	SCREW, KA50 X 25 PTOVHS STL WN1412 ZNPLT	3	PC
4	8.641-363.0	GASKET, REC TANK 68.3"	1	PC
5	8.632-784.0	GASKET, VAC MOUNT 27"	1	PC
6	8.632-759.0	LANYARD, 15.0 W/LOOP & EYE	1	PC
7	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	11	PC
8	8.632-627.0	CLAMP, 1.5 DIA	2	PC
9	8.632-620.0	GASKET, VACUUM INTAKE	1	PC
10	8.633-422.0	FRAME, VACUUM MOTOR, BLK	1	PC
11	8.631-821.0	Intake duct turbine	1	PC
12	8.634-472.0	PANEL, BACK B40RS BLK TRIM	1	PC
13	8.633-420.0	TANK, RECOVERY, BLK	1	PC
14	8.633-470.0	DRAIN HOSE, CMPS, YLW	1	PC
15	8.617-333.0	WASHER, M5 SS ISO7093	10	PC
16	8.617-314.0	SCREW, KA40 X 10 OVHCS STL WIN1412 ZNPLT	2	PC
17	8.600-240.0	Clamp 2.0" WORM GEAR X .312W	2	PC
18	5.037-806.0	Cage float worked 2 balls	1	PC
19	8.616-180.0	Snap fastener	1	PC
20	8.631-292.0	GASKET, VAC MOTOR	1	PC
21	8.633-570.0	Bracket drain hose	1	PC
22	8.600-707.0	SCREW, 5/16-18 X 1 PHTRHMS SS	1	PC
23	8.600-765.0	SPACER, .317 X .438 X .25	1	PC
24	8.601-067.0	WASHER, 5/16 FLT SS	1	PC
25	8.627-083.0	NUT, 5/16-18 HEX NYLOCK SS	1	PC




15 SCRUB BRUSH/PAD DRIVER

POS	Article no.	Description	Quantity	Unit
1	8.600-041.0	PAD DRIVER, 20" SD U19983	1	PC
2	8.600-042.0	Brush	1	PC
2	8.600-043.0	BRUSH, 20" NYLON SD U19985	1	PC
2	8.628-387.0	BRUSH, 20" NYLON POLISH SD	1	PC
3	8.600-507.0	Lock PAD CENTER SNAP,TWO STEP	1	PC
4	8.627-659.0	SCREW, 12-11 X 1 PHPNHMS SS TYPEA	3	PC
5	8.627-658.0	SCREW, 8-32 X .75 PHPNHMS SS	1	PC
6	8.627-660.0	SCREW, 10-12 X .75 PHTRHSMS SS TYPEA	3	PC
7	8.600-791.0	Spring EXT .31D X 2.0L X .03W	1	PC
8	8.600-728.0	Connection piece transmission brush	1	PC
9	8.600-594.0	Plate BRUSH RELEASE	1	PC
10	4.035-184.0	ROLLER BRUSH COMPLETE FOR REPLACEMENT BR	2	PC
10	4.114-010.0	Micro-fibre roll complete BR 55/40	2	PC
10	4.762-409.0	Roller brush complete white BR 55/40	2	PC
10	4.762-410.0	Roller brush complete orange BR 55/40	2	PC
10	4.762-411.0	Roller brush complete green BR 55/40	2	PC
10	4.762-412.0	Roller brush complete black BR 55/40	2	PC
10	4.762-415.0	Roll Pad BR55	2	PC
10	5.033-673.0	Thread deflector	2	PC



10 ROLLER BRUSH COMPLETE FOR REPLACEMENT BR (4.035-184.0)

POS	Article no.	Description	Quantity	Unit
10	5.033-673.0	Thread deflector	1	PC




16 SCRUB BRUSH DECK - DISK

POS	Article no.	Description	Quantity	Unit	valid from	Remark
1	8.633-134.0	BREATHER VENT, 10-32 THREAD	1	PC		
2	8.633-197.0	MOTOR ASM, BRUSH	1	PC		INCLUDES 8.633-134.0
2	8.633-198.0	BRUSH SET, 86331970 SCRB MTR	1	PC		
3	8.632-520.0	Bushing, 30mm, BRNZ	1	PC		
4	8.632-643.0	Engine holder complete brush-head	1	PC		
5	8.632-656.0	WASHER, 1.28 X 2.28 X .12 NYL	1	PC		
6	8.627-187.0	NUT, 1/4-20 HEXTHIN NYLOCK SS	3	PC		
7	8.622-230.0	NUT, 5/16-18 HEXTHIN SS	1	PC		
8	8.632-037.0	LINKAGE ARM ASSY, PIVOT SQUG	1	PC		
9	8.601-067.0	WASHER, 5/16 FLT SS	10	PC		
10	8.632-862.0	SCREW, 5/16-18 X .5 HHCS NYL BLK	1	PC		
11	8.627-907.0	Washer M6	2	PC		
12	8.627-385.0	SCREW, 1/4-20 X 2 HHCS SS	1	PC		
13	8.631-980.0	SHROUD, 20" SCRUB DECK	1	PC		
14	8.632-956.0	SCREW, M8 X 1.25 X 25 BTNHCS SS ISO7380	3	PC		
15	8.632-655.0	SUPPORT PLATE, SHROUD	1	PC		
16	8.632-654.0	BRIDGE BRKT, DECK LIFT	1	PC		
17	8.622-899.0	BUSHING, .314 X .502 X .375 FLG BRZ	4	PC		
18	8.627-713.0	SCREW, 5/16-18 X 1 CARR SS	4	PC		
19	8.632-660.0	Retaining plate above right	1	PC		
20	8.632-661.0	Retaining plate bottom right	1	PC		
21	8.627-607.0	SCREW, 5/16-18 X .75 CARR SS	4	PC		
22	8.632-658.0	Retaining plate above left	1	PC		
23	8.632-659.0	Retaining plate bottom left	1	PC		
24	8.627-083.0	NUT, 5/16-18 HEX NYLOCK SS	4	PC		
25	8.625-941.0	WASHER, .51 X 10 X .063 THR	4	PC		
26	8.629-004.0	SCREW, 5/16-18 X .75 SCHBTNHCS SS	2	PC		
27	8.633-099.0	WASHER, 5/16 INTLK SS	5	PC		
28	8.633-720.0	WASHER, 19 X 34 X 3 FLT SS	1	PC		
29	8.600-342.0	DRIVER, BRUSH SD	1	PC		
30	8.600-481.0	KEY, 1/4 X 1/4 X 1 LCSTL	1	PC		
31	8.627-963.0	WASHER, 5/16 X 1.13 X .09 FLT	1	PC		


16 SCRUB BRUSH DECK - DISK

POS	Article no.	Description	Quantity	Unit	valid from	Remark
32	8.627-913.0	Washer 5/16 SPLIT LOCK PLTD	1	PC		
33	8.633-097.0	SCREW, M8-1.25 X 30 SCHCS SS DIN933	1	PC		
34	8.627-184.0	NUT, 5/16-18 HEXTHIN NYLOCK SS	4	PC		
35	8.632-770.0	SHOULDER BOLT, 5/16 X .625 SS	2	PC		
36	8.601-063.0	WASHER, 1/4 SS	2	PC		
37	8.632-043.0	20" BRUSH SKIRT	1	PC		
38	8.632-822.0	FLEXIBLE STRIP BRUSH, 20" SKIRT	1	PC		
39	8.631-982.0	PIVOT, SQUEEGEE LINKAGE	1	PC		
40	8.633-844.0	SPACER, .41 ID X .73 OD X .105T	1	PC		
41	8.600-687.0	SCREW, 10 X .5 PHPNHSMS TYPEB BLK	1	PC		
42	8.633-545.0	WASHER, 10 X .75 X .04 FNDR NYL BLK	1	PC		
43	8.632-448.0	ACCESS COVER, BRUSH RELEASE	1	PC		
44	8.601-077.0	WASHER, 7/16 X1 X .08 FLT SS	4	PC	3	




17 SCRUB BRUSH DECK MOUNTING - DISK

POS	Article no.	Description	Quantity	Unit	valid from
1	8.627-703.0	SCREW, 5/16-18 X 1.25 CARR SS	4	PC	
2	8.627-083.0	NUT, 5/16-18 HEX NYLOCK SS	4	PC	
3	8.601-067.0	WASHER, 5/16 FLT SS	4	PC	
4	8.625-941.0	WASHER, .51 X 10 X .063 THR	4	PC	
5	8.622-899.0	BUSHING, .314 X .502 X .375 FLG BRZ	4	PC	
6	8.627-713.0	SCREW, 5/16-18 X 1 CARR SS	2	PC	
7	8.601-077.0	WASHER, 7/16 X1 X .08 FLT SS	4	PC	4



18 SCRUB DECK LIFT

POS	Article no.	Description	Quantity	Unit	valid from
1	8.632-088.3	ACT, 36VDC, 3.0" STK, 8.74 LNG	1	PC	
2	8.634-224.0	SPACER, .81 X 1.06 X .125	1	PC	
3	8.632-804.0	PIN, CLEVIS 1/4 X 2 STL ZNPLT	2	PC	
4	8.635-475.0	WASHER, .264 X 1 X .07 NYL BLK	2	PC	
5	8.600-865.0	PIN, COTTER RING 1/4 X .041 X .844	2	PC	
6	8.640-555.0	Cap tube 2X3.5	1	PC	4





19 SQUEEGEE - DISK

POS	Article no.	Description	Quantity	Unit	valid from	valid until	Remark
1	8.633-206.0	NUT, 5/16-18 X .602 FLG STL ZNPLT	4	PC		(10*)	
2	8.632-786.0	SQUEEGEE BLADE RETAINER ASSY	1	PC			
3	8.632-779.0	PLATE, WEIGHT, SQUEEGEE	6	PC		(10*)	
4	8.632-652.0	SCREW, 5/16-18 X 2.25 HHCS SS	2	PC			
5	8.632-651.0	PIVOT, SHAFT, LATCH	1	PC			
6	8.632-649.0	SCREW, 5/16-18 X 3 CARR SS	4	PC			
7	8.632-648.0	SCREW, 1/4-20 X 2.25 RDHCARR SS	4	PC		(10*)	
8	8.632-647.0	BRACE, SQUEEGEE COVER	1	PC		(10*)	
9	8.632-646.0	CASTER, 1-5/8, 3/8-24 SHT STUD, MTG51	1	PC			
10	8.632-645.0	RECEIVER, LATCH PLATE, SQUEEGEE	1	PC			
11	8.632-644.0	LIFT BRKT, BUMPER, SQUEEGEE	2	PC			
12	8.632-642.0	Moulded part rubber	1	PC			
13	8.632-640.0	Sheet metal component LATCH SQUEEGEE	1	PC			
14	8.632-607.0	BLADE, SQUEEGEE, REAR, DURO 40	1	PC			
14	8.634-206.0	Strip rear	1	PC			OPTION
15	8.632-606.0	BLADE, SQUEEGEE, FRONT, DURO 40	1	PC			
15	8.634-205.0	Strip front	1	PC			OPTION
16	8.632-391.0	VACUUM TUBE, SQUEEGEE	1	PC			
17	8.632-073.0	COVER, SQUEEGEE-RH	1	PC			
18	8.632-072.0	COVER, SQUEEGEE-LH	1	PC			
19	8.629-250.0	WASHER, 5/16 X .562 X .063 SS	4	PC		(10*)	
19	8.629-250.0	WASHER, 5/16 X .562 X .063 SS	8	PC	(10*)		
20	8.600-135.0	BUSHING, SPANNER .435 X 1.10	2	PC			
21	8.601-102.0	Wheel 3" DIA CUSHION	2	PC			


19 SQUEEGEE - DISK

POS	Article no.	Description	Quantity	Unit	valid from	valid until	Remark
		RUBBER					
22	8.601-088.0	Wheel 1.5OD X .31ID X.75W GRY	2	PC			
23	8.633-240.0	LIFT BRKT, DOUBLE SCRUB	2	PC			
24	8.601-063.0	WASHER, 1/4 SS	4	PC			
25	8.627-891.0	WASHER, 3/8 SS	1	PC			
26	8.600-866.0	Cotter 5/16" RING	2	PC			
27	8.633-246.0	LANYARD ASSY, COILED CABLE	2	PC			
28	8.600-627.0	PIN, CLEVIS 5/16 X 1.625 STL ZNPLT	2	PC			
29	8.627-184.0	NUT, 5/16-18 HEXTHIN NYLOCK SS	2	PC			
30	8.627-187.0	NUT, 1/4-20 HEXTHIN NYLOCK SS	4	PC			
31	8.600-580.0	NUT, 3/8-24 HEXTHIN STL GRA ZNPLT	1	PC			
32	8.627-124.0	NUT, 1/4 PAL STL ZNPLT	2	PC			
33	8.639-522.0	CLAMP, 1.75 X .5 WORM GEAR WING SS	1	PC			
34	8.621-969.0	Turning knob	4	PC			
35	8.643-722.0	Squeegee cover brace	1	PC	(10*)		
36	8.643-721.0	Squeegee weight plate	6	PC	(10*)		
37	8.622-230.0	NUT, 5/16-18 HEXTHIN SS	4	PC	(10*)		
100	8.633-816.0	Suction bar complete CS20	1	PC			COMPLETE ASSEMBLY




20 STEERING

POS	Article no.	Description	Quantity	Unit
1	6.435-799.0	Steering wheel	1	PC
2	8.627-161.0	NUT, 5/8-18 HEXTHIN NYLOCK STL GR2 ZNPLT	1	PC
3	8.627-942.0	WASHER, .765 X 1.25 X .08 FLT NYL	1	PC
4	8.622-879.0	BUSHING, .753 X .875 X .75 FLG	2	PC
5	8.633-933.0	SHAFT, STEERING, B40RS	1	PC
6	5.642-035.0	Cap steering wheel	1	PC
7	8.633-395.0	BUSHING, .751 D X 1 X .625 FLG	1	PC
8	8.625-961.0	Wheel STEERING 40 SPLINE HUB	1	PC
9	8.633-932.0	ASM SHAFT, STEERING, CS20	1	PC
10	8.623-481.0	Cover steering wheel	1	PC




21 VACUUM

POS	Article no.	Description	Quantity	Unit	Remark
1	8.627-392.0	SCREW, 1/4-20 X 1.75 PHPNHMS SS	3	PC	
2	8.601-063.0	WASHER, 1/4 SS	3	PC	
3	8.626-493.0	CABLE TIE, 3.5" UL/CSA	1	PC	
4	8.632-750.0	BUSHING, .250 X .75 X 1 MOUNT VIBRATION	3	PC	
5	6.490-197.3	Turbine 2-level 36V 650W (CCL)	1	PC	
5	8.613-531.0	X-REF 8.683-043.0 5/09	1	PC	
6	8.621-775.0	ELBOW, VAC MUFFLER 90 DEG	1	PC	DELUXE ONLY
7	8.626-494.0	Cable tie 11.38" UL/CSA	1	PC	DELUXE ONLY
8	8.622-222.0	MUFFLER, VACUUM FOAM 172	1	PC	DELUXE ONLY



22 WIRING - BATTERY

POS	Article no.	Description	Quantity	Unit	Remark
1	8.632-972.0	Cable battery	2	PC	
1	8.633-428.0	CBL, 6GA 5/16" RING 15"	2	PC	
2	8.632-971.0	Cable battery	1	PC	
2	8.633-427.0	CBL, CS20 BATT RING W/ANDERSON	1	PC	
3	8.622-840.0	BATTERY, 12V, 130AH (30XHS)	3	PC	
3	8.632-863.0	BATTERY, 12V 114A/H AGM	3	PC	
4	8.627-092.0	NUT, 6-32 HEX NYLOCK SS	2	PC	
5	8.627-945.0	WASHER, 6 FLT STL ZNPLT	2	PC	
6	8.627-471.0	SCREW, 6-32 X 1 PHPNHMS STL ZNPLT	2	PC	
7	8.627-191.0	Nut 5/16-18 FLEX LK STL GRA ZNPLT	6	PC	NOT SHOWN
8	8.627-576.0	Screw 5/16-18 X 1 HHCS GR8 PLTD	6	PC	NOT SHOWN



23 SOLUTION TANK

POS	Article no.	Description	Quantity	Unit
1	8.632-631.0	FITTING, ELBOW 3/4 BSP, O-RING	1	PC
2	8.632-662.0	HOSE, 3/4ID X .12W X 20"LG, CLR	1	PC
3	8.635-391.0	PIN, CLEVIS 1/4 X 1.125 SS	2	PC
4	8.623-315.0	CLAMP, 3/8 HOSE (D-SLOT)	1	PC
5	8.635-371.0	PLUG, SOLUTION FILL	2	PC
6	8.632-628.0	Bracket tank	1	PC
7	8.632-127.0	HOSE, 3/8 ID WIRE BOUND X 18"	1	PC
8	8.639-888.0	TANK, SOLUTION, CS20	1	PC
9	7.312-289.0	Washer 8-A2 ISO 7093-1	5	PC
10	8.601-067.0	WASHER, 5/16 FLT SS	2	PC
11	8.636-261.0	VALVE, 36V DC SOLENOID	1	PC
12	8.634-604.0	VALVE, BALL 3/8MPT X 3/8BARB, 90DEG	1	PC
13	8.600-797.0	Strainer 3/8 IN. NPT 60 MESH	1	PC
14	8.627-518.0	SCREW, 5/16-18 X .5 STL GR5 ZNPLT	4	PC
15	8.600-676.0	SCREW, 5/16-18 X .75 HHCS	3	PC
16	8.635-388.0	RING, SPLIT, ID .826" SS	2	PC
17	8.623-311.0	CLAMP, 1.0" WORM GEAR	1	PC
18	8.601-063.0	WASHER, 1/4 SS	8	PC
19	8.626-493.0	CABLE TIE, 3.5" UL/CSA	2	PC
20	8.632-802.0	HOSE ASM, 1.25 ID X 14.0, 4:1	1	PC
21	8.635-390.0	SCREWPOST, 1/4 X 1 PLSTC BLK	2	PC
22	8.624-609.0	LANYARD,.093X6", 1~LOOP-.26EYE	2	PC

Serial Numbers

REF. NO.	MODEL: SERIAL #
1	10061250003165, 100613000000156, 10061330003542, 10061340000180, 10061370001411, 10061380001527, 100617000000002, 100617100000007, 100617200000001, 100617300000002, 100618100000001, 100618200000006, 100618300000002, 100618400000001
2	10061250003211, 100613000000168, 10061330003600, 10061340000194, 10061370001484, 10061380001682, 100617000000002, 100617100000003, 100617200000001, 100617300000002, 100618100000010, 1006182000000039, 100618300000007, 100618400000017
3	10061250003317, 10061330003714, 10061370001609, 10061380001907, 100617000000001, 100617100000009
4	10061250003406, 100613000000198, 10061330003780, 10061340000240, 10061370001731, 10061380002090, 100617000000001, 100617100000016, 100617200000001, 100617300000005, 100618100000016, 100618300000018, 100618400000076
5	10061250003423, 100613000000199, 10061330003784, 10061340000241, 10061370001755, 10061380002136, 100617000000001, 100617100000017, 100617200000001, 100617300000005, 100618100000016, 100618300000018, 100618400000086
6	10061820000117, 10061840000098
7	10061250003740, 10061330004061, 10061370002292, 10061380002899, 10061300000230, 10061340000307, 100617000000011, 100617100000022, 100617200000001, 100617300000006, 100618100000020, 10061820000143, 100618300000020, 10061840000133
8	10061250003838, 100613000000248, 10061330004157, 10061340000317, 10061370002448, 10061380003147, 100617000000016, 100617100000023, 100617200000001, 100617300000008, 100618100000021, 100618300000020
9	10061250003910, 10061300000253, 10061330004223, 10061340000326, 10061370002656, 10061380003357, 100617000000018, 100617100000031, 100617200000004, 100617300000008, 100618100000029, 10061820000177, 100618300000022, 10061840000151
10	10061250003910, 10061300000253, 10061330004223, 10061340000326, 10061370002656, 10061380003357, 100617000000018, 100617100000031, 100617200000004, 100617300000008, 100618100000029, 10061820000177, 100618300000022, 10061840000151

If you see a ref number with an (*) in either the "Serial number from" column or "Serial number to" column in a parts list, it is referring to the serial numbers with the corresponding ref number in this serial number list.

The serial number indicates the first machine the part number is applicable to. The main illustration shows the most current design of the machine. When a boxed illustration is shown, it displays the older design.

100 iScrub20 Serial Numbers

POS	Description	Quantity	Unit
10	SERIAL NUMBER PAGE	1	PC