

ITEM NO.	PART NO.	DESCRIPTION	QTY.
1	P628	base, booster/waterbox, LX	1
2	B142	coupling, 1/4" fpt x 1/4" fpt	3
3	B248	swivel, 1/4" mpt x 1/4" fpt	1
4	H308D	gauge, pressure, 2000 PSI	1
5	B103	elbow, 90 deg street, 1/4"mpt x 1/4" fpt	5
6	H029	screw, plastite, 10 x 1/2", s/s	14
7	H296	guard, cooling fan, wire	2
8	H216	nut, lock, 1/4-20, nylon insert, s/s	18
9	H210	washer, 1/4" flat, s/s	24
10	H342	bolt, 1/4-20 x 1" hex head, s/s	20
11	H667	caster, 3", Black Hub, Gray Tread	4
12	C359C	regulator, 1000 psi	1
13	B136	elbow, brass, 90 deg, 1/4" mpt x 1/4" mpt	1
14	B241	adapter, brass, 3/8" barb x 1/4"mpt	3
15	PH715K-18	sol hose, 3/8", polywire reinforced	1
16	H347	clamp, hose, 5/16-29/32	4
17	B107	nipple, hex, 1/4"mpt x 1/4"mpt	5
18	H212	flat washer, 9/16"ID x 1 1/16"OD, AN960-C916	9
19	B130	45 deg, street elbow, brass, 1/4" male NPTF	2
20	AH106	sol hose, 1/4" x 10", 1/4" msw x 1/4" fpt	1
21	B102	quick disconnect, 1/4" fqd x 1/4" fpt	1
22	H273	nut, kep, #10-32 zinc	8
23	H230	screw, 10-32 x 1/2" phil pan head, s/s	13
24	H289	washer, 10 flat, s/s	3
25	H389	screw, 10-32 x 1/2" SHCS, alloy	1
26	P967A	plug, switch	2
27	E515	switch, rocker, 2 position	1
28	E417	power cord, end, 13", 12/3, LA066A male twist locks, sjtw solid jacket	1
29	H220	fitting, strain relief, cord	1
30	H310B	plate, switch, 7303LX / 7304	1
31	H221	nut, lock, 1/2" steel, electrical	1
32	B105	bushing, brass, 3/8"mpt x 1/4"	2
33	B109	barb, 1/4" barb x 1/4" mpt	1
34	B170	ferrule, 1/4" brass	2
35	PH615K-28	sol hose, 1/2", polywire reinforced	1
36	B110	adapter, brass, 1/4" sw barb x 1/4" fpt, w/gasket	2
37	H215	nut, hex, 1/4-20 s/s	4
38	H213	washer, 1/4" lock, s/s	6
39	B652	elbow, 90 deg, 3/8"mpt x 1/4"mpt	2
40	AH120	sol hose, 28" x 1/4", 1/4 fpt	2
41	C359A	pump, 1200 psi, 50/60 hz, pumptec, 115v	1
42	B644	barb, 1/2" barb x 1/4" mpt	1
43	PH615K-24	sol hose, 1/2", polywire reinforced	1
44	B160	adapter, brass, 1/2" barb x 3/8" fsw, ball end	1
45	B186	elbow, 90 deg street, 3/8"mpt x 3/8" fmpt	1
46	H299	washer, 11/16"ID x 1-1/2"od x .075, s/s	2
47	B131	barb, 1/4" barb x 1/8" mpt	2
48	B173	ferrule, 1/2", brass	3
49	PH634-24	sol hose, 1/4", silicone braided, clear	1
50	H677	screw, #10 x 5/8", phil pan, s/s	2
51	H547	hanger, wire for injection sprayer	1
52	G036	cap, 2.5" threaded, tethered	2
53	P535	bottle, 5 quart, w/ caps	1
54	B117	strainer, with check, chemical injector	1
55	H456B	cap (only) w/ hole	1
56	H541A	valve, float, autofill	1
57	B198	adapter, 3/4" fgh x 1/2" mpt, w/ gasket	1
58	B199	coupler, 1/2" fpt x 1/4" fpt	1
59	B101	quick disconnect, 1/4" mqd x 1/4" fpt	1
60	H325	flow meter, electric truckmount	1
61	G069	gasket, flow meter	1
62	B129	nipple, hex, 1/8" mpt x 1/8" mpt	2

ITEM NO.	PART NO.	DESCRIPTION	QTY.
63	B647	elbow, 90 deg, 1/8"mpt x 1/8" fpt	2
64	B153	coupling, 1/8" npt, light pattern	2
65	H485	handle, aluminum grip, black	2
66	H211	washer, 1/4"ID x 1"od, flat, s/s	4
67	G052	washer, buna 1-1/8" od x 3/16" id	4
68	H768	bolt, 1/4-20 x 3/4" serrated hex flange, zinc	4
69	H486	latch, front, set, large	1
70	G091	gasket, 7", vac lid	1
71	G090	lid, vac tank, clear, 7"	1
72	H178	faucet fill	1
73	PH612-60	tubing, clear, 1/2" OD x 3/8" ID, faucet fill	1
74	P629	tank, waterhog	1
75	H316	bolt, 1/4-20 x 1-1/2" hex head, s/s	2
76	H379	bracket, front, small	1
77	H201	bolt, 1/4-20 x 1/2" hex head, s/s	2
78	B119A	filter, strainer, 1/2" fpt	1
79	B210	bushing, brass, 1/2"mpt x 3/8" fpt, hex	1
80	PH634-26	sol hose, 1/4", silicone braided, clear	1

REV. 1

DESCRIPTION

DATE


APPROVED

OD

ORIGINAL DRAFT

4/2018

JFL



NAME	DATE	MYTEE 858-429-1191
DRAWN	M.LaBarbera	
CHECKED		
COMMENTS:		
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE LLC IS PROHIBITED.		
SIZE	DWG. NO.	REV
C	7304	OD
SCALE: 1:12	DO NOT SCALE DRAWING	SHEET 1 OF 3

