


Table of contents

10 B 110 R Bp NA (1.161-406.0)	3
10 B 110 R Bp others (2.161-402.7)	5
10 Basic machinery general B110	8
10 Carriage complete (4.039-324.0)	11
120 Set gear wheel nur fuer ersatz (4.640-204.0)	14
190 Wheel drive motor 24V, 450W (6.613-547.3)	16
210 Suction beam retraction complete	18
260 Lifting brush-head B110 R	21
390 Set hose stem (4.035-594.0)	23
20 Clean water tank general	24
40 Control panel complete B110R	30
30 Handhold operational concept complete (4.035-608.0)	32
40 Set key yellow KIK (4.035-408.0)	34
60 Throttle pedal complete	35
70 Seat COBO PS48 (6.394-729.0)	37
300 Covering cap complete (4.035-597.0)	39
10 Label with clamp signet XL (4.385-004.0)	41
440 Auto-Fill-In (4.035-345.0)	42
30 Dirt water tank general	44
100 Drain hose complete (4.039-326.0)	46
101 Seal discharge (5.035-103.0)	48
120 Waste water tank (4.035-598.0)	49
10 Label with clamp Logo XL (4.385-001.0)	51
140 Turbine enclosure foamed	53
10 Vacuum motor replacement (4.035-006.0)	55
20 Ram protection complete B110	56
9501 Mounting kit battery kit (2.638-205.0)	58
9511 Mounting kit battery kit (2.638-222.0)	59
9521 Mounting kit battery kit (2.638-223.0)	60
9530 Set mop Homebase B110R (4.039-349.0)	61
10 Set mop Homebase B110R	62
9540 Set LED revolving signal light B110R (4.039-350.0)	64
10 Set revolving signal light B110R	65
9550 Set cleaning agents DOSE B110R (2.644-245.0)	67
10 RM tank completely 5 L (4.039-355.0)	69
40 Dosing pump (6.762-022.0)	71
9570 Add-on kit side scrubbing deck B110R (2.644-243.0)	73
10 Ram protection complete with SSB	74


Table of contents


190 Side scrubbing deck D=200	79
270 Deflection pulley complete (4.435-002.0)	84
290 Disc brush complete red (4.905-033.0)	86
30 Cover plate complete (4.039-328.0)	88
10 Cover plate complete	89
50 Suction bar parabolic 950mm/37in (4.778-007.0)	91
10 Suction bar parabolic 950mm/37in	92
10 Suction bar top part complete	94
40 Eccentric lever complete (4.035-601.0)	96
50 Add-on kit deflector roll stackable (2.644-225.0)	98
50 Deflector roll complete (4.035-602.0)	100
20 Suction bar bottom part complete	102
60 KEM Machine Connect B 110 R *NA (2.644-214.0)	104
10 Kaercher Fleet services B110R NA	105



10 B 110 R Bp NA (1.161-406.0)

POS	Article no.	Description	Quantity	Unit
1		Software B110R Software Release Packet	1	PC
10	2.161-402.7	B 110 R Bp others	1	PC
30	4.039-328.0	Cover plate complete	1	PC
50	4.778-007.0	Suction bar parabolic 950mm/37in	1	PC
60	2.644-214.0	KEM Machine Connect B 110 R *NA	1	PC







30

10 B 110 R Bp others (2.161-402.7)


POS	Article no.	Description	Quantity	Unit
10		Basic machinery general B110	1	PC
20		Ram protection complete B110	1	PC
30	4.823-176.0	Cable harness tank without loader B110R	1	PC
31	6.644-530.0	Battery clamp	1	PC
32	6.644-360.0	Fuse 125A, 58VDC	1	PC
33	6.644-348.0	Nut with flange	1	PC
34	5.035-239.0	Covering cap battery terminal +	1	PC
35	5.035-240.0	Covering cap battery terminal -	1	PC
36	6.035-033.0	Battery clamp negative M10	1	PC
37	6.654-478.0	Pole screw M8 x 22	1	PC
	Item text1: 170 AH Hoppeke			
38	7.312-017.0	Washer 8-A2 ISO 7089	1	PC
	Item text1: 170 AH Hoppeke			
50	6.390-324.0	Hose DN16	0,46	m
230	5.392-924.0	Label service	1	PC
9500	2.815-092.0	Battery kit AGM 4x 6V/170Ah	1	SET
9501	2.638-205.0	Mounting kit battery kit	1	PC
9510	2.815-095.0	Battery kit AGM 4x 6V/285Ah	1	SET
9511	2.638-222.0	Mounting kit battery kit	1	PC
9520	2.815-101.0	Battery kit Gel 4x 6V/180Ah	1	SET
9521	2.638-223.0	Mounting kit battery kit	1	PC
9530	4.039-349.0	Set mop Homebase B110R	1	PC
9540	4.039-350.0	Set LED revolving signal light B110R	1	PC
9550	2.644-245.0	Set cleaning agents DOSE B110R	1	PC
9560	4.035-406.0	Set Homebase Box	1	PC
9570	2.644-243.0	Add-on kit side scrubbing deck B110R	1	PC





10 Basic machinery general B110

POS	Article no.	Description	Quantity	Unit
10	4.039-324.0	Carriage complete	1	PC
20		Clean water tank general	1	PC
30		Dirt water tank general	1	PC
40	7.304-402.0	Hexagonal head screw M8x65-8.8-A2E ISO	2	PC
50	5.039-327.0	Bolt	1	PC
60	5.039-328.0	Plate	1	PC
70	5.039-331.0	Strap B110	1	PC
80	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	1	PC
90	7.306-807.0	Cylinder head screw M10x85-8.8-A3E ISO4	1	PC
100	7.312-262.0	Washer 10 -100HV-A3E ISO 7094	1	PC
110	5.039-425.0	Fixing steering pillar	1	PC
120	5.039-341.0	Bolt	1	PC
130	7.303-110.0	Screw 5x35 -10.9-R2R (In6Rd)	1	PC
140	7.312-261.0	Washer 8 -100HV-A3E ISO 7094	4	PC
150	7.311-427.0	Hexagon nut M8-04-A2E DIN 985	2	PC
700	4.823-200.0	Cable harness service B110R	1	PC




10 Carriage complete (4.039-324.0)

POS	Article no.	Description	Quantity	Unit	Foot note text
10	4.039-299.0	Frame complete	1	PC	
20	6.438-014.0	Wheel D300 X 70	2	PC	
21	6.438-015.0	Wheel cap RES	2	PC	
40	5.115-733.0	Washer	2	PC	
50	7.343-040.0	Locking ring 20x1,2 -St-ph DIN 471	2	PC	
60	4.039-330.0	Steering complete	1	PC	
70	6.401-479.0	Slip ring 32006XAV	2	PC	
80	7.401-056.0	Taper roller bearing 32006x -Waelz.St DI	2	PC	
90	7.343-110.0	Locking plate MB6 -St-A2K DIN 5406	1	PC	
100	7.310-020.0	Slotted nut KM6 -St DIN 981	1	PC	
110	6.439-009.0	Steering pillar	1	PC	
120	4.640-204.0	Set gear wheel nur fuer ersatz	1	PC	
140	7.318-084.0	Parallel key 5x5x12 -C45K DIN 6885-1	1	PC	
150	7.312-005.0	Washer 10-200HV-A3E ISO 7089	8	PC	
160	7.304-277.0	Hexagonal head screw M10x20 -8.8-ZFSHL I	4	PC	
170	6.435-795.0	Steering wheel	1	PC	
180	6.640-353.0	Cap steering wheel KÄRCHER	1	PC	
190	6.613-547.3	Wheel drive motor 24V, 450W	1	PC	
200	7.304-415.0	Hexagonal head screw M10x25-8.8-A3E ISO	4	PC	
210		Suction beam retraction complete	1	PC	
220	6.339-113.0	Rubber buffer	2	PC	
230	6.039-039.0	Pressure spring D-362	2	PC	
240	5.039-269.0	Washer	4	PC	
250	5.039-369.0	Bolt spring guide	2	PC	
260		Lifting brush-head B110 R	1	PC	
261	7.316-210.0	Bolt B10,0x40-ST-A2E ISO 2341	1	PC	
262	6.035-047.0	Spring clip double	1	PC	
270	5.039-251.0	Plate left	1	PC	
280	5.039-252.0	Plate right	1	PC	
290	7.306-041.0	Cylinder head screw M8x20 -8.8-A2E ISO	12	PC	
300	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	12	PC	
310	4.540-032.3	Pump fresh water 3/4"	1	PC	
320	5.039-275.0	Fixing bracket pump	1	PC	



10 Carriage complete (4.039-324.0)

POS	Article no.	Description	Quantity	Unit	Foot note text
330	7.306-057.0	Screw M4x10 -8.8-ZNBHL (In6Rd)	3	PC	
340	6.641-474.0	Cable tape 8-210	7	PC	
350	6.390-892.0	Spiral hose NW12	0,675	m	
360	6.390-892.0	Spiral hose NW12	0,42	m	
370	6.390-892.0	Spiral hose NW12	0,42	m	
380	6.400-010.3	Valve water regulation	1	PC	
390	4.035-594.0	Set hose stem	2	PC	
410	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	4	PC	
420	6.641-464.0	Cable tie	4	PC	
430	5.443-375.0	Hose stem	1	PC	
440	6.362-170.0	O-Ring seal 11,3 X 2,4-NBR 70	1	PC	
450	5.039-276.0	Strap	1	PC	
460	4.036-164.0	Set tension rod replacement	2	ZSA	FOR BRUSH-HEAD BR
460	4.481-296.0	Tie rod	2	PC	FOR BRUSH-HEAD BD
470	6.401-475.0	Eye screw LB-5.6 M10x70	2	PC	
480	7.310-041.0	Knurled nut M10- St-E2E DIN 467	2	PC	
490	5.039-412.0	Holder ball valve	1	PC	
500	7.304-419.0	Hexagonal head screw M10x35-8.8-A3E ISO	2	PC	
510	7.311-423.0	Hexagon nut M10 -04-A2E DIN 985	2	PC	
520	7.311-006.0	Hexagon nut M10 -8-A3E ISO 4032	2	PC	
530	6.650-876.0	Cable tie lamellae pedestal	2	PC	
550	7.306-089.0	Screw M6x12 -8.8-R2R (In6Rd)	4	PC	
560	7.777-999.0	Stockpiling discontinued	2	PC	
570	4.823-173.0	Cable harness carriage B110R	1	PC	
571	6.574-324.0	Ferrite sleeve	1	PC	
580	7.313-005.0	Spring washer B10-FSt-A3E DIN 127	4	PC	
590	6.641-465.0	Cable tape	1	PC	
600	6.395-188.0	T-Piece 12-6-12	1	PC	
610	6.039-042.0	Cap closure	1	PC	
640	7.343-002.0	Shim ring 30x42x2-St2K50 DIN988	1	PC	
650	6.304-180.0	Screw M6X12-A2/70-ISO7045 (IN6RD)	2	PC	
660	7.306-022.0	Cylinder head screw M 6x20-8.8-A2E ISO47	2	PC	




120 Set gear wheel nur fuer ersatz (4.640-204.0)

POS	Article no.	Description	Quantity	Unit
2	7.311-434.0	Hexagon nut M14x1,5-6-A2E ISO 10512	1	PC
6	7.312-028.0	Washer 14-200HV-A2K ISO 7089	1	PC



190 Wheel drive motor 24V, 450W (6.613-547.3)

POS	Article no.	Description	Quantity	Unit
10	6.613-545.0	Brake	1	PC
20	6.435-446.0	Tire wheel drive motor	1	PC
30	6.610-026.0	Carbon brush set	1	PC
40	6.613-613.0	Ball bearing 61928 2RS	1	PC




210 Suction beam retraction complete

POS	Article no.	Description	Quantity	Unit
10	6.403-028.0	Plain bearing	2	PC
20	5.039-263.0	Axle	1	PC
30	5.039-196.0	Holder	1	PC
40	6.039-040.0	Extension spring	1	PC
50	5.039-194.0	Holder hoisting motor complete	1	PC
60	6.035-047.0	Spring clip double	2	PC
70	6.039-041.0	Extension spring	1	PC
80	7.303-259.0	Eye screw BM 8x40-4.6-A2E DIN 444	1	PC
90	7.316-044.0	Bolt B 10x85 -St-A2E ISO 2341	1	PC
100	6.403-074.0	Plain bearing 10mm	4	PC
110	7.312-285.0	Washer 10-200HV-A2E ISO 7093-1	4	PC
120	6.403-072.0	Plain bearing with collar GFM-1822-28	1	PC
130	9.755-664.0	Hoisting motor for replacement 24V	1	PC
140	7.311-204.0	Hexagon nut M10 -A4-035 ISO 4035	1	PC
150	5.316-006.0	Bolt D5x20	1	PC
160	5.039-291.0	Retainer suction bar finished part	1	PC
170	5.039-297.0	Spring plate	1	PC
180	5.039-292.0	Bolt 10x145	1	PC
190	4.039-316.0	Holder suction bar complete B110	1	PC
200	5.039-308.0	Bolt	1	PC
210	7.343-300.0	Lock washer 7-A2 DIN 6799	2	PC
220	6.403-050.0	Plain bearing with collar Iglidur G D10	2	PC
230	6.304-180.0	Screw M6X12-A2/70-ISO7045 (IN6RD)	3	PC
231	7.313-003.0	Spring washer B 6-FSt-A3E DIN 127	3	PC
240	7.306-075.0	Cylinder head screw M 8x 40-8.8-A2E ISO	1	PC
250	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	1	PC
260	7.311-427.0	Hexagon nut M8-04-A2E DIN 985	2	PC
270	8.600-865.0	PIN, COTTER RING 1/4 X .041 X .844	1	PC
280	7.311-621.0	Cap nut M10-A2 DIN 986	1	PC
290	7.312-130.0	Washer 6 -A4 ISO 7090	2	PC
300	6.330-290.0	Pressure spring	1	PC
310	7.306-160.0	Cylinder head screw M 10x65-A2-70 ISO 4762	1	PC
320	7.304-544.0	Hexagonal head screw M 6x40-A4-70 ISO 4	2	PC

210 Suction beam retraction complete

POS	Article no.	Description	Quantity	Unit
330	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	2	PC
340	7.777-999.0	Stockpiling discontinued	1	PC
350	5.039-303.0	Retainer handhold suction bar	1	PC
360	7.312-136.0	Conical seats D12- Edelstahl DIN 6319	1	PC





260 Lifting brush-head B110 R


POS	Article no.	Description	Quantity	Unit
10	6.330-432.0	Extension spring	2	PC
20	7.303-262.0	Eye screw LBM 8x30-1.4571 DIN 444	2	PC
30	4.039-300.0	Lever complete	1	PC
40	4.039-302.0	Lever complete	1	PC
50	5.116-416.0	Bearing sleeve	2	PC
60	7.316-210.0	Bolt B10,0x40-ST-A2E ISO 2341	1	PC
70	4.039-348.0	Holder hoisting motor cpl.	1	PC
80	5.116-417.0	Bearing sleeve	1	PC
90	6.613-508.0	Hoisting motor 24V Superseal	1	PC
100	6.035-047.0	Spring clip double	2	PC
110	7.316-023.0	Bolt B10x50x45,5-1.4301 ISO 2341	1	PC
120	5.039-266.0	Sleeve	2	PC
130	7.311-427.0	Hexagon nut M8-04-A2E DIN 985	2	PC
140	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	2	PC
150	7.306-090.0	Screw M6x16 -8.8-P2R (In6Rd)	1	PC
170	7.303-038.0	Screw M5x12 -St-P2R (In6Rd)	6	PC
180	7.312-045.0	Washer 6-200HV-P4E ISO 7089	3	PC
190	7.311-003.0	Hexagon nut M6 -8-A2E ISO 4032	2	PC
200	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	1	PC
210	7.304-399.0	Hexagonal head screw M 8x25-8.8-A2E ISO	1	PC


390 Set hose stem (4.035-594.0)

POS	Article no.	Description	Quantity	Unit
2	6.400-011.0	Clip hose stem	1	PC










20 Clean water tank general

POS	Article no.	Description	Quantity	Unit
10	5.039-217.3	Fresh water tank	1	PC
20	5.039-285.0	Steering pillar bearing	1	PC
30	6.303-315.0	Screw 8 x 35	2	PC
40		Control panel complete B110R	1	PC
50	6.273-268.0	Seal cellular rubber	0,81	m
60		Throttle pedal complete	1	PC
70	6.394-729.0	Seat COBO PS48	1	PC
80	5.039-219.0	Carrier plate seat	1	PC
90	5.039-286.0	Fixing seat L	1	PC
100	5.039-380.0	Fixing seat R	1	PC
110	6.391-913.0	Elbow nipple	2	PC
120	5.035-608.0	Wire protecting sleeve	2	PC
130	6.035-072.0	Sphere level indicator D6	1	PC
140	5.039-332.0	Hose level silicon	1	PC
150	7.303-113.0	Screw 6x25 -10.9-R2R (In6Rd)	8	PC
160	7.303-114.0	Screw 6 x 35-ST-10.9-R2R (IN6RD)	6	PC
170	5.515-253.0	Seal D34	1	PC
180	6.395-163.3	Angle bushing G1-2	1	PC
190	5.035-376.3	Filter discharge	1	PC
200	5.035-342.0	Hose connection fresh water discharge	1	PC
210	5.035-341.0	Cover fresh water tank discharge	1	PC
220	6.310-004.0	Hexagon nut G 1/2"	1	PC
230	4.035-596.0	Light element complete	3	PC
250	5.039-381.0	Wire hose hanger	1	PC
260	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	10	PC
270	6.042-030.0	Fan axial 80x80	1	PC
282	7.306-058.0	Screw M 4X 12- 8.8-R2R K-IN6RD	2	PC
290	7.303-107.0	Screw 5x16 -10.9-P2R (K-In6Rd)	1	PC
300	4.035-597.0	Covering cap complete	1	PC
320	6.641-464.0	Cable tie	1	PC
330	7.311-430.0	Hexagon nut M4-04-A2E DIN 985	2	PC
340	7.312-001.0	Washer 4-200HV-A2K ISO 7089	2	PC
350	5.035-358.3	Mounting rope cover fresh water tank packed	1	PC


20 Clean water tank general

POS	Article no.	Description	Quantity	Unit
360	5.034-099.0	Cover fresh water metering RM	1	PC
361	6.273-268.0	Seal cellular rubber	0,358	m
370	4.683-302.0	Control system CCN B110R	1	PC
380	6.652-006.0	Isolator M8	1	PC
390	7.311-510.0	Hexagon nut M 8-8-A2E ISO 7040	1	PC
400	6.652-010.0	Isolator M6	1	PC
420	7.304-381.0	Hexagonal head screw M 6x10-8.8-A2E ISO	1	PC
430	5.039-353.0	Mounting plate loader	1	PC
440	4.035-345.0	Auto-Fill-In	1	PC
450	4.823-178.0	Cable harness CCN to HMI B110R	1	PC
451	6.574-323.0	Ferrite sleeve	1	PC
470	7.304-382.0	Hexagonal head screw M 6x12-8.8-A2E ISO	3	PC
480	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	2	PC
490	7.311-003.0	Hexagon nut M6 -8-A2E ISO 4032	1	PC
500	7.311-002.0	Hexagon nut M5 -6-A2E ISO 4032	6	PC
510	7.313-003.0	Spring washer B 6-FSt-A3E DIN 127	5	PC
520	7.313-002.0	Spring washer B 5-FSt-MZN DIN 127	6	PC
530	7.313-004.0	Spring washer B 8-FSt-A3E DIN 127	2	PC
550	7.312-292.0	Washer 6 -A2 ISO 7093-1	1	PC
560	5.039-464.0	Label warning	1	PC



40 Control panel complete B110R

POS	Article no.	Description	Quantity	Unit	Foot note text
10	6.632-482.0	Switch two-pole direction of travelling	1	PC	
20	6.632-475.0	Pushbutton two-pole hooter	1	PC	
30	4.035-608.0	Handhold operational concept complete	1	PC	
40	4.035-408.0	Set key yellow KIK	1	PC	SET WITH 5 PIECES
40	5.035-344.0	Key yellow KIK	1	PC	
40	5.035-348.0	Key grey KIK	1	PC	
50	5.035-620.0	Plate display perspex	1	PC	
60	5.035-343.0	Guide key	1	PC	
70	5.321-750.0	Handhold info panel	1	PC	
80	6.630-663.0	Switch main switch 1 / 0	1	PC	
90	6.630-476.3	Switch program selection packaged	1	PC	
100	6.330-269.0	Adapter RJ45 Y-Splitter	1	PC	
105	6.640-751.0	Adapter plug at the Y CAN	1	PC	
110	5.039-288.0	Rubber stopper control panel	1	PC	
130	6.303-557.0	Screw 3x12 Kombitorx T8	5	PC	
140	7.303-274.0	Screw 5x12 -A2-70 (In6Rd)	1	PC	
150	7.303-110.0	Screw 5x35 -10.9-R2R (In6Rd)	6	PC	
160	6.632-486.0	Switch two-pole pre-sweep	1	PC	
170	4.035-595.0	Control panel replacement	1	PC	
180	4.683-303.0	Control system HMI Advanced (incl. Display 128x128)	1	PC	
190	4.683-250.0	Control system RFID reader	1	PC	
200	4.823-178.0	Cable harness CCN to HMI B110R	1	PC	
220	7.305-036.0	Countersunk screw M4x12 -A2-70-s (IN6RD)	2	PC	
230	6.684-130.0	Terminating resistor plug RJ45 CAN	1	PC	
240	5.035-224.0	Warning sign slope	1	PC	
300	6.368-286.0	Protecting cap 35*25	1	PC	




30 Handhold operational concept complete (4.035-608.0)

POS	Article no.	Description	Quantity	Unit
20	6.313-014.0	Spring element	1	PC

40 Set key yellow KIK (4.035-408.0)

POS	Article no.	Description	Quantity	Unit
10	5.035-344.0	Key yellow KIK	5	PC




60 Throttle pedal complete

POS	Article no.	Description	Quantity	Unit
10	7.306-380.0	Cylinder head screw M 8x16 A2 DIN 7984*	1	PC
20	6.330-302.0	Potentiometer pedal sensor	1	PC
30	4.039-303.0	Holder throttle pedal complete	1	PC
40	7.311-516.0	Hexagon nut M4-A2-70 DIN 985	2	PC
50	7.312-067.0	Washer 4-A2 ISO 7089	2	PC
60	7.306-211.0	Screw M 4x25-A2-70 (IN6RD)	2	PC
70	5.035-891.0	Shaft gas pedal	1	PC
80	5.039-220.0	Plate throttle pedal	1	PC
90	5.039-324.0	Guide pressure spring	1	PC
100	5.333-016.0	Pressure spring 63,5	1	PC
110	7.312-289.0	Washer 8-A2 ISO 7093-1	1	PC
120	5.039-325.0	Throttle pedal above	1	PC
130	7.306-067.0	Screw M 5x8-ST- 8.8-ZNBHL (IN6RD)	2	PC
140	6.321-046.0	Coating pedal	1	PC
150	7.303-113.0	Screw 6x25 -10.9-R2R (In6Rd)	2	PC
160	6.650-876.0	Cable tie lamellae pedestal	1	PC
180	6.100-316.0	Bush plastics 16x18x20 Iglidur J	1	PC



70 Seat COBO PS48 (6.394-729.0)

POS	Article no.	Description	Quantity	Unit
10	6.394-959.0	Switch seat replacement	1	PC




300 Covering cap complete (4.035-597.0)

POS	Article no.	Description	Quantity	Unit
10	4.385-004.0	Label with clamp signet XL	1	PC


10 Label with clamp signet XL (4.385-004.0)

POS	Article no.	Description	Quantity	Unit
1	6.385-523.0	Clamp	5	PC




440 Auto-Fill-In (4.035-345.0)

POS	Article no.	Description	Quantity	Unit
2	6.363-631.0	O-Ring seal 17x4	1	PC
3	6.632-439.3	Float regulator filling system	1	PC
4	5.035-421.0	Extension float	1	PC
5	7.303-107.0	Screw 5x16 -10.9-P2R (K-In6Rd)	5	PC
6	5.035-666.0	Form hose	1	PC
7	5.035-665.0	Sleeve	1	PC
8	6.465-031.0	Connection 3/4	1	PC
9	5.035-417.0	Fixing plate float	1	PC
10	5.035-419.0	Cover plate float yellow	1	PC
11	5.035-420.0	Joint ring cover float	1	PC
12	5.035-418.0	Seal fixing plate	1	PC
13	5.311-096.0	Hexagon nut 3/4"	1	PC



30 Dirt water tank general

POS	Article no.	Description	Quantity	Unit
10	6.392-552.0	Suction hose DN 38	1	PC
20	5.039-377.0	Label no water einfuellen	1	PC
30	5.039-335.0	Locking part waste water tank	1	PC
50	6.632-042.0	Float regulator	1	PC
60	6.641-483.0	Locknut PG7	1	PC
70	6.641-654.0	Flat gasket 13X20	1	PC
80	5.585-041.3	Float foam stop	1	PC
90	5.033-416.0	Cover float	1	PC
100	4.039-326.0	Drain hose complete	1	PC
101	5.035-103.0	Seal discharge	1	PC
102	5.035-341.0	Cover fresh water tank discharge	1	PC
110	9.763-594.0	Motor protecting filter	1	PC
120	4.035-598.0	Waste water tank	1	PC
130	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	2	PC
140		Turbine enclosure foamed	1	PC
150	5.039-261.3	Tank bulk waste	1	PC
160	6.366-058.0	Sealing profile	1,65	m
170	4.823-179.0	Cable harness waste water tank B110R	1	PC
190	6.648-813.0	Mounting base self-adhesive	1	PC
200	6.641-463.0	Cable tape	1	PC




100 Drain hose complete (4.039-326.0)

POS	Article no.	Description	Quantity	Unit
40	5.035-815.0	Cover drain hose oil resistant	1	PC


101 Seal discharge (5.035-103.0)

POS	Article no.	Description	Quantity	Unit
10	5.035-376.3	Filter discharge	1	PC




120 Waste water tank (4.035-598.0)

POS	Article no.	Description	Quantity	Unit
10	4.385-001.0	Label with clamp Logo XL	2	PC
20	5.039-377.0	Label no water einfuellen	1	PC



10 Label with clamp Logo XL (4.385-001.0)

POS	Article no.	Description	Quantity	Unit
1	6.385-523.0	Clamp	5	PC




140 Turbine enclosure foamed

POS	Article no.	Description	Quantity	Unit
10	4.035-006.0	Vacuum motor replacement	1	PC
20	5.039-274.0	Joint ring turbine	1	PC
30	7.303-109.0	Screw 5x25 -10.9-R2R (In6Rd)	5	PC
40	5.039-319.0	Enclosure foamed	1	PC
50	5.039-318.0	Cover plate turbine foamed	1	PC
70	5.363-395.0	Seal	1	PC
80	5.035-333.0	Bearing vacuum motor	1	PC

10 Vacuum motor replacement (4.035-006.0)

POS	Article no.	Description	Quantity	Unit
10	6.490-008.0	Carbon brush set	1	PC



20 Ram protection complete B110

POS	Article no.	Description	Quantity	Unit
10	5.036-208.3	Deflector roll	4	PC
20	7.304-397.0	Hexagonal head screw M8x20-8.8-A2E ISO	8	PC
30	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	8	PC
40	5.039-361.0	Holder roller left	1	PC
50	4.039-334.0	Ram protection welded	1	PC
60	5.039-363.0	Plate arm left	1	PC
70	7.306-199.0	Screw M 6x50-A2-70 (IN6RD)	2	PC
80	5.039-360.0	Holder roller right	1	PC
90	5.039-355.3	Bolt deflector roll	4	PC
100	4.039-347.0	Plate connection right	1	PC
110	4.039-346.0	Plate connection left	1	PC
120	6.437-484.0	Bearing bush	8	PC
140	7.343-005.0	Locking ring 16x1-FST-PHR DIN 471	4	PC
150	7.312-026.0	Washer 6 -A2 ISO 7089	4	PC
160	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	2	PC
170	5.035-941.0	Sleeve	2	PC
180	5.039-250.0	Roller convex D60	2	PC
190	5.039-362.0	Plate arm right	1	PC
200	7.306-071.0	Screw M5x10 -8.8-R2R (In6Rd)	4	PC
210	7.306-061.0	Cylinder head screw M10X 20-8.8-ZNBHL ISO 4762	2	PC
220	7.312-005.0	Washer 10-200HV-A3E ISO 7089	2	PC
230	7.312-261.0	Washer 8 -100HV-A3E ISO 7094	4	PC
240	7.306-041.0	Cylinder head screw M8x20 -8.8-A2E ISO	4	PC

9501 Mounting kit battery kit (2.638-205.0)

POS	Article no.	Description	Quantity	Unit
10	6.651-903.0	Cable battery 25 mm². 320mm	3	PC
30	5.642-000.0	Distance holder I B40Ep	2	PC
40	5.585-063.0	Distance holder	2	PC

9511 Mounting kit battery kit (2.638-222.0)


POS	Article no.	Description	Quantity	Unit
10	6.651-903.0	Cable battery 25 mm². 320mm	3	PC
30	5.642-021.0	Distance holder battery	4	PC

9521 Mounting kit battery kit (2.638-223.0)

POS	Article no.	Description	Quantity	Unit
10	6.651-903.0	Cable battery 25 mm². 320mm	3	PC
30	5.642-000.0	Distance holder I B40Ep	2	PC

9530 Set mop Homebase B110R (4.039-349.0)

POS	Description	Quantity	Unit
10	Set mop Homebase B110R	1	PC




10 Set mop Homebase B110R

POS	Article no.	Description	Quantity	Unit
10	5.039-336.0	Mop bracket	1	PC
20	5.035-979.0	Retaining bracket mop bracket	1	PC
30	7.303-107.0	Screw 5x16 -10.9-P2R (K-In6Rd)	2	PC
40	5.035-488.0	Adapter Homebase	2	PC
50	6.980-078.0	Holder handhold grey	1	PC
60	7.303-109.0	Screw 5x25 -10.9-R2R (In6Rd)	1	PC
70	6.980-080.0	Holder bottle	1	PC


9540 Set LED revolving signal light B110R (4.039-350.0)

POS	Description	Quantity	Unit
10	Set revolving signal light B110R	1	PC




10 Set revolving signal light B110R

POS	Article no.	Description	Quantity	Unit
10	4.039-308.0	Holder revolving signal light	1	PC
20	6.035-020.3	Revolving signal light orange packaged	1	PC
30	7.312-002.0	Washer 5-200HV-A3E ISO 7089	2	PC
40	7.311-421.0	Hexagon nut M 5-04-A2E DIN 985	2	PC
50	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	3	PC
60	4.823-186.0	Cable harness warning light B110R	1	PC
70	6.641-464.0	Cable tie	1	PC
80	6.650-605.0	Cable tie with clip	1	PC




9550 Set cleaning agents DOSE B110R (2.644-245.0)

POS	Article no.	Description	Quantity	Unit
10	4.039-355.0	RM tank completely 5 L	1	PC
20	5.039-352.0	Plate fixing pump	1	PC
30	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	1	PC
31	7.312-002.0	Washer 5-200HV-A3E ISO 7089	1	PC
40	6.762-022.0	Dosing pump	1	PC
50	6.412-015.0	Check valve	1	PC
60	6.650-605.0	Cable tie with clip	2	PC
70	6.650-876.0	Cable tie lamellae pedestal	2	PC
80	6.391-341.0	Hose chemistry DN 6	0,04	m
90	6.391-341.0	Hose chemistry DN 6	0,91	m
100	6.391-341.0	Hose chemistry DN 6	0,625	m
110	6.389-924.0	Hose clip	5	PC
120	6.296-049.0	RM 69** 10l industrial cleaner	1	PC



10 RM tank completely 5 L (4.039-355.0)

POS	Article no.	Description	Quantity	Unit
20	6.363-214.0	Seal	1	PC
30	6.392-120.3	Cap of a tank packaged	1	PC
50	5.731-609.0	Filter with weight	1	PC
60	6.391-341.0	Hose chemistry DN 6	0,22	m
70	6.412-017.0	Insert RM tank	1	PC
80	6.412-018.0	Cover plate RM tank 90°	1	PC





40 Dosing pump (6.762-022.0)


POS	Article no.	Description	Quantity	Unit
10	4.035-476.0	Hose kit replacement SEKO	1	PC

9570 Add-on kit side scrubbing deck B110R (2.644-243.0)

POS	Article no.	Description	Quantity	Unit
10		Ram protection complete with SSBD	1	PC
20	6.632-486.0	Switch two-pole pre-sweep	1	PC
30	7.311-002.0	Hexagon nut M5 -6-A2E ISO 4032	1	PC
40	7.313-004.0	Spring washer B 8-FSt-A3E DIN 127	1	PC
50	7.373-022.0	Hose clip A-16-27x9 -W2-2 DIN3017	3	PC
60	6.641-464.0	Cable tie	2	PC









10 Ram protection complete with SSBD

POS	Article no.	Description	Quantity	Unit	Foot note text
10	4.036-132.0	Ram protection welded	1	PC	
20	5.035-941.0	Sleeve	1	PC	
30	5.036-208.3	Deflector roll	3	PC	
40	5.036-958.0	Skid	1	PC	
50	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	5	PC	
60	7.306-042.0	Cylinder head screw M8x25 -8.8-A2E ISO4	1	PC	
70	4.039-338.0	Protective bracket SSD	1	PC	
80	6.437-484.0	Bearing bush	6	PC	
90	7.343-005.0	Locking ring 16x1-FST-PHR DIN 471	3	PC	
100	5.039-355.3	Bolt deflector roll	3	PC	
110	7.304-397.0	Hexagonal head screw M8x20-8.8-A2E ISO	5	PC	
120	5.039-250.0	Roller convex D60	1	PC	
130	7.306-199.0	Screw M 6x50-A2-70 (IN6RD)	1	PC	
140	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	1	PC	
150	7.312-026.0	Washer 6 -A2 ISO 7089	2	PC	
160	7.312-005.0	Washer 10-200HV-A3E ISO 7089	3	PC	
170	7.306-061.0	Cylinder head screw M10X 20-8.8-ZNBHL ISO 4762	3	PC	
180	4.039-346.0	Plate connection left	1	PC	
190		Side scrubbing deck D=200	1	PC	
200	5.039-361.0	Holder roller left	1	PC	
210	5.039-409.0	Plate arm left	1	PC	
220	7.306-024.0	Cylinder head screw M6x30 -8.8-A2E ISO4762	1	PC	
230	7.311-003.0	Hexagon nut M6 -8-A2E ISO 4032	1	PC	
240	7.306-071.0	Screw M5x10 -8.8-R2R (In6Rd)	2	PC	
250	6.650-876.0	Cable tie lamellae pedestal	3	PC	
260	6.412-015.0	Check valve	1	PC	
270	4.040-996.3	T-Piece cpl. replacement	1	PC	
280	6.391-341.0	Hose chemistry DN 6	0,083	m	
290	6.391-341.0	Hose chemistry DN 6	1,1	m	
300	6.391-341.0	Hose chemistry DN 6	0,625	m	
310	6.389-924.0	Hose clip	6	PC	
320	6.641-474.0	Cable tape 8-210	2	PC	
330	6.641-464.0	Cable tie	4	PC	

10 Ram protection complete with SSBD

POS	Article no.	Description	Quantity	Unit	Foot note text
340	4.823-174.0	Cable harness side scrubbing deck B110R	1	PC	VERSION 1
340	4.823-321.0	Cable harness side scrubbing deck B110R 2022	1	PC	VERSION 2
341	4.823-323.0	Cable harness adapter hoisting motor B110R	1	PC	VERSION 2
342	4.823-325.0	Cable harness adapter pump B110R	1	PC	VERSION 2
350	7.312-261.0	Washer 8 -100HV-A3E ISO 7094	4	PC	
360	7.306-041.0	Cylinder head screw M8x20 -8.8-A2E ISO	4	PC	
370	5.039-448.0	Plate covering cap	1	PC	
380	7.306-089.0	Screw M6x12 -8.8-R2R (In6Rd)	2	PC	
390	6.574-216.0	Ferrite core	1	PC	
400	6.273-135.0	Sealing strip	1	PC	
420	5.039-512.0	Fixing bracket pump SSD	1	PC	VERSION 2
430	6.473-103.3	Diaphragm pump 24V DC	1	PC	VERSION 2
440	7.306-182.0	Screw M5x16 -A2-70 ISO 14583	4	PC	
450	7.312-267.0	Washer 5-A2 ISO 7094	4	PC	





190 Side scrubbing deck D=200


POS	Article no.	Description	Quantity	Unit	Foot note text
10	5.039-283.0	Carrier	1	PC	
20	6.613-075.0	Gear motor 24 V	1	PC	
30	4.039-341.0	Plate swivel complete	1	PC	
40	6.435-515.0	Wheel oil resistant D50	4	PC	
50	6.042-027.0	Hoisting motor	1	PC	VERSION 1
50	6.042-068.3	Hoisting motor retracted	1	PC	VERSION 2
60	5.036-967.0	Shaft swivel	1	PC	
70	5.039-440.0	Bolt	1	PC	
80	5.039-388.0	Lever	1	PC	
90	4.039-342.0	Lifting complete	1	PC	VERSION 1
90	4.039-372.0	Lifting complete	1	PC	
100	6.039-020.0	Plain bearing	2	PC	
110	5.039-404.0	Holder rear	2	PC	
120	5.039-403.0	Sleeve	1	PC	
130	5.039-397.0	Plate	2	PC	
140	6.330-456.0	Extension spring RZ-177I m=5	1	PC	
150	7.303-260.0	Eye screw LBM 8x50-4.6-A2E DIN 444	1	PC	
160	5.039-393.0	Bearing sleeve	8	PC	
170	5.039-394.0	Washer	8	PC	
180	4.036-136.0	Base plate complete	1	PC	
190	5.039-392.0	Discharger chute	1	PC	
200	5.039-395.0	Holder	1	PC	
210	5.039-396.0	Strap	1	PC	
220	5.039-405.0	Rubber lip side scrubbing deck Linatex	1	PC	
230	5.036-978.0	Retainer strip	1	PC	
240	6.330-401.0	Extension spring	1	PC	
250	7.305-035.0	Countersunk screw M 4x10-A2-70-SCHW (IN	6	PC	
260	5.039-390.0	Sleeve	6	PC	
270	4.435-002.0	Deflection pulley complete	1	PC	
280	6.403-041.0	Plain bearing 10/12/05	2	PC	
290	4.905-033.0	Disc brush complete red	1	PC	
300	7.312-026.0	Washer 6 -A2 ISO 7089	9	PC	
310	7.306-196.0	Screw M 6x30-A2-70 (IN6RD)	4	PC	

190 Side scrubbing deck D=200

POS	Article no.	Description	Quantity	Unit	Foot note text
320	5.443-624.0	Nipple	1	PC	
330	7.312-153.0	Washer 10 -160HV-A3E EN28738	1	PC	
340	7.306-194.0	Screw M6x20 -A2-70 ISO 14583	3	PC	
360	7.312-002.0	Washer 5-200HV-A3E ISO 7089	2	PC	
370	7.311-421.0	Hexagon nut M 5-04-A2E DIN 985	2	PC	
380	7.306-071.0	Screw M5x10 -8.8-R2R (In6Rd)	5	PC	
390	7.306-394.0	Screw M5x12 -8.8-ZNBHL ISO 14583	4	PC	
400	7.777-999.0	Stockpiling discontinued	1	PC	
410	7.311-425.0	Hexagon nut M6-04-A2E DIN 985	2	PC	
420	7.312-005.0	Washer 10-200HV-A3E ISO 7089	3	PC	
430	7.343-001.0	Locking ring 10x1-Rf-St DIN 471	3	PC	
440	6.432-207.0	Chain zinc-plated 32/12/3	0,175	m	
460	4.035-599.0	Bearing pump	1	PC	VERSION 1
470	6.473-063.3	Vibrating piston pump	1	PC	VERSION 1
480	6.432-143.0	Chain link nickel-plated E-06B-1 DIN 818	2	PC	
490	7.312-276.0	Washer 6 -200HV-A2E ISO7093-1	2	PC	
510	6.330-131.0	Extension spring	1	PC	
520	7.432-098.0	Roller chain 06B-1 276,225-ST-vz DIN 8187-1	1	PC	
530	7.304-172.0	Hexagonal head screw M8x55 -8.8-GE3A/VL	1	PC	
540	7.311-427.0	Hexagon nut M8-04-A2E DIN 985	3	PC	
550	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	1	PC	
560	7.313-003.0	Spring washer B 6-FSt-A3E DIN 127	4	PC	
570	7.306-092.0	Screw M6x20-ST- 8.8-R3R (IN6RD)	6	PC	
580	7.306-049.0	Cylinder head screw M 8x45-8.8-A2E ISO	1	PC	
590	7.312-264.0	Washer 5-100HV-A3E ISO 7094	2	PC	
600	7.306-057.0	Screw M4x10 -8.8-ZNBHL (In6Rd)	1	PC	
610	5.039-250.0	Roller convex D60	1	PC	
620	5.039-422.0	Shaft	1	PC	
640	7.306-089.0	Screw M6x12 -8.8-R2R (In6Rd)	2	PC	
650	6.641-465.0	Cable tape	2	PC	VERSION 1
660	7.318-204.0	Curved washer 3x3,7-C45R DIN 6888	1	PC	
670	7.311-003.0	Hexagon nut M6 -8-A2E ISO 4032	2	PC	
680	5.039-446.0	Sleeve	4	PC	


190 Side scrubbing deck D=200

POS	Article no.	Description	Quantity	Unit	Foot note text
690	5.039-454.0	Lever bottom	1	PC	
700	5.039-455.0	Strap	1	PC	
710	7.304-272.0	Hexagonal head screw M5x16 -8.8-GE3A/VL	11	PC	
720	5.384-004.0	Label hot do not touch	1	PC	
730	6.641-464.0	Cable tie	1	PC	
740	5.039-479.0	Bearing flange	1	PC	
750	7.401-133.0	Ball bearing 6004-2RS -Wälzl.St DIN 625	1	PC	
760	7.313-002.0	Spring washer B 5-FSt-MZN DIN 127	3	PC	
770	7.312-278.0	Washer 5-200HV-A2E ISO7093-1	3	PC	
780	5.316-785.0	Bolt	1	PC	
790	7.343-202.0	Lock washer 5-A2 DIN 6799	1	PC	



270 Deflection pulley complete (4.435-002.0)

POS	Article no.	Description	Quantity	Unit
1	5.435-020.0	Deflection pulley	1	PC
2	7.401-174.0	Ball bearing 688-2Z -Wälzl.St DIN 625	2	PC




290 Disc brush complete red (4.905-033.0)

POS	Article no.	Description	Quantity	Unit
20	5.051-744.0	Clip brush	1	PC

30 Cover plate complete (4.039-328.0)

POS	Description	Quantity	Unit
10	Cover plate complete	1	PC




10 Cover plate complete

POS	Article no.	Description	Quantity	Unit
10	5.039-222.3	Covering cap waste water tank	1	PC
20	7.303-212.0	Screw 5x20-A2-70 (K-In6Rd)	6	PC
30	9.763-593.0	Float cage	1	PC
40	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	4	PC
50	7.312-278.0	Washer 5-200HV-A2E ISO7093-1	1	PC
60	5.107-278.0	Bar cover seat	1	PC
70	6.641-446.0	Cable bushing	1	ZST
80	5.039-338.0	Fixing drying position	1	PC
90	5.039-262.0	Deflection waste water	1	PC
100	5.035-054.0	Filling system covering cap black	1	PC
110	5.035-418.0	Seal fixing plate	1	PC
120	5.039-339.0	Float	1	PC

50 Suction bar parabolic 950mm/37in (4.778-007.0)


POS	Description	Quantity	Unit
10	Suction bar parabolic 950mm/37in	1	PC



10 Suction bar parabolic 950mm/37in


POS	Description	Quantity	Unit
10	Suction bar top part complete	1	PC
20	Suction bar bottom part complete	1	PC

10 Suction bar top part complete




10 Suction bar top part complete

POS	Article no.	Description	Quantity	Unit
10	5.039-313.0	Top part suction bar finished part 950mm/37in	1	PC
20	4.039-313.3	Support roller cpl.	2	PC
21	7.312-292.0	Washer 6 -A2 ISO 7093-1	12	PC
22	5.039-370.0	Distance bush	2	PC
23	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	2	PC
30	5.039-314.0	Handle	2	PC
31	7.343-304.0	Lock washer 15 -A2 DIN 6799	2	PC
40	4.035-601.0	Eccentric lever complete	2	PC
44	7.312-007.0	Washer 6,4x30x1,5 - A2-70 DIN 522-C	2	PC
45	7.306-194.0	Screw M6x20 -A2-70 ISO 14583	2	PC
50	2.644-225.0	Add-on kit deflector roll stackable	1	PC
50	4.035-602.0	Deflector roll complete	2	PC
60	5.039-315.0	Weight suction bar	2	PC
70	5.039-367.0	Insert snap-fit right	1	PC
71	5.039-368.0	Insert snap-fit left	1	PC
72	7.303-212.0	Screw 5x20-A2-70 (K-In6Rd)	2	PC
80	5.039-311.0	Seal suction bar	1	PC
90	6.803-073.0	Level	1	PC
91	5.039-310.0	Seal	1	PC




40 Eccentric lever complete (4.035-601.0)

POS	Article no.	Description	Quantity	Unit
20	5.039-408.0	Eccentric lever linear guiding finished part	1	PC
30	5.039-302.0	Bolt	1	PC
40	5.039-372.0	Pressure spring	1	PC
50	7.312-007.0	Washer 6,4x30x1,5 - A2-70 DIN 522-C	1	PC
60	7.306-194.0	Screw M6x20 -A2-70 ISO 14583	1	PC
70	5.039-513.0	Seal linear guiding eccentric	1	PC




50 Add-on kit deflector roll stackable (2.644-225.0)

POS	Article no.	Description	Quantity	Unit
20	5.039-438.0	Spacer sleeve	2	PC
30	7.306-173.0	Cylinder head screw M 10x75-A2-70 ISO 4762	2	PC



50 Deflector roll complete (4.035-602.0)

POS	Article no.	Description	Quantity	Unit
10	7.306-120.0	Cylinder head screw M10x40 -A2-70 ISO 4	1	PC
20	5.039-373.0	Fixing washer deflector roll M10	1	PC




20 Suction bar bottom part complete

POS	Article no.	Description	Quantity	Unit
10	5.039-294.0	Internal part suction bar 950mm/37in	1	PC
11	7.304-264.0	Hexagonal head screw M 8x70-A4-70 ISO 4	2	PC
12	7.311-427.0	Hexagon nut M8-04-A2E DIN 985	2	PC
40	4.039-337.0	Tightening strap complete 950mm/37in	1	PC
9500	4.039-357.0	Suction lip set PU 950mm/37in	1	PC
9500	4.039-366.0	Suction lip set standard 950mm/37in	1	PC

60 KEM Machine Connect B 110 R *NA (2.644-214.0)

POS	Description	Quantity	Unit
10	Kaercher Fleet services B110R NA	1	PC



10 Kaercher Fleet services B110R NA

POS	Article no.	Description	Quantity	Unit
20	5.039-431.0	Retaining plate fleet management module B110	1	PC
30	7.306-206.0	Screw M4x10 -A2-70 ISO 14583	3	PC
40	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	2	PC