

# Spare parts list




**ULTIMAXX**  
**1900**




## Table of contents

|                                                 |     |
|-------------------------------------------------|-----|
| TASKI ULTIMAXX 1900_1                           | 3   |
| Handle (Handle)                                 | 5   |
| Handle with hall sensor (4135725)               | 7   |
| Handle (4135726)                                | 9   |
| Support compl (Support compl)                   | 11  |
| Key compl Operator (4135188)                    | 13  |
| Key compl Poweruser (4135189)                   | 15  |
| Upper part (Upper part)                         | 17  |
| Suction plate (Suction plate)                   | 19  |
| Tank (Tank)                                     | 22  |
| Tank (Tank)                                     | 25  |
| Tank compl (4135148)                            | 27  |
| Tank Bac compl (4135361)                        | 29  |
| Lower part (Lower part)                         | 31  |
| Squeegee lowering mechanism (Squeegee lowering) | 33  |
| Drive, Wheel group (Drive, Wheel group)         | 35  |
| Wheel group (Wheel group Disc brushes)          | 37  |
| Wheel group (Wheel group Roller brushes)        | 39  |
| Tool lowering unit (Tool lowering)              | 41  |
| EBU (EBU)                                       | 43  |
| MBU (MBU)                                       | 45  |
| Magnetic valve 24V compl (4126924)              | 48  |
| Squeegee compl 720 mm (4133961)                 | 50  |
| Option Castor (Option Castor)                   | 53  |
| Option Castor II (Option Castor II)             | 55  |
| Squeegee compl 820 mm (4134004)                 | 57  |
| Option Castor (Option Castor)                   | 60  |
| Option Castor II (Option Castor II)             | 62  |
| Squeegee compl 920 mm (4134207)                 | 64  |
| Option Castor (Option Castor)                   | 67  |
| Option Castor II (Option Castor II)             | 69  |
| Brush drive SD 43 (Brush drive SD 43)           | 71  |
| Brush drive SD (4135144)                        | 73  |
| Roll 40 compl (4135897)                         | 76  |
| Brush drive SD 50 (Brush drive SD 50)           | 78  |
| Brush drive SD (4135144)                        | 80  |
| Roll 40 compl (4135897)                         | 83  |
| Brush drive DD 55 (Brush drive DD 55)           | 85  |
| Brush drive DD 55 (4135146)                     | 87  |
| Intermediate wheel set (4130207)                | 90  |
| Brush drive DD 65 (Brush drive DD 65)           | 92  |
| Brush drive DD 65 (4135544)                     | 94  |
| Intermediate wheel set (4130207)                | 97  |
| Rollerbrush unit RB 55 (Rollerbrush unit RB 55) | 99  |
| Rollerbrush unit RB 55 (4135134)                | 101 |
| Drive unit compl (4135152)                      | 104 |
| Rollerbrush unit RB 65 (Rollerbrush unit RB 65) | 106 |
| Rollerbrush unit RB 65 (4134529)                | 108 |
| Drive unit (Drive unit)                         | 111 |
| Excenter unit OB 50 (Excenter unit OB 50)       | 113 |
| Excenter unit OB 50 (4135147)                   | 115 |
| Electronics (Electronics)                       | 117 |
| Water (Water)                                   | 120 |
| Water regulating set (4135362)                  | 122 |
| Valve set (4135363)                             | 124 |
| Pump (Pump)                                     | 126 |
| Electrical diagram                              | 128 |




**TASKI ULTIMAXX 1900\_1**

| Article no.            | Description            | used for           |
|------------------------|------------------------|--------------------|
| Handle                 | Handle                 |                    |
| Upper part             | Upper part             |                    |
| Tank                   | Tank                   |                    |
| Lower part             | Lower part             |                    |
| 4133961                | Squeegee compl 720 mm  | SD43 / SD50        |
| 4134004                | Squeegee compl 820 mm  | DD55 / OB50 / RB55 |
| 4134207                | Squeegee compl 920 mm  | DD65 / RB65        |
| Brush drive SD 43      | Brush drive SD 43      |                    |
| Brush drive SD 50      | Brush drive SD 50      |                    |
| Brush drive DD 55      | Brush drive DD 55      |                    |
| Brush drive DD 65      | Brush drive DD 65      |                    |
| Rollerbrush unit RB 55 | Rollerbrush unit RB 55 |                    |
| Rollerbrush unit RB 65 | Rollerbrush unit RB 65 |                    |
| Excenter unit OB 50    | Excenter unit OB 50    |                    |
| Electronics            | Electronics            |                    |
| Water                  | Water                  |                    |
|                        | Electrical diagram     |                    |




## Handle (Handle)

| Article no. | Description                  | Quantity | Unit | used for                        |
|-------------|------------------------------|----------|------|---------------------------------|
| 4135725     | Handle with hall sensor      | 1        | PC   | PERF Standard                   |
| 4135726     | Handle                       | 1        | PC   | ECO Basic / ECO Standard        |
| 4122641     | Screw delta PT Torx<br>40x16 | 6        | PC   |                                 |
| 4135098     | Control board set            | 1        | PC   | ECO Standard / PERF<br>Standard |
| 4134668     | Control board set            | 1        | PC   | ECO Basic                       |
| 7525082     | ULTIMAXX IntelliTouch        | 1        | PC   | Option                          |
| 4135188     | Key compl Operator           | 1        | PC   | Operator                        |
| 4135189     | Key compl Poweruser          | 1        | PC   | Poweruser                       |
| 4128062     | Screw delta PT Torx<br>60x25 | 4        | PC   |                                 |
| 4135186     | Switch unit compl            | 1        | PC   |                                 |




## Handle with hall sensor (4135725)

| Article no. | Description               | Quantity | Unit |
|-------------|---------------------------|----------|------|
| 4134026     | Cradle                    | 2        | PC   |
| 4134368     | Tension spring            | 2        | PC   |
| 4122641     | Screw delta PT Torx 40x16 | 2        | PC   |
| 4135490     | Sealing strip             | 3        | PC   |




**Handle (4135726)**

| Article no.   | Description               | Quantity | Unit | used for                 |
|---------------|---------------------------|----------|------|--------------------------|
| 4134026       | Cradle                    | 2        | PC   |                          |
| 4134368       | Tension spring            | 2        | PC   |                          |
| Support compl | Support compl             | 1        | PC   | ECO Basic / ECO Standard |
| 4122641       | Screw delta PT Torx 40x16 | 2        | PC   |                          |
| 4135490       | Sealing strip             | 3        | PC   |                          |




## Support compl (Support compl)

| Article no. | Description               | Quantity | Unit |
|-------------|---------------------------|----------|------|
| 4134432     | Support                   | 1        | PC   |
| 4134453     | Wire harness "ECO"        | 1        | PC   |
| 4134028     | Holder                    | 1        | PC   |
| 4122641     | Screw delta PT Torx 40x16 | 2        | PC   |



**Key compl Operator (4135188)**


| Article no. | Description | Quantity | Unit |
|-------------|-------------|----------|------|
| 4121560     | Key ring    | 1        | PC   |



**Key compl Poweruser (4135189)**

| Article no. | Description | Quantity | Unit |
|-------------|-------------|----------|------|
| 4121560     | Key ring    | 1        | PC   |


# Upper part (Upper part)



**Upper part (Upper part)**

| Article no.   | Description               | Quantity | Unit |
|---------------|---------------------------|----------|------|
| 4133661       | Tank cover                | 1        | PC   |
| Suction plate | Suction plate             | 1        | PC   |
| 4130853       | Membrane                  | 1        | PC   |
| 4134360       | Membrane                  | 1        | PC   |
| 4133935       | Handle                    | 1        | PC   |
| 4122655       | Screw delta PT Torx 50x16 | 2        | PC   |
| 4133917       | Hose spec                 | 1        | PC   |
| 4134591       | Splash guard              | 1        | PC   |
| 4019900       | Retaining rivet 5x12      | 4        | PC   |

# Suction plate (Suction plate)




## Suction plate (Suction plate)

| Article no. | Description                                   | Quantity | Unit | used for |
|-------------|-----------------------------------------------|----------|------|----------|
| 4133854     | Suction plate                                 | 1        | PC   |          |
| 4133904     | Noise absorbing                               | 1        | PC   |          |
| 4134031     | Cover                                         | 1        | PC   |          |
| 4134032     | Connection                                    | 1        | PC   |          |
| 4133938     | Gasket                                        | 1        | PC   |          |
| 4133909     | Gasket                                        | 1        | PC   |          |
| 4122571     | Sealing profile per m                         | 1,81     | M    |          |
| 4133857     | Protecting ring                               | 1        | PC   |          |
| 4133902     | Vacuum motor 24V 380W                         | 1        | PC   |          |
| 4134122     | Support                                       | 1        | PC   |          |
| 4133858     | Dichtring                                     | 1        | PC   |          |
| 4133859     | Housing                                       | 1        | PC   |          |
| 4133860     | Cover                                         | 1        | PC   |          |
| 4133861     | Sealing ring 182/208x5                        | 1        | PC   |          |
| 4133862     | Sealing ring 235/278x5                        | 1        | PC   |          |
| 4133863     | Sealing ring 91/58x3                          | 1        | PC   |          |
| 4122621     | Gasket                                        | 1        | PC   |          |
| 4133864     | Noise absorbing                               | 1        | PC   |          |
| 4133865     | Noise absorbing                               | 1        | PC   |          |
| 4133866     | Noise absorbing                               | 1        | PC   |          |
|             | Spacer                                        | 4        | PC   |          |
| 4019900     | Retaining rivet 5x12                          | 4        | PC   |          |
| 4133867     | Filter                                        | 1        | PC   |          |
| 4122553     | Float compl                                   | 1        | PC   |          |
| 4126719     | Flange bolt                                   | 3        | PC   |          |
| 4122750     | Buffer                                        | 2        | PC   |          |
| 4122829     | Screw delta PT Torx<br>60x35                  | 2        | PC   |          |
| 4122655     | Screw delta PT Torx<br>50x16                  | 33       | PC   |          |
| 4121992     | Screw for plastic KA50x16                     | 3        | PC   |          |
| 4010480     | Clamp                                         | 1        | PC   |          |
| 4108430     | Toroidal choke                                | 1        | PC   |          |
| 4047420     | Connection bloc 2-ways<br>2,5 mm <sup>2</sup> | 1        | PC   |          |

## Suction plate (Suction plate)

| Article no. | Description                          | Quantity | Unit | used for    |
|-------------|--------------------------------------|----------|------|-------------|
| 4007450     | Washer 5,3/20x1,5                    | 1        | PC   |             |
| 4131353     | Screw for plastic KA30x25            | 1        | PC   |             |
| 4094580     | Sealing strip 10x5                   | 1,58     | M    |             |
| 4023260     | Cable tie 200                        | 1        | PC   |             |
| 4134257     | Plate                                | 1        | PC   |             |
| 4134255     | Bracket                              | 1        | PC   |             |
| 4134258     | Holder                               | 1        | PC   |             |
| 4134298     | Gasket                               | 1        | PC   |             |
| 4134460     | Wire harness "Vac-Mot"               | 1        | PC   |             |
| 4135052     | Wire harness "VAC /<br>Intellitrail" | 1        | PC   |             |
| 7524965     | TASKI ULTIMAXX HEPA<br>H13           | 1        | PC   | Bac, Option |




## Tank (Tank)

| Article no. | Description                  | Quantity | Unit | used for       |
|-------------|------------------------------|----------|------|----------------|
| Tank        | Tank                         | 1        | PC   |                |
| 4133891     | Solids filter                | 1        | PC   |                |
| 4133892     | Solids filter                | 1        | PC   |                |
| 4133913     | Rear panel                   | 1        | PC   |                |
| 4122639     | Screw delta PT Torx 60x20    | 10       | PC   |                |
| 4135686     | Holder                       | 2        | PC   |                |
| 4128296     | Holder                       | 2        | PC   |                |
| 4135692     | Square nut M8                | 2        | PC   |                |
| 4044530     | Cage nut M8                  | 2        | PC   |                |
| 4122652     | Flange sock.head screw M8x20 | 2        | PC   |                |
| 4067100     | Hose clamp 38-43             | 3        | PC   |                |
| 4133991     | Suction hose                 | 1        | PC   |                |
| 4135731     | Drain hose                   | 2        | PC   |                |
| 4135592     | Cap red                      | 1        | PC   |                |
| 4130767     | Rubber ring red              | 1        | PC   |                |
| 4135593     | Cap blue                     | 1        | PC   |                |
| 4130768     | Rubber ring blue             | 1        | PC   |                |
| 4134174     | Dosing cup                   | 1        | PC   |                |
| 4129754     | Cord spec                    | 2        | PC   |                |
| 4134175     | Filter                       | 1        | PC   |                |
| 4123104     | Holder                       | 2        | PC   |                |
| 4122655     | Screw delta PT Torx 50x16    | 14       | PC   |                |
| 4122641     | Screw delta PT Torx 40x16    | 2        | PC   |                |
| 4129128     | Plate                        | 2        | PC   |                |
| 4134179     | LED                          | 2        | PC   | Performance    |
| 4134710     | LED Cover                    | 2        | PC   | Performance    |
| 4122965     | Washer 4,2/10x0,8            | 4        | PC   | Performance    |
| 4122641     | Screw delta PT Torx 40x16    | 2        | PC   | Performance    |
| 4134690     | Wire harness "LED"           | 1        | PC   | Performance    |
| 4133920     | Cover                        | 1        | PC   | Disc brushes   |
| 4134706     | Cover                        | 1        | PC   | Roller brushes |


## Tank (Tank)

| Article no. | Description               | Quantity | Unit | used for |
|-------------|---------------------------|----------|------|----------|
| 4133919     | Cover                     | 1        | PC   |          |
| 4133918     | Cover                     | 1        | PC   |          |
| 4134285     | LED cover left            | 1        | PC   |          |
| 4134286     | LED cover right           | 1        | PC   |          |
| 4130450     | Clamp                     | 4        | PC   |          |
| 4082610     | Screw for plastic KA50x16 | 4        | PC   |          |
| 4135478     | Accessory holder          | 1        | PC   | Option   |




## Tank (Tank)

| Article no. | Description                     | Quantity | Unit | used for     |
|-------------|---------------------------------|----------|------|--------------|
| 4135148     | Tank compl                      | 1        | PC   |              |
| 4135361     | Tank Bac compl                  | 1        | PC   | Bac          |
| 4135228     | Support                         | 1        | PC   |              |
| 4107130     | Thread form screw torx<br>M5x12 | 8        | PC   |              |
| 4133996     | Pouchdoor                       | 1        | PC   |              |
| 4133997     | Handle                          | 1        | PC   |              |
| 4133934     | Torsion spring                  | 1        | PC   |              |
| 4133936     | Bearing bush                    | 2        | PC   |              |
| 4006420     | Socket head cap screw<br>M6x10  | 2        | PC   |              |
| 4133933     | Holder                          | 1        | PC   |              |
| 4122655     | Screw delta PT Torx<br>50x16    | 8        | PC   |              |
| 4133937     | Hook                            | 1        | PC   |              |
| 4127073     | Screw delta PT Torx<br>50x20    | 2        | PC   |              |
| 4134260     | Pouch receptacle                | 1        | PC   | IntelliDose+ |
| 4133998     | Pouch holder                    | 2        | PC   | IntelliDose+ |
| 4122641     | Screw delta PT Torx<br>40x16    | 4        | PC   | IntelliDose+ |
| 4122625     | Hose 5/9 PVC                    | 1,95     | M    |              |



**Tank compl (4135148)**


| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4134410     | Decorative label ULTIMAXX 1900 | 1        | PC   |
| 4128890     | Label information              | 1        | PC   |



## Tank Bac compl (4135361)


| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4134410     | Decorative label ULTIMAXX 1900 | 1        | PC   |
| 4128890     | Label information              | 1        | PC   |

# Lower part (Lower part)




## Lower part (Lower part)

| Article no.        | Description                                | Quantity | Unit |
|--------------------|--------------------------------------------|----------|------|
| Squeegee lowering  | Squeegee lowering mechanism                |          |      |
| Drive, Wheel group | Drive, Wheel group                         |          |      |
| Tool lowering      | Tool lowering unit                         |          |      |
| 4133796            | Chassis                                    | 1        | PC   |
| 4133760            | Bolt                                       | 3        | PC   |
| 4122641            | Screw delta PT Torx 40x16                  | 2        | PC   |
| 4076800            | Retaining washer 10                        | 6        | PC   |
| 4122639            | Screw delta PT Torx 60x20                  | 4        | PC   |
| 4126924            | Magnetic valve 24V compl                   | 1        | PC   |
| 4134022            | Plate                                      | 1        | PC   |
| 4130408            | Connection bloc 2-ways 6 mm <sup>2</sup>   | 1        | PC   |
| 4047420            | Connection bloc 2-ways 2,5 mm <sup>2</sup> | 2        | PC   |
| 4130049            | Thread form screw torx M3x16               | 3        | PC   |
| 4135059            | Bracket                                    | 2        | PC   |
| 4128830            | T-nipple 12-6-12                           | 1        | PC   |
| 4042280            | Hose clamp 12-22                           | 6        | PC   |
| 4127317            | Hose with wire 13/17,2 PVC                 | 0,12     | M    |
| 4127317            | Hose with wire 13/17,2 PVC                 | 0,6      | M    |
| 4127317            | Hose with wire 13/17,2 PVC                 | 0,15     | M    |
| 4017290            | Hose 6/9 PVC                               | 1        | M    |
| 4066380            | Check valve                                | 1        | PC   |
| 4065440            | Cable tie 100                              | 1        | PC   |
| 4134437            | Wire harness                               | 1        | PC   |
| 4134434            | Wire harness                               | 1        | PC   |
| 4134428            | Wire harness "Drive-Electronics"           | 1        | PC   |
| 4134423            | Wire harness "Intellidose"                 | 1        | PC   |
| 4134450            | Wire harness                               | 1        | PC   |
| 4023260            | Cable tie 200                              | 27       | PC   |



## Squeegee lowering mechanism (Squeegee lowering)


| Article no. | Description                     | Quantity | Unit | used for |
|-------------|---------------------------------|----------|------|----------|
| 4133540     | Swinging arm                    | 1        | PC   |          |
| 4128598     | Slide bearing<br>28/32/42x14    | 1        | PC   |          |
| 4126535     | Slide bearing 8/10/15x5,5       | 4        | PC   |          |
| 4134302     | Bolt                            | 2        | PC   |          |
| 4134161     | Flange bolt                     | 1        | PC   |          |
| 4134304     | Bolt                            | 1        | PC   |          |
| 4107130     | Thread form screw torx<br>M5x12 | 1        | PC   |          |
| 4128743     | Pressure spring                 | 1        | PC   |          |
| 4058370     | Retaining washer 6              | 4        | PC   |          |
| 4133764     | Squeegee holder                 | 1        | PC   |          |
| 4133541     | Articulation                    | 1        | PC   |          |
| 4129647     | Thread form screw torx<br>M6x16 | 3        | PC   |          |
| 4135225     | Pedal                           | 1        | PC   |          |
| 4134013     | Pedal                           | 1        | PC   |          |
| 4135196     | Catcher                         | 1        | PC   |          |
| 4135574     | Ball 15                         | 1        | PC   |          |
| 4133765     | Plate                           | 1        | PC   |          |
| 4127625     | Thread form screw torx<br>M6x12 | 6        | PC   |          |
| 4133672     | Castor compl 100/43             | 1        | PC   |          |
| 4135504     | Wheel 100/40                    | 1        | PC   | Option   |
| 4128236     | Flanged bush spec               | 1        | PC   |          |
| 4133768     | Washer 13/55x6                  | 1        | PC   |          |
| 4133762     | Plate                           | 1        | PC   |          |
| 4122658     | Hexagon screw<br>M12x55/30      | 1        | PC   |          |
| 4053780     | Washer 13/24x2,5                | 1        | PC   |          |
| 4133761     | Plate                           | 1        | PC   |          |
| 4064840     | Hexagon screw M8x25             | 3        | PC   |          |
| 4017370     | Adhesive locking middle         | 1        | PC   |          |



## Drive, Wheel group (Drive, Wheel group)

| Article no.                      | Description | used for       |
|----------------------------------|-------------|----------------|
| Wheel group<br>Disc brushes      | Wheel group | Disc brushes   |
| Wheel group<br>Roller<br>brushes | Wheel group | Roller brushes |


# Wheel group (Wheel group Disc brushes)



## Wheel group (Wheel group Disc brushes)


| Article no. | Description                    | Quantity | Unit | used for    |
|-------------|--------------------------------|----------|------|-------------|
| 4133694     | Cradle                         | 2        | PC   |             |
| 4122570     | Wheel 200/50                   | 2        | PC   | ECO         |
| 4135021     | Drive wheel 200/50 grey        | 2        | PC   | Performance |
| 4122700     | Disc                           | 2        | PC   |             |
| 4122005     | Hexagon screw M8x16            | 2        | PC   |             |
| 4133693     | Wheel axle                     | 1        | PC   | ECO         |
| 4133684     | Drive unit compl               | 1        | PC   | Performance |
| 4129482     | Slide bearing 12/14/20x6       | 4        | PC   |             |
| 4133695     | Holder                         | 2        | PC   |             |
| 4006520     | Socket head cap screw<br>M6x30 | 4        | PC   |             |
| 4134328     | Slide bearing 15/17/23x5       | 4        | PC   |             |
| 4122759     | Key 6/6x45                     | 2        | PC   | Performance |
| 4110070     | Washer 8,4/25x2                | 2        | PC   | Performance |

# Wheel group (Wheel group Roller brushes)




## Wheel group (Wheel group Roller brushes)

| Article no. | Description                     | Quantity | Unit | used for    |
|-------------|---------------------------------|----------|------|-------------|
| 4133693     | Wheel axle                      | 1        | PC   | ECO         |
| 4133684     | Drive unit compl                | 1        | PC   | Performance |
| 4122570     | Wheel 200/50                    | 2        | PC   | ECO         |
| 4135021     | Drive wheel 200/50 grey         | 2        | PC   | Performance |
| 4122700     | Disc                            | 2        | PC   |             |
| 4122005     | Hexagon screw M8x16             | 2        | PC   |             |
| 4122759     | Key 6/6x45                      | 2        | PC   | Performance |
| 4134071     | Cradle                          | 1        | PC   |             |
| 4134072     | Cradle                          | 1        | PC   |             |
| 4129482     | Slide bearing 12/14/20x6        | 6        | PC   |             |
| 4134469     | Gas spring strut                | 2        | PC   |             |
| 4134586     | Socket head cap screw<br>M8x10  | 2        | PC   |             |
| 4007340     | Self-locking nut M8             | 2        | PC   |             |
| 4134073     | Cradle                          | 1        | PC   |             |
| 4122992     | Locking lever                   | 1        | PC   |             |
| 4122950     | Thread form screw torx<br>M4x10 | 2        | PC   |             |
| 4133695     | Holder                          | 2        | PC   |             |
| 4006520     | Socket head cap screw<br>M6x30  | 4        | PC   |             |
| 4110070     | Washer 8,4/25x2                 | 2        | PC   | Performance |




## Tool lowering unit (Tool lowering)

| Article no. | Description |
|-------------|-------------|
| EBU         | EBU         |
| MBU         | MBU         |



**EBU (EBU)**

| Article no. | Description                     | Quantity | Unit | used for     |
|-------------|---------------------------------|----------|------|--------------|
| 4133763     | Lever                           | 1        | PC   |              |
| 4129482     | Slide bearing 12/14/20x6        | 1        | PC   |              |
| 4135215     | Angle bracket                   | 1        | PC   |              |
| 4122950     | Thread form screw torx<br>M4x10 | 2        | PC   |              |
| 4048670     | Socket head cap screw<br>M4x12  | 1        | PC   |              |
| 4133659     | Linear drive 24V 50mm           | 1        | PC   |              |
| 4133793     | Bolt                            | 1        | PC   |              |
| 4060910     | Retaining washer 8              | 2        | PC   |              |
| 4122641     | Screw delta PT Torx<br>40x16    | 2        | PC   |              |
| 4133958     | Microswitch compl               | 1        | PC   |              |
| 4134028     | Holder                          | 1        | PC   |              |
| 4134773     | Washer 13/24x1,2                | 1        | PC   |              |
| 4133760     | Bolt                            | 1        | PC   |              |
| 4076800     | Retaining washer 10             | 2        | PC   |              |
| 4127022     | Bolt                            | 1        | PC   |              |
| 4058370     | Retaining washer 6              | 2        | PC   |              |
| 4134667     | Bush 6/8x30                     | 1        | PC   | Disc brushes |
| 4117930     | Screw for plastic KA50x40       | 1        | PC   | Disc brushes |
| 7000000452  | Gas spring strut                | 1        | PC   | Disc brushes |
| 4134017     | Flanged bush 4,/6/15x14         | 1        | PC   | Disc brushes |
| 4134016     | Flanged bush 4,/6/15x6          | 1        | PC   | Disc brushes |
| 4007440     | Washer 4,3/ 9x0,8               | 1        | PC   | Disc brushes |
| 4134014     | Lever                           | 1        | PC   | Disc brushes |
| 4079170     | Socket head cap screw<br>M4x20  | 2        | PC   | Disc brushes |
| 4134021     | Flanged bush 4,5/10/15x8        | 1        | PC   | Disc brushes |




**MBU (MBU)**

| Article no. | Description                     | Quantity | Unit | used for     |
|-------------|---------------------------------|----------|------|--------------|
| 4135182     | Lever                           | 1        | PC   |              |
| 4127002     | Cover                           | 1        | PC   |              |
| 4134315     | Switch cam                      | 1        | PC   |              |
| 4122950     | Thread form screw torx<br>M4x10 | 2        | PC   |              |
| 4127022     | Bolt                            | 2        | PC   |              |
| 4058370     | Retaining washer 6              | 4        | PC   |              |
| 4135117     | Rod compl                       | 1        | PC   |              |
| 4133766     | Angle bracket                   | 1        | PC   |              |
| 4134301     | Flat spring                     | 1        | PC   |              |
| 4129647     | Thread form screw torx<br>M6x16 | 1        | PC   |              |
| 4122655     | Screw delta PT Torx<br>50x16    | 3        | PC   |              |
| 4133760     | Bolt                            | 1        | PC   |              |
| 4076800     | Retaining washer 10             | 2        | PC   |              |
| 4053780     | Washer 13/24x2,5                | 1        | PC   |              |
| 4133958     | Microswitch compl               | 1        | PC   |              |
| 4134028     | Holder                          | 1        | PC   |              |
| 4122641     | Screw delta PT Torx<br>40x16    | 2        | PC   |              |
| 4134019     | Lever                           | 1        | PC   | Disc brushes |
| 4129647     | Thread form screw torx<br>M6x16 | 2        | PC   | Disc brushes |
| 4134016     | Flanged bush 4,/6/15x6          | 1        | PC   | Disc brushes |
| 4048670     | Socket head cap screw<br>M4x12  | 1        | PC   | Disc brushes |
| 4007440     | Washer 4,3/ 9x0,8               | 1        | PC   | Disc brushes |
| 4134414     | Gas spring strut                | 1        | PC   | Disc brushes |
| 4134280     | Bolt                            | 1        | PC   | Disc brushes |
| 4008770     | Retaining washer 5              | 2        | PC   | Disc brushes |
| 4134200     | Lever                           | 1        | PC   | Disc brushes |
| 4134627     | Dowel pin 2x16                  | 1        | PC   | Disc brushes |
| 4134304     | Bolt                            | 1        | PC   | Disc brushes |
| 4026220     | Retaining washer 7              | 1        | PC   | Disc brushes |
| 4079480     | Screw for plastic KA35x20       | 1        | PC   | Disc brushes |
| 4134368     | Tension spring                  | 1        | PC   | Disc brushes |


**MBU (MBU)**

| Article no. | Description             | Quantity | Unit | used for     |
|-------------|-------------------------|----------|------|--------------|
| 4017370     | Adhesive locking middle | 1        | PC   | Disc brushes |



**Magnetic valve 24V compl (4126924)**

| Article no. | Description  | Quantity | Unit |
|-------------|--------------|----------|------|
| 4130411     | Filter compl | 1        | PC   |




## Squeegee compl 720 mm (4133961)

| Article no.   | Description                       | Quantity | Unit | used for                         |
|---------------|-----------------------------------|----------|------|----------------------------------|
| 4133962       | Squeegee body                     | 1        | PC   |                                  |
| 4133972       | Clamping part                     | 1        | PC   |                                  |
| 4133980       | Blade 56/3x764                    | 1        | PC   | Standard                         |
| 4133981       | Blade 56/4x820                    | 1        | PC   | Standard                         |
| 4134767       | Blade 56/3x764                    | 1        | PC   | Option                           |
| 4134770       | Blade 56/3x764                    | 1        | PC   | Option                           |
| 4134749       | Blade 56/4x820                    | 1        | PC   | Option Rubber red /<br>Gummi rot |
| 4133963       | Adapter                           | 1        | PC   | Standard                         |
| 4127883       | Bolt 8x40                         | 1        | PC   |                                  |
| 4127629       | Wheel 64/24 compl                 | 1        | PC   |                                  |
| 4132091       | Locking bolt                      | 2        | PC   |                                  |
| 4132200       | Castor compl 50/20                | 2        | PC   |                                  |
| 4129962       | Wheel 100/24 compl                | 2        | PC   |                                  |
| 4087980       | Washer 8,4/24x2                   | 2        | PC   |                                  |
| 4129961       | Bush 8,1/12x25,5                  | 2        | PC   |                                  |
| 4006100       | Hexagon screw M8x40/22            | 2        | PC   |                                  |
| 4027970       | Washer 10,5/20x2                  | 2        | PC   |                                  |
| 4031060       | Self-locking nut M10              | 2        | PC   |                                  |
| 4132699       | Washer 5,3/15x1.2                 | 2        | PC   |                                  |
| 4093840       | Washer 5,3/15x1,2                 | 2        | PC   |                                  |
| 4107130       | Thread form screw torx<br>M5x12   | 2        | PC   |                                  |
| 4129221       | Hexagon screw M10 spec            | 2        | PC   |                                  |
| 4064740       | Retaining ring 15 A               | 2        | PC   |                                  |
| 4129465       | Star knob M10                     | 2        | PC   |                                  |
| 4134797       | Wire spring                       | 1        | PC   |                                  |
| 4134181       | Holder                            | 1        | PC   |                                  |
| 4122652       | Flange sock.head screw<br>M8x20   | 2        | PC   |                                  |
| 4007400       | Washer 8,4/16x1,6                 | 2        | PC   |                                  |
| 4064840       | Hexagon screw M8x25               | 2        | PC   |                                  |
| 4039680       | Lubricant synsetral 53B<br>1000gr | 1        | PC   |                                  |
| Option Castor | Option Castor                     |          |      | Option                           |
| Option Castor | Option Castor II                  |          |      | Option                           |


Squeegee compl 720 mm (4133961)

| Article no. | Description | Quantity | Unit | used for |
|-------------|-------------|----------|------|----------|
| II          |             |          |      |          |




## Option Castor (Option Castor)

| Article no. | Description          | Quantity | Unit |
|-------------|----------------------|----------|------|
| 4133994     | Adapter              | 1        | PC   |
| 4132091     | Locking bolt         | 1        | PC   |
| 4132200     | Castor compl 50/20   | 1        | PC   |
| 4027970     | Washer 10,5/20x2     | 1        | PC   |
| 4031060     | Self-locking nut M10 | 1        | PC   |



## Option Castor II (Option Castor II)

| Article no. | Description                     | Quantity | Unit |
|-------------|---------------------------------|----------|------|
| 4129962     | Wheel 100/24 compl              | 3        | PC   |
| 4134034     | Adapter                         | 1        | PC   |
| 4134036     | Distance bolt                   | 1        | PC   |
| 4064840     | Hexagon screw M8x25             | 2        | PC   |
| 4087980     | Washer 8,4/24x2                 | 2        | PC   |
| 4046110     | Socket head cap screw M8x100/28 | 1        | PC   |




## Squeegee compl 820 mm (4134004)

| Article no.   | Description                       | Quantity | Unit | used for                         |
|---------------|-----------------------------------|----------|------|----------------------------------|
| 4134005       | Squeegee body                     | 1        | PC   |                                  |
| 4134006       | Clamping part                     | 1        | PC   |                                  |
| 4134201       | Blade 56/3x875                    | 1        | PC   | Standard                         |
| 4134202       | Blade 56/4x930                    | 1        | PC   | Standard                         |
| 4134768       | Blade 56/3x875                    | 1        | PC   | Option                           |
| 4134771       | Blade 56/3x875                    | 1        | PC   | Option                           |
| 4134750       | Blade 56/4x930                    | 1        | PC   | Option Rubber red /<br>Gummi rot |
| 4133963       | Adapter                           | 1        | PC   |                                  |
| 4127883       | Bolt 8x40                         | 1        | PC   |                                  |
| 4127629       | Wheel 64/24 compl                 | 1        | PC   |                                  |
| 4132091       | Locking bolt                      | 2        | PC   |                                  |
| 4132200       | Castor compl 50/20                | 2        | PC   |                                  |
| 4129962       | Wheel 100/24 compl                | 2        | PC   |                                  |
| 4087980       | Washer 8,4/24x2                   | 2        | PC   |                                  |
| 4129961       | Bush 8,1/12x25,5                  | 2        | PC   |                                  |
| 4006100       | Hexagon screw M8x40/22            | 2        | PC   |                                  |
| 4027970       | Washer 10,5/20x2                  | 2        | PC   |                                  |
| 4031060       | Self-locking nut M10              | 2        | PC   |                                  |
| 4132699       | Washer 5,3/15x1.2                 | 2        | PC   |                                  |
| 4093840       | Washer 5,3/15x1,2                 | 2        | PC   |                                  |
| 4107130       | Thread form screw torx<br>M5x12   | 2        | PC   |                                  |
| 4007400       | Washer 8,4/16x1,6                 | 2        | PC   |                                  |
| 4064840       | Hexagon screw M8x25               | 2        | PC   |                                  |
| 4129221       | Hexagon screw M10 spec            | 2        | PC   |                                  |
| 4064740       | Retaining ring 15 A               | 2        | PC   |                                  |
| 4129465       | Star knob M10                     | 2        | PC   |                                  |
| 4134797       | Wire spring                       | 1        | PC   |                                  |
| 4134181       | Holder                            | 1        | PC   |                                  |
| 4122652       | Flange sock.head screw<br>M8x20   | 2        | PC   |                                  |
| 4039680       | Lubricant synsetral 53B<br>1000gr | 1        | PC   |                                  |
| Option Castor | Option Castor                     |          |      | Option                           |
| Option Castor | Option Castor II                  |          |      | Option                           |


Squeegee compl 820 mm (4134004)

| Article no. | Description | Quantity | Unit | used for |
|-------------|-------------|----------|------|----------|
| II          |             |          |      |          |




## Option Castor (Option Castor)

| Article no. | Description          | Quantity | Unit |
|-------------|----------------------|----------|------|
| 4133994     | Adapter              | 1        | PC   |
| 4132091     | Locking bolt         | 1        | PC   |
| 4132200     | Castor compl 50/20   | 1        | PC   |
| 4027970     | Washer 10,5/20x2     | 1        | PC   |
| 4031060     | Self-locking nut M10 | 1        | PC   |



## Option Castor II (Option Castor II)

| Article no. | Description                     | Quantity | Unit |
|-------------|---------------------------------|----------|------|
| 4129962     | Wheel 100/24 compl              | 3        | PC   |
| 4134034     | Adapter                         | 1        | PC   |
| 4134036     | Distance bolt                   | 1        | PC   |
| 4064840     | Hexagon screw M8x25             | 2        | PC   |
| 4087980     | Washer 8,4/24x2                 | 2        | PC   |
| 4046110     | Socket head cap screw M8x100/28 | 1        | PC   |




## Squeegee compl 920 mm (4134207)

| Article no.   | Description                       | Quantity | Unit | used for                         |
|---------------|-----------------------------------|----------|------|----------------------------------|
| 4134208       | Squeegee body                     | 1        | PC   |                                  |
| 4134209       | Clamping part                     | 1        | PC   |                                  |
| 4134378       | Blade 56/3x980                    | 1        | PC   | Standard                         |
| 4134379       | Blade 56/4x1040                   | 1        | PC   | Standard                         |
| 4134769       | Blade 56/3x980                    | 1        | PC   | Option                           |
| 4134772       | Blade 56/3x980                    | 1        | PC   | Option                           |
| 4134751       | Blade 56/4x1040                   | 1        | PC   | Option Rubber red /<br>Gummi rot |
| 4133963       | Adapter                           | 1        | PC   |                                  |
| 4127883       | Bolt 8x40                         | 1        | PC   |                                  |
| 4127629       | Wheel 64/24 compl                 | 1        | PC   |                                  |
| 4132091       | Locking bolt                      | 2        | PC   |                                  |
| 4132200       | Castor compl 50/20                | 2        | PC   |                                  |
| 4129962       | Wheel 100/24 compl                | 2        | PC   |                                  |
| 4087980       | Washer 8,4/24x2                   | 2        | PC   |                                  |
| 4129961       | Bush 8,1/12x25,5                  | 2        | PC   |                                  |
| 4006100       | Hexagon screw M8x40/22            | 2        | PC   |                                  |
| 4027970       | Washer 10,5/20x2                  | 2        | PC   |                                  |
| 4031060       | Self-locking nut M10              | 2        | PC   |                                  |
| 4132699       | Washer 5,3/15x1.2                 | 2        | PC   |                                  |
| 4093840       | Washer 5,3/15x1,2                 | 2        | PC   |                                  |
| 4107130       | Thread form screw torx<br>M5x12   | 2        | PC   |                                  |
| 4007400       | Washer 8,4/16x1,6                 | 2        | PC   |                                  |
| 4064840       | Hexagon screw M8x25               | 2        | PC   |                                  |
| 4129221       | Hexagon screw M10 spec            | 2        | PC   |                                  |
| 4064740       | Retaining ring 15 A               | 2        | PC   |                                  |
| 4129465       | Star knob M10                     | 2        | PC   |                                  |
| 4134797       | Wire spring                       | 1        | PC   |                                  |
| 4134181       | Holder                            | 1        | PC   |                                  |
| 4122652       | Flange sock.head screw<br>M8x20   | 2        | PC   |                                  |
| 4039680       | Lubricant synsetral 53B<br>1000gr | 1        | PC   |                                  |
| Option Castor | Option Castor                     |          |      | Option                           |
| Option Castor | Option Castor II                  |          |      | Option                           |


## Squeegee compl 920 mm (4134207)

| Article no. | Description | Quantity | Unit | used for |
|-------------|-------------|----------|------|----------|
| II          |             |          |      |          |




## Option Castor (Option Castor)

| Article no. | Description          | Quantity | Unit |
|-------------|----------------------|----------|------|
| 4133994     | Adapter              | 1        | PC   |
| 4132091     | Locking bolt         | 1        | PC   |
| 4132200     | Castor compl 50/20   | 1        | PC   |
| 4027970     | Washer 10,5/20x2     | 1        | PC   |
| 4031060     | Self-locking nut M10 | 1        | PC   |




## Option Castor II (Option Castor II)

| Article no. | Description                     | Quantity | Unit |
|-------------|---------------------------------|----------|------|
| 4129962     | Wheel 100/24 compl              | 3        | PC   |
| 4134034     | Adapter                         | 1        | PC   |
| 4134036     | Distance bolt                   | 1        | PC   |
| 4064840     | Hexagon screw M8x25             | 2        | PC   |
| 4087980     | Washer 8,4/24x2                 | 2        | PC   |
| 4046110     | Socket head cap screw M8x100/28 | 1        | PC   |



## Brush drive SD 43 (Brush drive SD 43)

| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4135144     | Brush drive SD                 | 1        | PC   |
| 4133924     | Brush cover                    | 1        | PC   |
| 4133957     | Shackle                        | 1        | PC   |
| 4122992     | Locking lever                  | 2        | PC   |
| 4122950     | Thread form screw torx M4x10   | 4        | PC   |
| 4122994     | Eccentric disc                 | 1        | PC   |
| 4043560     | Self-locking nut M6            | 1        | PC   |
| 4122993     | Eccentric bolt                 | 1        | PC   |
| 4122983     | Flange bolt                    | 1        | PC   |
| 4110070     | Washer 8,4/25x2                | 2        | PC   |
| 4088160     | Self-locking nut M8            | 2        | PC   |
| 4129962     | Wheel 100/24 compl             | 1        | PC   |
| 4129961     | Bush 8,1/12x25,5               | 1        | PC   |
| 4006100     | Hexagon screw M8x40/22         | 2        | PC   |
| 4043000     | Socket head cap screw M8x45/22 | 1        | PC   |
| 4042370     | Washer 8,4/21x4                | 1        | PC   |
| 4135047     | Holder 43                      | 1        | PC   |
| 4006530     | Socket head cap screw M8x20    | 3        | PC   |




## Brush drive SD (4135144)

| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4135017     | Brush base plate               | 1        | PC   |
| 4109900     | Support                        | 1        | PC   |
| 4123215     | Gasket                         | 1        | PC   |
| 4108450     | Flat belt pulley 192           | 1        | PC   |
| 4006530     | Socket head cap screw M8x20    | 10       | PC   |
| 4008690     | Retaining ring 25 A            | 1        | PC   |
| 4122440     | Gasket                         | 1        | PC   |
| 4122441     | Flanged bush spec              | 1        | PC   |
| 4135603     | Angle flange                   | 1        | PC   |
| 4127133     | Flange                         | 1        | PC   |
| 4122705     | Brush coupling                 | 1        | PC   |
| 4117930     | Screw for plastic KA50x40      | 3        | PC   |
| 4039680     | Lubricant synsetral 53B 1000gr | 1        | PC   |
| 4008750     | Retaining ring 62 J            | 1        | PC   |
| 4079540     | Ball Bearing 6007 2RS          | 2        | PC   |
| 4122761     | Intermediate wheel             | 1        | PC   |
| 4088010     | Retaining ring 35 A            | 1        | PC   |
| 4085760     | Washer 35/45x2                 | 1        | PC   |
| 4134430     | Motor 24V 750W                 | 1        | PC   |
| 4122598     | Poly-V pulley 7 PJ 28          | 1        | PC   |
| 4083980     | Hexagon nut M12 Left           | 1        | PC   |
| 4135044     | Plate                          | 1        | PC   |
| 4007270     | Hexagon nut M6                 | 3        | PC   |
| 4122594     | Poly-V-belt 6 EPJ 508          | 1        | PC   |
| 4135051     | Poly-V-belt 11 EPJ 725         | 1        | PC   |
| 4135897     | Roll 40 compl                  | 2        | PC   |
| 4109640     | Roll 48 compl                  | 2        | PC   |
| 4135070     | Flanged bush 8.1/17/24x37.7    | 2        | PC   |
| 4042370     | Washer 8,4/21x4                | 2        | PC   |
| 4042630     | Socket head cap screw M8x40    | 2        | PC   |
| 4028060     | Socket head cap screw M8x50/28 | 2        | PC   |
| 4135580     | Lever                          | 2        | PC   |
| 4135071     | Lever                          | 2        | PC   |
| 4083310     | Flange sock.head screw M8x12   | 6        | PC   |


**Brush drive SD (4135144)**

| Article no. | Description              | Quantity | Unit |
|-------------|--------------------------|----------|------|
| 4135043     | Cover                    | 1        | PC   |
| 4122696     | Buffer                   | 2        | PC   |
| 4122996     | Bolt                     | 1        | PC   |
| 4053660     | Hose with wire 12/18 PVC | 0,36     | M    |
| 4135276     | Holder                   | 1        | PC   |
| 4023260     | Cable tie 200            | 1        | PC   |




**Roll 40 compl (4135897)**

| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4129567     | Roll 40                        | 1        | PC   |
| 4021890     | Ball bearing 6002 2RS          | 2        | PC   |
| 4135584     | Flanged bush spec              | 1        | PC   |
| 4064740     | Retaining ring 15 A            | 1        | PC   |
| 4039680     | Lubricant synsetral 53B 1000gr | 1        | PC   |



## Brush drive SD 50 (Brush drive SD 50)

| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4135144     | Brush drive SD                 | 1        | PC   |
| 4133926     | Brush cover                    | 1        | PC   |
| 4133957     | Shackle                        | 1        | PC   |
| 4122992     | Locking lever                  | 2        | PC   |
| 4122950     | Thread form screw torx M4x10   | 4        | PC   |
| 4122994     | Eccentric disc                 | 1        | PC   |
| 4043560     | Self-locking nut M6            | 1        | PC   |
| 4122993     | Eccentric bolt                 | 1        | PC   |
| 4122983     | Flange bolt                    | 1        | PC   |
| 4110070     | Washer 8,4/25x2                | 2        | PC   |
| 4088160     | Self-locking nut M8            | 2        | PC   |
| 4129962     | Wheel 100/24 compl             | 2        | PC   |
| 4129961     | Bush 8,1/12x25,5               | 2        | PC   |
| 4006100     | Hexagon screw M8x40/22         | 2        | PC   |
| 4043000     | Socket head cap screw M8x45/22 | 2        | PC   |
| 4042370     | Washer 8,4/21x4                | 2        | PC   |
| 4135048     | Holder 50                      | 1        | PC   |
| 4006530     | Socket head cap screw M8x20    | 6        | PC   |




## Brush drive SD (4135144)

| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4135017     | Brush base plate               | 1        | PC   |
| 4109900     | Support                        | 1        | PC   |
| 4123215     | Gasket                         | 1        | PC   |
| 4108450     | Flat belt pulley 192           | 1        | PC   |
| 4006530     | Socket head cap screw M8x20    | 10       | PC   |
| 4008690     | Retaining ring 25 A            | 1        | PC   |
| 4122440     | Gasket                         | 1        | PC   |
| 4122441     | Flanged bush spec              | 1        | PC   |
| 4135603     | Angle flange                   | 1        | PC   |
| 4127133     | Flange                         | 1        | PC   |
| 4122705     | Brush coupling                 | 1        | PC   |
| 4117930     | Screw for plastic KA50x40      | 3        | PC   |
| 4039680     | Lubricant synsetral 53B 1000gr | 1        | PC   |
| 4008750     | Retaining ring 62 J            | 1        | PC   |
| 4079540     | Ball Bearing 6007 2RS          | 2        | PC   |
| 4122761     | Intermediate wheel             | 1        | PC   |
| 4088010     | Retaining ring 35 A            | 1        | PC   |
| 4085760     | Washer 35/45x2                 | 1        | PC   |
| 4134430     | Motor 24V 750W                 | 1        | PC   |
| 4122598     | Poly-V pulley 7 PJ 28          | 1        | PC   |
| 4083980     | Hexagon nut M12 Left           | 1        | PC   |
| 4135044     | Plate                          | 1        | PC   |
| 4007270     | Hexagon nut M6                 | 3        | PC   |
| 4122594     | Poly-V-belt 6 EPJ 508          | 1        | PC   |
| 4135051     | Poly-V-belt 11 EPJ 725         | 1        | PC   |
| 4135897     | Roll 40 compl                  | 2        | PC   |
| 4109640     | Roll 48 compl                  | 2        | PC   |
| 4135070     | Flanged bush 8.1/17/24x37.7    | 2        | PC   |
| 4042370     | Washer 8,4/21x4                | 2        | PC   |
| 4042630     | Socket head cap screw M8x40    | 2        | PC   |
| 4028060     | Socket head cap screw M8x50/28 | 2        | PC   |
| 4135580     | Lever                          | 2        | PC   |
| 4135071     | Lever                          | 2        | PC   |
| 4083310     | Flange sock.head screw M8x12   | 6        | PC   |


**Brush drive SD (4135144)**

| Article no. | Description              | Quantity | Unit |
|-------------|--------------------------|----------|------|
| 4135043     | Cover                    | 1        | PC   |
| 4122696     | Buffer                   | 2        | PC   |
| 4122996     | Bolt                     | 1        | PC   |
| 4053660     | Hose with wire 12/18 PVC | 0,36     | M    |
| 4135276     | Holder                   | 1        | PC   |
| 4023260     | Cable tie 200            | 1        | PC   |




**Roll 40 compl (4135897)**

| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4129567     | Roll 40                        | 1        | PC   |
| 4021890     | Ball bearing 6002 2RS          | 2        | PC   |
| 4135584     | Flanged bush spec              | 1        | PC   |
| 4064740     | Retaining ring 15 A            | 1        | PC   |
| 4039680     | Lubricant synsetral 53B 1000gr | 1        | PC   |



**Brush drive DD 55 (Brush drive DD 55)**

| Article no. | Description         | Quantity | Unit |
|-------------|---------------------|----------|------|
| 4135146     | Brush drive DD 55   | 1        | PC   |
| 4122739     | Bolt                | 2        | PC   |
| 4064740     | Retaining ring 15 A | 2        | PC   |
| 4133983     | Shackle             | 1        | PC   |
| 4122741     | Bolt                | 1        | PC   |
| 4060910     | Retaining washer 8  | 2        | PC   |




## Brush drive DD 55 (4135146)

| Article no. | Description                  | Quantity | Unit |
|-------------|------------------------------|----------|------|
| 4133837     | Brush base plate             | 1        | PC   |
| 4133838     | Holder plate                 | 1        | PC   |
| 4076820     | Buffer                       | 2        | PC   |
| 4079270     | Hexagon screw M10x16         | 4        | PC   |
| 4133984     | Holder                       | 1        | PC   |
| 4065050     | Socket head cap screw M8x12  | 21       | PC   |
| 4134430     | Motor 24V 750W               | 1        | PC   |
| 4007270     | Hexagon nut M6               | 3        | PC   |
| 4122598     | Poly-V pulley 7 PJ 28        | 1        | PC   |
| 4083980     | Hexagon nut M12 Left         | 1        | PC   |
| 4122592     | Poly-V-belt 7 EPJ 555        | 1        | PC   |
| 4130207     | Intermediate wheel set       | 1        | PC   |
| 4006450     | Socket head cap screw M6x20  | 3        | PC   |
| 4122593     | Poly-V-belt 10 EPJ 1174      | 1        | PC   |
| 4126627     | Roll 40 compl                | 1        | PC   |
| 4122765     | Holder                       | 1        | PC   |
| 4023420     | Socket head cap screw M8x16  | 1        | PC   |
| 4109900     | Support                      | 2        | PC   |
| 4123215     | Gasket                       | 2        | PC   |
| 4122763     | Flat belt pulley 133         | 2        | PC   |
| 4008690     | Retaining ring 25 A          | 2        | PC   |
| 4122440     | Gasket                       | 2        | PC   |
| 4122649     | Flanged bush spec            | 2        | PC   |
| 4122648     | Brush coupling               | 2        | PC   |
| 4123205     | Angle flange                 | 2        | PC   |
| 4134851     | Bush 4,/9,25x15              | 2        | PC   |
| 4130450     | Clamp                        | 2        | PC   |
| 4107130     | Thread form screw torx M5x12 | 2        | PC   |
| 4134666     | T-nipple 10-13-10            | 1        | PC   |
| 4028460     | Hose with wire 10/16 PVC     | 0,13     | M    |
| 4028460     | Hose with wire 10/16 PVC     | 0,13     | M    |
| 4053660     | Hose with wire 12/18 PVC     | 0,32     | M    |
| 4023260     | Cable tie 200                | 2        | PC   |
| 4133843     | Cover                        | 1        | PC   |


## Brush drive DD 55 (4135146)

| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4083310     | Flange sock.head screw M8x12   | 8        | PC   |
| 4135150     | Roller unit                    | 1        | PC   |
| 4133840     | Holder                         | 2        | PC   |
| 4133839     | Plate                          | 1        | PC   |
| 4127881     | Tension spring                 | 2        | PC   |
| 4127926     | Cover                          | 1        | PC   |
| 4133846     | Brush cover                    | 1        | PC   |
| 4129962     | Wheel 100/24 compl             | 2        | PC   |
| 4129961     | Bush 8,1/12x25,5               | 2        | PC   |
| 4006100     | Hexagon screw M8x40/22         | 2        | PC   |
| 4007340     | Self-locking nut M8            | 1        | PC   |
| 4133982     | Holder                         | 1        | PC   |
| 4039680     | Lubricant synsetral 53B 1000gr | 1        | PC   |
| 4017370     | Adhesive locking middle        | 1        | PC   |




**Intermediate wheel set (4130207)**

| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4122761     | Intermediate wheel             | 1        | PC   |
| 4079540     | Ball Bearing 6007 2RS          | 2        | PC   |
| 4088020     | Flange                         | 1        | PC   |
| 4085760     | Washer 35/45x2                 | 1        | PC   |
| 4008750     | Retaining ring 62 J            | 1        | PC   |
| 4088010     | Retaining ring 35 A            | 1        | PC   |
| 4039680     | Lubricant synsetral 53B 1000gr | 1        | PC   |



**Brush drive DD 65 (Brush drive DD 65)**

| Article no. | Description         | Quantity | Unit |
|-------------|---------------------|----------|------|
| 4135544     | Brush drive DD 65   | 1        | PC   |
| 4122739     | Bolt                | 2        | PC   |
| 4064740     | Retaining ring 15 A | 2        | PC   |
| 4133983     | Shackle             | 1        | PC   |
| 4122741     | Bolt                | 1        | PC   |
| 4060910     | Retaining washer 8  | 2        | PC   |




## Brush drive DD 65 (4135544)

| Article no. | Description                  | Quantity | Unit |
|-------------|------------------------------|----------|------|
| 4133943     | Brush base plate             | 1        | PC   |
| 4133838     | Holder plate                 | 1        | PC   |
| 4076820     | Buffer                       | 2        | PC   |
| 4079270     | Hexagon screw M10x16         | 4        | PC   |
| 4133984     | Holder                       | 1        | PC   |
| 4065050     | Socket head cap screw M8x12  | 22       | PC   |
| 4134430     | Motor 24V 750W               | 1        | PC   |
| 4007270     | Hexagon nut M6               | 3        | PC   |
| 4127132     | Poly-V pulley 7 PJ 22        | 1        | PC   |
| 4083980     | Hexagon nut M12 Left         | 1        | PC   |
| 4122592     | Poly-V-belt 7 EPJ 555        | 1        | PC   |
| 4130207     | Intermediate wheel set       | 1        | PC   |
| 4006450     | Socket head cap screw M6x20  | 3        | PC   |
| 4134602     | Poly-V-belt 10 EPJ 1314      | 1        | PC   |
| 4129898     | Roll 40 compl                | 1        | PC   |
| 4126627     | Roll 40 compl                | 1        | PC   |
| 4122765     | Holder                       | 1        | PC   |
| 4023420     | Socket head cap screw M8x16  | 1        | PC   |
| 4109900     | Support                      | 2        | PC   |
| 4123215     | Gasket                       | 2        | PC   |
| 4122763     | Flat belt pulley 133         | 1        | PC   |
| 4130491     | Poly-V pulley 133 DIN 7867   | 1        | PC   |
| 4008690     | Retaining ring 25 A          | 2        | PC   |
| 4122440     | Gasket                       | 2        | PC   |
| 4122649     | Flanged bush spec            | 2        | PC   |
| 4122648     | Brush coupling               | 2        | PC   |
| 4123205     | Angle flange                 | 2        | PC   |
| 4134851     | Bush 4,/9,25x15              | 2        | PC   |
| 4130450     | Clamp                        | 2        | PC   |
| 4107130     | Thread form screw torx M5x12 | 2        | PC   |
| 4134666     | T-nipple 10-13-10            | 1        | PC   |
| 4028460     | Hose with wire 10-16 PVC     | 0,15     | M    |
| 4028460     | Hose with wire 10-16 PVC     | 0,15     | M    |
| 4053660     | Hose with wire 12-18 PVC     | 0,32     | M    |

## Brush drive DD 65 (4135544)


| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4023260     | Cable tie 200                  | 2        | PC   |
| 4133945     | Cover                          | 1        | PC   |
| 4083310     | Flange sock.head screw M8x12   | 8        | PC   |
| 4135150     | Roller unit                    | 1        | PC   |
| 4133840     | Holder                         | 2        | PC   |
| 4133839     | Plate                          | 1        | PC   |
| 4127881     | Tension spring                 | 2        | PC   |
| 4127926     | Cover                          | 1        | PC   |
| 4133946     | Brush cover                    | 1        | PC   |
| 4129962     | Wheel 100-24 compl             | 2        | PC   |
| 4129961     | Bush 8,1-12x25,5               | 2        | PC   |
| 4006100     | Hexagon screw M8x40-22         | 2        | PC   |
| 4007340     | Self-locking nut M8            | 1        | PC   |
| 4133982     | Holder                         | 1        | PC   |
| 4039680     | Lubricant synsetral 53B 1000gr | 1        | PC   |
| 4017370     | Adhesive locking middle        | 1        | PC   |



**Intermediate wheel set (4130207)**

| Article no. | Description                    | Quantity | Unit |
|-------------|--------------------------------|----------|------|
| 4122761     | Intermediate wheel             | 1        | PC   |
| 4079540     | Ball Bearing 6007 2RS          | 2        | PC   |
| 4088020     | Flange                         | 1        | PC   |
| 4085760     | Washer 35/45x2                 | 1        | PC   |
| 4008750     | Retaining ring 62 J            | 1        | PC   |
| 4088010     | Retaining ring 35 A            | 1        | PC   |
| 4039680     | Lubricant synsetral 53B 1000gr | 1        | PC   |


## Rollerbrush unit RB 55 (Rollerbrush unit RB 55)



## Rollerbrush unit RB 55 (Rollerbrush unit RB 55)

| Article no. | Description                     | Quantity | Unit | used for |
|-------------|---------------------------------|----------|------|----------|
| 4135134     | Rollerbrush unit RB 55          | 1        | PC   |          |
| 4122993     | Eccentric bolt                  | 1        | PC   |          |
| 4122983     | Flange bolt                     | 1        | PC   |          |
| 4110070     | Washer 8,4/25x2                 | 2        | PC   |          |
| 4007340     | Self-locking nut M8             | 2        | PC   |          |
| 4122992     | Locking lever                   | 1        | PC   |          |
| 4133753     | Lever                           | 1        | PC   |          |
| 4122950     | Thread form screw torx<br>M4x10 | 2        | PC   |          |
| 4122994     | Eccentric disc                  | 1        | PC   |          |
| 4088160     | Self-locking nut M8             | 1        | PC   |          |
| 7524966     | Roller brush 55 cm              | 2        | PC   |          |
| 7524985     | ULTIMAXX Pad roll 55 cm         | 2        | PC   | Option   |

# Rollerbrush unit RB 55 (4135134)




## Rollerbrush unit RB 55 (4135134)

| Article no. | Description                 | Quantity | Unit |
|-------------|-----------------------------|----------|------|
| 4135153     | Housing 55 compl            | 1        | PC   |
| 4133744     | Holder plate                | 1        | PC   |
| 4128062     | Screw delta PT Torx 60x25   | 16       | PC   |
| 4122696     | Buffer                      | 2        | PC   |
| 4122996     | Bolt                        | 1        | PC   |
| 4135152     | Drive unit compl            | 1        | PC   |
| 4024590     | Socket head cap screw M6x16 | 1        | PC   |
| 4043560     | Self-locking nut M6         | 1        | PC   |
| 4007580     | Washer 6,4/12x1,6           | 1        | PC   |
| 4133720     | Plate                       | 1        | PC   |
| 4129115     | Pressure spring             | 1        | PC   |
| 4133719     | Locking plate               | 1        | PC   |
| 4133718     | Holder                      | 1        | PC   |
| 4133717     | Holder                      | 1        | PC   |
| 4129962     | Wheel 100/24 compl          | 2        | PC   |
| 4006100     | Hexagon screw M8x40/22      | 2        | PC   |
| 4129961     | Bush 8,1/12x25,5            | 2        | PC   |
| 4133739     | Dispenser tube 55           | 1        | PC   |
| 4133742     | Dispenser channel 55        | 1        | PC   |
| 4134463     | Water connector             | 2        | PC   |
| 4126849     | O-Ring 11x2                 | 2        | PC   |
| 4092870     | Self-locking nut M6         | 4        | PC   |
| 4134464     | Clamp                       | 2        | PC   |
| 4122655     | Screw delta PT Torx 50x16   | 4        | PC   |
| 4134666     | T-nipple 10-13-10           | 1        | PC   |
| 4028460     | Hose with wire 10/16 PVC    | 0,19     | M    |
| 4028460     | Hose with wire 10/16 PVC    | 0,19     | M    |
| 4053660     | Hose with wire 12/18 PVC    | 0,36     | M    |
| 4133733     | Coarse dirt container 55    | 1        | PC   |
| 4133769     | Locking plate               | 1        | PC   |
| 4133736     | Brush housing               | 1        | PC   |
| 4122639     | Screw delta PT Torx 60x20   | 4        | PC   |
| 4135252     | Holder                      | 1        | PC   |
| 4135254     | Blade 22/3x436              | 1        | PC   |

**Rollerbrush unit RB 55 (4135134)**


| Article no. | Description     | Quantity | Unit |
|-------------|-----------------|----------|------|
| 4135492     | Pressure spring | 2        | PC   |



## Drive unit compl (4135152)


| Article no. | Description                  | Quantity | Unit |
|-------------|------------------------------|----------|------|
| 4133716     | Support                      | 1        | PC   |
| 4134794     | Bearing compl                | 1        | PC   |
| 4129647     | Thread form screw torx M6x16 | 8        | PC   |
| 4043560     | Self-locking nut M6          | 6        | PC   |
| 4133729     | Shaft                        | 1        | PC   |
| 4043330     | Retaining ring 17 A          | 2        | PC   |
| 4024770     | Key 4/4x10                   | 1        | PC   |
| 4131599     | Coupling                     | 1        | PC   |
| 4133730     | Motor 24V 1000W 53A          | 1        | PC   |
| 4133726     | Poly-V pulley 10 PJ 26       | 1        | PC   |
| 4134470     | Poly-V-belt 10 EPJ 833       | 1        | PC   |
| 4133728     | Plate                        | 1        | PC   |
| 4130471     | Roll 40 compl                | 1        | PC   |
| 4131869     | Counters. hd.cap screw M8x16 | 1        | PC   |
| 4088160     | Self-locking nut M8          | 1        | PC   |
| 4126627     | Roll 40 compl                | 2        | PC   |
| 4135050     | Pulley compl                 | 1        | PC   |
| 4135056     | Pulley compl                 | 1        | PC   |
| 4135057     | Coupling                     | 2        | PC   |

# Rollerbrush unit RB 65 (Rollerbrush unit RB 65)



## Rollerbrush unit RB 65 (Rollerbrush unit RB 65)

| Article no. | Description                     | Quantity | Unit | used for |
|-------------|---------------------------------|----------|------|----------|
| 4134529     | Rollerbrush unit RB 65          | 1        | PC   |          |
| 4122993     | Eccentric bolt                  | 1        | PC   |          |
| 4122983     | Flange bolt                     | 1        | PC   |          |
| 4110070     | Washer 8,4/25x2                 | 2        | PC   |          |
| 4007340     | Self-locking nut M8             | 2        | PC   |          |
| 4122992     | Locking lever                   | 1        | PC   |          |
| 4133753     | Lever                           | 1        | PC   |          |
| 4122950     | Thread form screw torx<br>M4x10 | 2        | PC   |          |
| 4122994     | Eccentric disc                  | 1        | PC   |          |
| 4088160     | Self-locking nut M8             | 1        | PC   |          |
| 7524982     | Roller brush 65 cm              | 2        | PC   |          |
| 7524986     | ULTIMAXX Pad roll 65 cm         | 2        | PC   | Option   |




## Rollerbrush unit RB 65 (4134529)

| Article no. | Description                 | Quantity | Unit |
|-------------|-----------------------------|----------|------|
| 4135185     | Housing 65 compl            | 1        | PC   |
| 4133744     | Holder plate                | 1        | PC   |
| 4128062     | Screw delta PT Torx 60x25   | 16       | PC   |
| 4122696     | Buffer                      | 2        | PC   |
| 4122996     | Bolt                        | 1        | PC   |
| Drive unit  | Drive unit                  | 1        | PC   |
| 4024590     | Socket head cap screw M6x16 | 1        | PC   |
| 4043560     | Self-locking nut M6         | 1        | PC   |
| 4007580     | Washer 6,4/12x1,6           | 1        | PC   |
| 4133720     | Plate                       | 1        | PC   |
| 4129115     | Pressure spring             | 1        | PC   |
| 4133719     | Locking plate               | 1        | PC   |
| 4133718     | Holder                      | 1        | PC   |
| 4133717     | Holder                      | 1        | PC   |
| 4129962     | Wheel 100/24 compl          | 2        | PC   |
| 4129961     | Bush 8,1/12x25,5            | 2        | PC   |
| 4006100     | Hexagon screw M8x40/22      | 2        | PC   |
| 4133740     | Dispenser tube 65           | 1        | PC   |
| 4133743     | Dispenser channel 65        | 1        | PC   |
| 4134463     | Water connector             | 2        | PC   |
| 4126849     | O-Ring 11x2                 | 2        | PC   |
| 4092870     | Self-locking nut M6         | 4        | PC   |
| 4134464     | Clamp                       | 2        | PC   |
| 4122655     | Screw delta PT Torx 50x16   | 4        | PC   |
| 4134666     | T-nipple 10-13-10           | 1        | PC   |
| 4028460     | Hose with wire 10/16 PVC    | 0,19     | M    |
| 4028460     | Hose with wire 10/16 PVC    | 0,19     | M    |
| 4053660     | Hose with wire 12/18 PVC    | 0,36     | M    |
| 4133734     | Coarse dirt container 65    | 1        | PC   |
| 4133769     | Locking plate               | 1        | PC   |
| 4133737     | Brush housing               | 1        | PC   |
| 4122639     | Screw delta PT Torx 60x20   | 4        | PC   |
| 4135252     | Holder                      | 1        | PC   |
| 4135254     | Blade 22/3x436              | 1        | PC   |

**Rollerbrush unit RB 65 (4134529)**


| Article no. | Description     | Quantity | Unit |
|-------------|-----------------|----------|------|
| 4135492     | Pressure spring | 2        | PC   |

# Drive unit (Drive unit)




## Drive unit (Drive unit)

| Article no. | Description                  | Quantity | Unit |
|-------------|------------------------------|----------|------|
| 4134646     | Support                      | 1        | PC   |
| 4134794     | Bearing compl                | 1        | PC   |
| 4129647     | Thread form screw torx M6x16 | 8        | PC   |
| 4043560     | Self-locking nut M6          | 6        | PC   |
| 4134647     | Shaft                        | 1        | PC   |
| 4043330     | Retaining ring 17 A          | 2        | PC   |
| 4024770     | Key 4/4x10                   | 1        | PC   |
| 4131599     | Coupling                     | 1        | PC   |
| 4133730     | Motor 24V 1000W 53A          | 1        | PC   |
| 4133726     | Poly-V pulley 10 PJ 26       | 1        | PC   |
| 4134470     | Poly-V-belt 10 EPJ 833       | 1        | PC   |
| 4133728     | Plate                        | 1        | PC   |
| 4130471     | Roll 40 compl                | 1        | PC   |
| 4131869     | Counters. hd.cap screw M8x16 | 1        | PC   |
| 4088160     | Self-locking nut M8          | 1        | PC   |
| 4126627     | Roll 40 compl                | 2        | PC   |
| 4135050     | Pulley compl                 | 1        | PC   |
| 4135056     | Pulley compl                 | 1        | PC   |
| 4135057     | Coupling                     | 2        | PC   |




## Excenter unit OB 50 (Excenter unit OB 50)

| Article no. | Description                  | Quantity | Unit |
|-------------|------------------------------|----------|------|
| 4135147     | Excenter unit OB 50          | 1        | PC   |
| 4122993     | Eccentric bolt               | 1        | PC   |
| 4122983     | Flange bolt                  | 1        | PC   |
| 4110070     | Washer 8,4/25x2              | 2        | PC   |
| 4088160     | Self-locking nut M8          | 2        | PC   |
| 4122992     | Locking lever                | 2        | PC   |
| 4122950     | Thread form screw torx M4x10 | 4        | PC   |
| 4092870     | Self-locking nut M6          | 1        | PC   |
| 4133957     | Shackle                      | 1        | PC   |
| 4122994     | Eccentric disc               | 1        | PC   |



**Excenter unit OB 50 (4135147)**

| Article no. | Description                  | Quantity | Unit |
|-------------|------------------------------|----------|------|
| 4133773     | Housing 50                   | 1        | PC   |
| 4117800     | Buffer                       | 4        | PC   |
| 4092870     | Self-locking nut M6          | 20       | PC   |
| 4133790     | Holder plate                 | 1        | PC   |
| 4122696     | Buffer                       | 2        | PC   |
| 4122996     | Bolt                         | 1        | PC   |
| 4028110     | Hexagon nut M10              | 1        | PC   |
| 4133905     | Motor 24V 400W               | 1        | PC   |
| 4129647     | Thread form screw torx M6x16 | 4        | PC   |
| 7000001447  | Excenter compl               | 1        | PC   |
| 4135058     | Pad holder                   | 1        | PC   |
| 4006050     | Hexagon screw M6x20          | 4        | PC   |
| 4134283     | Buffer                       | 6        | PC   |
| 4134595     | Hexagon screw M6x8           | 6        | PC   |
| 4007580     | Washer 6,4/12x1,6            | 6        | PC   |
| 7524967     | Orbital pad holder 50cm      | 2        | PC   |
| 4134367     | Dispenser tube 50            | 1        | PC   |
| 4132758     | Bush 9/15x12                 | 2        | PC   |
| 4134463     | Water Fitting                | 2        | PC   |
| 4126849     | O-Ring 11x2                  | 2        | PC   |
| 4134203     | Dispenser channel 50         | 1        | PC   |
| 4134666     | T-nipple 10-13-10            | 1        | PC   |
| 4028460     | Hose with wire 10/16 PVC     | 0,43     | M    |
| 4028460     | Hose with wire 10/16 PVC     | 0,43     | M    |
| 4053660     | Hose with wire 12/18 PVC     | 0,28     | M    |
| 4133780     | Brush housing                | 1        | PC   |
| 4083310     | Flange sock.head screw M8x12 | 4        | PC   |
| 4129962     | Wheel 100/24 compl           | 2        | PC   |
| 4129961     | Bush 8,1/12x25,5             | 2        | PC   |
| 4027410     | Waved washer 13,2/18,8x0,2   | 2        | PC   |
| 4006100     | Hexagon screw M8x40/22       | 2        | PC   |




## Electronics (Electronics)

| Article no. | Description                    | Quantity | Unit | used for |
|-------------|--------------------------------|----------|------|----------|
| 4133685     | Rear panel                     | 1        | PC   |          |
| 4133662     | Charger 24V 13A                | 1        | PC   | BMS 13A  |
| 4133663     | Charger 24V 25A                | 1        | PC   | BMS 25A  |
| 4133664     | Charger 24V 40A                | 1        | PC   | BMS 40A  |
| 4122655     | Screw delta PT Torx 50x16      | 14       | PC   |          |
| 4134056     | Holder                         | 1        | PC   | Non-BMS  |
| 4134454     | Wire harness "NON BMS"         | 1        | PC   | Non-BMS  |
| 4128119     | Lever                          | 1        | PC   | Non-BMS  |
| 4079480     | Screw for plastic KA35x20      | 2        | PC   | Non-BMS  |
| 4134425     | Wire "Dashboard Charger BMS"   | 1        | PC   | BMS      |
| 4134431     | Wire harness *Charger jack"    | 1        | PC   |          |
| 4122639     | Screw delta PT Torx 60x20      | 2        | PC   | Non-BMS  |
| 4001020     | Clamp                          | 1        | PC   | BMS      |
| 4079480     | Screw for plastic KA35x20      | 2        | PC   | BMS      |
| 4133657     | Electronics compl              | 1        | PC   |          |
| 4133959     | Strain relief bar              | 1        | PC   |          |
| 4134446     | Wire harness "Dashboard"       | 1        | PC   |          |
| 4133951     | Strain relief bar              | 1        | PC   |          |
| 4133880     | Power post M10                 | 1        | PC   |          |
| 4128062     | Screw delta PT Torx 60x25      | 2        | PC   |          |
| 4134244     | Relay 24V                      | 1        | PC   |          |
| 4134427     | Wire "Charger Electronics BMS" | 1        | PC   | BMS      |
| 4134459     | Diode P1000D compl             | 1        | PC   |          |
| 4134443     | Wire 16 mm² 6 AWG red          | 1        | PC   |          |
| 4134442     | Wire 16 mm² 6 AWG black        | 1        | PC   |          |
| 4023260     | Cable tie 200                  | 10       | PC   |          |
| 4122639     | Screw delta PT Torx 60x20      | 4        | PC   |          |
| 4128534     | Main cord 2L+P EURO            | 1        | PC   | Euro     |
| 4128560     | Main cord 2L+P SEA             | 1        | PC   | SEV      |


## Electronics (Electronics)

| Article no. | Description       | Quantity | Unit | used for |
|-------------|-------------------|----------|------|----------|
| 4128561     | Main cord 2L+P UK | 1        | PC   | UK       |
| 4128563     | Main cord 2L+P NA | 1        | PC   | NA       |
| 4134512     | Adapter EURO/SEA  | 1        | PC   | SEV      |




## Water (Water)

| Article no. | Description                  | Quantity | Unit | used for     |
|-------------|------------------------------|----------|------|--------------|
| 4135362     | Water regulating set         | 1        | PC   | ECO          |
| 4135363     | Valve set                    | 1        | PC   | Performance  |
| 4122639     | Screw delta PT Torx<br>60x20 | 1        | PC   |              |
| Pump        | Pump                         | 1        | PC   | with pump    |
| 4130751     | Double nipple 12             | 1        | PC   | without pump |
| 4134282     | Dosing Pump                  | 1        | PC   | IntelliDose+ |
| 4122641     | Screw delta PT Torx<br>40x16 | 1        | PC   | IntelliDose+ |




## Water regulating set (4135362)

| Article no. | Description                  | Quantity | Unit | used for     |
|-------------|------------------------------|----------|------|--------------|
| 4134009     | Valve body                   | 1        | PC   |              |
| 4134010     | Dosing bolt                  | 1        | PC   | without pump |
| 4126849     | O-Ring 11x2                  | 1        | PC   |              |
| 4122887     | O-Ring 23,47x2,62            | 1        | PC   |              |
| 4122641     | Screw delta PT Torx<br>40x16 | 1        | PC   |              |



**Valve set (4135363)**


| Article no. | Description               | Quantity | Unit |
|-------------|---------------------------|----------|------|
| 4134009     | Valve body                | 1        | PC   |
| 4134199     | Plug                      | 1        | PC   |
| 4126849     | O-Ring 11x2               | 1        | PC   |
| 4122887     | O-Ring 23,47x2,62         | 1        | PC   |
| 4122641     | Screw delta PT Torx 40x16 | 1        | PC   |



## Pump (Pump)

| Article no. | Description                 | Quantity | Unit |
|-------------|-----------------------------|----------|------|
| 4133542     | Support                     | 1        | PC   |
| 4133832     | Pump 24V                    | 1        | PC   |
| 4079170     | Socket head cap screw M4x20 | 4        | PC   |
| 4007480     | Washer 4,3/12x1             | 4        | PC   |
| 4007330     | Self-locking nut M4         | 4        | PC   |
| 4053660     | Hose with wire 12/18 PVC    | 0,07     | M    |
| 4128830     | T-nipple 12-6-12            | 1        | PC   |
| 4122625     | Hose 5/9 PVC                | 0,25     | M    |
| 4134689     | Plug 65                     | 1        | PC   |

## ULTIMAXX 900 / 1900 / 2900



## Electrical diagram

| Article no. | Description                            | Quantity | Unit | used for    |
|-------------|----------------------------------------|----------|------|-------------|
| 4133671     | Hall sensor                            | 1        | PC   |             |
| 4134690     | Wire harness "LED"                     | 1        | PC   | Performance |
| 4134454     | Wire harness "NON BMS"                 | 1        | PC   | Non-BMS     |
| 4135052     | Wire harness "VAC /<br>Intellitrail"   | 1        | PC   |             |
| 4134460     | Wire harness "Vac-Mot"                 | 1        | PC   |             |
| 4134453     | Wire harness "ECO"                     | 1        | PC   |             |
| 4134437     | Wire harness                           | 1        | PC   |             |
| 4134434     | Wire harness                           | 1        | PC   |             |
| 4134428     | Wire harness "Drive-<br>Electronics"   | 1        | PC   |             |
| 4134423     | Wire harness "Intellidose"             | 1        | PC   |             |
| 4134450     | Wire harness                           | 1        | PC   |             |
| 4134425     | Wire "Dashboard Charger<br>BMS"        | 1        | PC   | BMS         |
| 4134431     | Wire harness *Charger<br>jack"         | 1        | PC   |             |
| 4134446     | Wire harness<br>"Dashboard"            | 1        | PC   |             |
| 4134427     | Wire "Charger Electronics<br>BMS"      | 1        | PC   | BMS         |
| 4134443     | Wire 16 mm <sup>2</sup> 6 AWG red      | 1        | PC   |             |
| 4134442     | Wire 16 mm <sup>2</sup> 6 AWG<br>black | 1        | PC   |             |
| 4128534     | Main cord 2L+P EURO                    | 1        | PC   | Euro        |
| 4128560     | Main cord 2L+P SEA                     | 1        | PC   | SEV         |
| 4128561     | Main cord 2L+P UK                      | 1        | PC   | UK          |
| 4128563     | Main cord 2L+P NA                      | 1        | PC   | NA          |
| 4131339     | Fuse cartrige 100A                     | 1        | PC   |             |